




PUSH BUTTON  
SWITCHES

# BUILD YOUR OWN SWITCH



## Push Button Switch

**High quality connectors with wire socket for mounting, stainless steel, waterproof IP 67.**











- Diameter: 19, 22 mm
- Max. Voltage: 250 VAC 50 VDC
- Led Voltage: 9-36 VDC
- Max. Current: 5A (20A on request)

Single Led Colour: **red, green, blue, orange, white**

Double led Colour: **red & green, red & blue**

Function: **latching or momentary**

### Follow the steps below:

1.	2.	3.	4.	5.
EPT-Code	Diameter	Function	Led Colour	Icon
<b>11030</b>	<b>19 (mm)</b> <b>22 (mm)</b>	<b>L:</b> Latching <b>M:</b> Momentary	<b>R:</b>  <b>G:</b>  <b>B:</b>  <b>W:</b>  <b>Y:</b>  <b>RG:</b>  <b>RB:</b> 	<b>00:</b> No icon <b>01:</b> Icon No. 1  <b>02:</b> Icon No. 2  <b>03:</b> Icon No. 3  <b>04:</b> Icon No. 4  . . <b>42:</b> Icon No. 42 

**Example: 11030 22 L B 03:**

(22 mm Latching Blue Led Colour with icon 03)



## EMERGENCY SWITCH & EMERGENCY STOP

### 22 mm Emergency Switch

- Waterproof IP67
- 5A, 250 VAC 50 VDC
- 1NO 1 NC / 2 NO 2 NC

#### Emergency Switch

**Order No. 11030017**

### 22 mm Emergency Stop

- Super metal texture with high end appearance
- Max. Voltage : 250 VAC
- Max. Current: 8A
- IP. 65
- NO NC, NO NO, NC NC

#### Emergency Stop

**NO NC: Order No.: 11030017-NONC**

**NO NO: Order No.: 11030017-NONO**

**NC NC: Order No.: 11030017-NCNC**

## Switch icons

Other icons are available on request



01



02



03



04



05



06



07



08



09



10



11



12



13



14



15



16



17



18



19



20



21



22



23



24



25



26



27



28



29



30



31



32



33



34



35



36



37



38



39



40



41



42

Check our website for icons description and update.



## WATERTIGHT BUZZER

**90 dB high loudness, continuous sound.**

**Exquisite appearance**

- Selectable Voltage: 12-24 V
- Bright led colour.

19 mm

22 mm

**Order No.: 1103BZ019**

**Order No.: 1103BZ022**

Powered by  
**EPT**Technologies  
Energy Power Technologies

## GERMANY

### **EPT**Technologies GmbH

Senefelder-Ring 51  
21465 Reinbek  
Germany  
Office: +49 40 7900 8969  
Sales: +45 3020 9694  
sales@epttechnologies.de  
www.epttechnologies.de

## DENMARK

### **EPT**Technologies Aps

Ellegårdsvej 25 N  
6400 Sønderborg  
Denmark  
Sales: +41 76 411 27 70  
+45 52 380 800  
sales@epttechnologies.dk  
www.epttechnologies.dk