



 $\sim$ 


3

# **UNDERWATER LIGHTS**

## **SCR SERIES**

Bronze housing and borosilicate glass window make this light a great all round choice.

- Best in class for brightness, ease of operation and quality
- Ideal for 'Live In The Water' boats
- Proprietary clear-gel-filled design
- Scratch resistant, tempered glass lens
- Bronze housing
- IP68 fully submersible waterproof design
- Transient surge and reverse polarity protection
- Thermal throttling technology
- 10-40V input range



## **SC3 SERIES**

Our newest underwater light series for smaller and more cost sensitive applications.

- Bronze housing with 3.4" diameter and tempered glass
- Ideal for 'Live In The Water' boats
- Clear gel filled design
- 24 watts, 3000 lumen output
- IP68 fully submersible waterproof design

## **SC3 PONTOON**

A light designed specifically for bracket mounting on pontoon boats.

- Rear bolt design provides a sleek mounting profile
- Hard anodized aluminum housing with glass window
- 3 color options including RGB
- IP68 fully submersible waterproof design













## **SCR-24**

- Up to 10,000 lumens
- 120° beam angle
- 90 watts power draw
- 12 built-in colors (CC model only)
- Unlimited colors enabled with Shadow-NET™ (RGB-CC model only)











3.4" [84mm]





[20.3mm]

### SC3-BZSM

- Economical cost option
- Bronze housing
- Up to 3.000 lumens
- Surface mount
- Passive RGB design
- 2A current draw at 12V
- 10-30V input range
- Unlimited colors enabled with Shadow-NET™ (RGB-CC model only)











[101.6mm]





#### **SCR-16**

- Up to 7,000 lumens
- 120° beam angle
- 60 watts power draw
- Built-in color control (BW model)
- Built-in dimming (single color models)

#### LED colors:









3.4" [76mm]





LED colors:

## SC3-ALTB PONTOON LIGHT

- Use with RGB controller
- Hard anodized aluminum housing
- Up to 3,000 lumens
- Bracket mount
- Passive RGB design
- 1A current draw (RGB)
- 1.4A current draw (single color)
- 12V input only





# **UNDERWATER LIGHTS**

## **SCM SERIES**

Low profile design, high brightness and stainless steel housing make this light a great choice for trailer and lift kept boats.

- Proprietary clear-gel-filled design
- Tough, polycarbonate lens
- Corrosion resistant passivated stainless steel 316
- IP68 fully submersible waterproof design
- Transient surge and reverse polarity protection

**SCM SERIES ULTRA-LOW PROFILE DESIGN** 

- Thermal throttling technology
- 10-40V input range









10" [254mm]

### SCM-10-EXT-CC

- 10 RGBW LEDs
- Up to 4,000 lumens
- 120° beam angle
- 42W power draw





2.4" [61mm]

2.4" [61mm]



- 6 single color LEDs
- Up to 2,400 lumens
- 120° beam angle
- 24W power draw

LED colors:





SCM-6











10" [254mm]

#### **SCM-10**

- 10 single color LEDs
- Up to 4,000 lumens
- 120° beam angle
- 42W power draw

LED colors:







## 5.8" [147.3mm]



## SCM-4

- 4 single color LEDs
- Up to 1,600 lumens
- 120° beam angle
- 16W power draw

LED colors:









BB GW AG CR UB





# **ABOVE WATER LIGHTS**

## **SPREADER LIGHTS**

Ideal choice for lighting large deck areas of your vessel.

- Flush mount version ideal for mounting in T-Tops
- Bracket mount version is ideal for retrofit in existing installations
- White or black finish available
- Durable glass lens
- IP67 waterproof design
- 10-30V input range



## **DOWN LIGHTS**

Overhead lighting for your vessel. Ideal for T-tops and interior areas.

- White, black or chrome finish to match your boat
- DLX version is 3 inch outside diameter with all glass reveal
- DL version is 2 inch outside diameter

LED colors:

• 10-30V input range

RGBW WBR GW











RGBW WBR GW









#### **SCM-DLX**

- Supports dimming
- 300 lumens
- 120° beam angle
- 3W power draw
- IP67 waterproof design
- Shadow-NET™ Enabled (RGBW-CC model)
- 3" [76.2mm] outside diameter
- 0.175" [4.5mm] mounting height
- 2" [50.8mm] mounting hole



## **SCM-DLXS** A simple lower cost • 300 lumens

RGBW

LED colors:

- 120° beam angle
  - 3W power draw
  - IP67 waterproof design

Down Light option

- 3" [76.2mm] outside diameter • 0.175" [4.5mm] mounting height
- 2" [50.8mm] mounting hole

#### **SCM-SL SERIES**

- Low-profile aluminum housing
- 2,200 lumens
- 60° beam angle
- 24W power draw
- IP67 waterproof design
- 1.6" mounting depth (flush mount)
- 2.8" mounting depth (bracket mount)
- Shadow-NET™ Enabled (RGBW-CC model)

## shadow-net ✓ ENABLED

# **SCM-DL**

- Supports dimming
- 300 lumens
- 120° beam angle
- 3W power draw
- IP67 waterproof design
- Shadow-NET™ Enabled (RGBW-CC model)
- 2" [50.8mm] outside diameter
- 0.175" [4.5mm] mounting height
- 2" [50.8mm] mounting hole





## **ABOVE WATER LIGHTS**

## **ACCENT STRIP LIGHTS**

Shadow-Caster™ Accent Strip Lights provide color changing RGB lighting for accent areas, hatches, steps, coves, shelves and compartments.

The SCM-AL-LED marine LED light strip is ideal for mounting out of direct view while the SCM-AL-NEON & SCM-AL-MINI-NEON versions are recommended where the strip will be directly visible, as they have an integrated light diffuser to create a pleasant, continuous lighting look.



# **COURTESY LIGHTS** Low profile design great for lighting accent

areas, hatches, steps and baitwells.

Available in two finishes: polished stainless steel, or UV resistant ABS with a black and white cover included.

#### SCM-CL / SCM-CL-SS

- Up to 26,000 mcd light output
- 40,000 hour LED lifetime
- 12/24V compatible
- 60mA (single color)
- 120mA max (RGB)
- IP67 waterproof design
- 3" x 0.78" x 0.2" [76.2 x 19.8 x 5.1mm]
- Edge emitting LED lights with 110° viewing angle for single lights and 130° for color changing lights



# **SCM-AL-NEON SCM-AL-MINI-NEON**

**Mounting Track** 





**SCM-AL-SV-MINI-NEON** 



Туре	Neon RGB	Neon RGB (smaller bend radius than SCM-AL-NEON)	Side Illuminated Neon RGB (smaller bend radius than SCM-AL-NEON)	LED RGB		
Installation	Ideal	Ideal for installing out of 'line-of-sight'				
Illumination		RGB Color				
Lengths Available	8ft & 16ft [2.44m & 4.88m]		8ft, 16ft & 30ft [2.44m, 4.88m & 9.14m]	8ft & 16ft [2.44m & 4.88m]		
Cut Lengths	Cut to length in ¼" (31.25 mm) increments	Cut to length in 1" (2.5cm) increments	Cut to length in 1" (2.5cm) increments	Cut to length in 2" (5cm) increments		
Waterproof	IP67 waterproof design					
Cross Section	0.5" x 0.8" [12.7 x 20.3mm]	0.4" x 0.4" [10.2 x 10.2mm]	0.2" x 0.5" [5.1mm x 12.7mm]	0.2" x 0.5" [5.1mm x 12.7mm]		
Bend Direction			1			

See Accessories on page 19 for available Mounting Track

## **ROUND ACCENT LIGHTS**


The SCM-RAL series offer bright accent lighting in a compact and low power draw design.


The RAL series are IP68 rated making them great for illuminating baitwells, hatches, cupholders, toe kicks and highlighting smaller areas of your vessel.



#### SCM-RAL-RGB-0.5








# SCM-RAL-RGB-0.4-PW [0.6in] 15.1mm

# 3/8" [9.5mm] -[12.7mm]



SCM-RAL-RGB-0.4-AB



	SCM-RAL-RGB-0.5	SCM-RAL-RGB-0.4-PW	SCM-RAL-RGB-0.4-AB
Description	Clear plastic Bright light	Diffused plastic low profile	Black aluminum with clear lens
Recommended Use	Baitwells, hatches and courtesy lighting	Hatches, map lighting and small spaces	Great for cup holders and panel mount instrument lighting
IP Rating	IP68	IP67	IP65
Voltage/Current	12V/30ma	12V/20ma	12V/20ma
Opening	1/2" [12.7mm]	3/8" [9.5mm]	3/8" [9.5mm]

# **CONTROLLERS**

## **SCM LIGHT COMMANDER MULTI-ZONE LIGHTING CONTROLLER**



#### **LIGHT COMMANDER N2K**

NMEA 2000 Light Controller and **Expansion Module** 



#### **LIGHT COMMANDER N2K PLUS**

NMEA 2000 'PLUS' built-in connectivity to Ethernet



## **SCM LIGHT COMMANDER**

The Shadow-Caster™ Light Commander is an NMEA 2000 connected lighting controller based on the newly published NMEA 2000 lighting control standards.

Utilization of NMEA 2000 lighting standards enable "next level" implementation of lighting control and marine system integration and system interoperability.

The expandable Light Commander multi-zone lighting controller supports up to 6 zones of lighting per module with native support for 4 zones of RGB or RGBW lights and unlimited Shadow-NET™ devices.

The lighting controller supports programs including multiple color fade, music sync and color rotation.

- NMEA 2000 backbone or MFD network port connectivity
- IP67 water resistant rated housing with Deutsch connections
- All in one design, no need for a separate MFD communication bridge (SCM-LC-PLUS)
- Up to 6 separate zones of lighting control expandable to 18 zones by connecting multiple
- 6 "Instant ON" switch inputs for enabling lights without MFD control
- Support for RGB and RGBW lighting





COMPATIBLE WITH LEADING MFD BRANDS

FURUNO LOWRANCE Raymarine Humminbird

#### INTERFACING TO THE SCM LIGHT COMMANDER

#### **NMEA 2000**

Direct NMEA 2000 connectivity.

Check with your MFD manufacturer to verify support.

SCM-LC-N2K or SCM-LC-PLUS



## **NETWORK INTERFACE**

Direct network connectivity, supported by most MFD manufacturers.

SCM-LC-PLUS



## **PUSH BUTTON CONTROL FOR 6 ZONES**

Push button control for 6 zones via momentary switch.

- Press for ON/OFF
- Press and hold to dim




# **CONTROLLERS**

## **SCM-LC-N2K TYPICAL WIRING**

# NMEA 2000 Backbone CARMIE SOG kn SOG kn 0.1 0.1 DEPTH ft DEPTH ft -- COG "M COG "M 338 338 STEER POS UIGHTING Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 3.5mm Female Audio Jack AUDIO IN SC-NET NMEA2000 **Light Commander** N2K **Optional Push Button Switches** 10-30V **Power Source** 10-30V **Power Source** SCM-PD4CH Shadow-NET™

## **SCM-LC-PLUS TYPICAL WIRING**



14 15

## **CONTROLLERS**

## SCM-MFD-LC-KIT

The Shadow-Caster™ MFD Lighting Control Kit is • RGB, RGBW, 2 color and single color lighting compatible with most major MFD manufacturers • Zone control (for multi-zone applications only) including Garmin™, Simrad, Lowrance®, B&G, Raymarine®, Furuno and Humminbird.

Simply plug into your system's network interface and step through the on-screen setup. There is no additional software to install or complex configuration required.

- Multiple fade mode changes
- Control color and brightness
- 4 versions of music sync
- Endless lighting scenes can be configured and recalled
- Control transition speed, colour sequence for multiple fade and strobe modes

## **SCM-ZC-KIT**

The Multi-Zone Lighting Control Kit SCM-ZC-KIT provides easy control with full Shadow-NET™ lighting control functionality.

The kit includes the SCM-ZC-REMOTE and the SCM-MZ-LC.

- RGB, RGBW, 2 color and single color lighting
- Zone control (for multi-zone applications only)
- Multiple fade mode changes
- Brightness in each zone
- 3 versions of music sync
- Control transition speed, color sequence for multiple fade and strobe modes

#### **SCM-MFD-LC-KIT INCLUDES:**



#### **SCM-MFD-BRIDGE**

- · Provides ethernet connectivity interface for Shadow-Caster™ lighting controllers
- · Comes with standard ethernet cable (adapter might be required from screen manufacturer)
- Shadow-Caster™ IP67 cables available for Garmin and Navico brands Simrad, Lowrance, and B&G models.
- Supports 6 zones of lighting control
- · Recommended for use with SCM-MZ-LC (explore SCM-LC-PLUS version for newer systems)

# shadow-caster MARINE LEDs MULTI-ZONE LIGHTING CONTROLLER

SIMRAD

GARMIN. **B&G** 

#### **SCM-MZ-LC**

COMPATIBLE WITH LEADING MFD BRANDS

- 4 individually fused 15 amp RGBW lighting connections
- Compatible with 12/24 volt systems
- 3.5mm female audio connection for music sync input
- IP65 washdown rated enclosure

FURUNO LOWRANCE Raymarine

Shadow-NET™ Enabled

#### **SCM-ZC-KIT INCLUDES:**



#### **SCM-ZC-REMOTE**

- Easy to connect 4-conductor wiring harness
- 16 back-lit tactile push buttons
- Mounting hole 3.625" (9.2cm)
- IP65 water resistant

#### SCM-MZ-LC

- 4 individually fused 15 amp RGBW lighting connections
- Compatible with 12/24 volt systems
- 3.5mm female audio connection for music sync input
- IP65 washdown rated enclosure
- Shadow-NET™ Enabled

## **SCM-SNLC**

The Shadow-Caster™ Single Zone Lighting Controller SCM-SNLC can be used to control a single zone of standard RGB or RGBW lighting. When the SCM-SNLC is combined with our SCM-SWITCH-O/O/MOMENTARY a wider range of control options are accessible. Simply toggle power to set color and brightness and to select multiple fade modes.



#### **SCM-SNLC**

- Brightness control
- 12 pre-programmed colors
- Fade and color change modes
- Small compact IP67 waterproof housing
- Outputs Shadow-NET™ commands to synchronize
- Underwater lights with above water RGB lights
- Selectable to be compatible with RGB and RGBW lights

17

- RGBW+ LEDs and strips
- Control up to 250 watts of LED strip
- Shadow-NET™ Enabled

SEE BACK COVER FOR PART NUMBERS 16

HUMMINBIRD.

# **POWER DISTRIBUTION**

## SCM-PD4CH & SCM-PWR6

The SCM-PD4CH is a 4-position power distribution module that provides a convenient way to connect and power up to four Shadow-Caster™ underwater lights.

The SCM-PWR6 MODULE is a 6 channel digital switch module to interface any standard light with the Shadow-Caster™ Shadow-NET™ interface.



#### **SCM-PD4CH**

The SCM-PD4CH provides a convenient way to power and protect up to 4 Shadow-Caster™ underwater lights.

- Compact remote power control box
- Green/red LED indicates the status of each output channel
- Individual digital overcurrent protection for each channel
- Compatible with Shadow-Caster™ single and multi-color lights
- Recommended when installing two or more underwater lights
- Use with a helm mounted switch or with no switch when using compatible Shadow-Caster™ controller
- Blue back light Shadow-Caster<sup>™</sup> logo panel indicates power state
- IP67 Deutsch connections





1.3" [33mm]

[61mm]

#### **SCM-PWR6**

The SCM-PWR6 is designed to allow control of simple ON/OFF and other 3rd party Lights as part of a "Lighting Scene" through the Shadow-Caster™ interface.

- 6 independent digital switches
- Control 3rd party lighting
- Digital over current protection
- Manual switch override
- Full integration with Shadow-NET™ interface
- Blue back light Shadow-Caster<sup>™</sup> logo panel indicates power state



7.9" [200.7mm]



1.3" [33mm

2.4" [61mm]

## **ACCESSORIES**

#### ACCENT LIGHTING MOUNTING TRACK

SCM-AL-TRACK-1M AL LED Track

SCM-AL-MINI-TRACK-1M Mini Neon Track

SCM-AL-SVMINI-NEON-TRACK-1M SV Mini Neon Track







GASKETS

SCM-GASKET-SCR
SCR Gasket for metal hulls
SCM-GASKET-SCM4
SCM 4 Gasket for metal hulls
SCM-GASKET-SCM6
SCM 6 Gasket for metal hulls
SCM-GASKET-SCM10
SCM 10 Gasket for metal hulls
SCM-GASKET-SC3TB
SC3 Thru-Bolt Gasket for metal hulls
SCM-GASKET-SC3SM
SC3 AL Surface Mount Gasket for metal hulls
SCM-GASKET-SC3SM-BR
SC3 Bronze Gasket for metal hulls



TRIM TAB MOUNTS

SCR-TT Single Trim Tab Mount for SCR series
SCM-TT-10 Single Trim Tab Mount for SCM-10
SCM-TT-6 Single Trim Tab Mount for SCM-6
SCM-TT-4 Single Trim Tab Mount for SCM-4



**DOCK LIGHT** 

SCM-DOCKMOUNT SCR underwater light with secure dock mounting attachment



#### CABLES

SCM-MFD-CABLE-GARMINGarmin IP67 ethernet cableSCM-MFD-CABLE-NAVICOSimrad, Lowrance, B&G IP67 ethernet cableSCM-LC-HARNESSD Style pre-wired connectors (for SCM-LC-N2K or PLUS)SCM-SCNET-011m Shadow-Net™ cable

 SCM-SCNET-01
 1m Shadow-Net™ cable

 SCM-SCNET-02
 2m Shadow-Net™ cable

 SCM-SCNET-04
 4m Shadow-Net™ cable

 SCM-SCNET-05
 5m Shadow-Net™ cable

SCM-SCNET-Y 0.5 meter Shadow-NET™ splitter (2 male to 1 female)
SCM-SCNET-MMCOUPLER-0.5 Shadow-NET™ cable male to male coupler



#### WIRE (AVAILABLE BY THE FOOT)

SCM-SCNET-OYTP20G-50 Orange & yellow wire: 20awg twisted pair, 50ft (15m)

SCM-SCNET-OYTP20G-50 Orange & yellow wire: 20awg twisted pair, 100ft (30.5m)

SCM-RBOY-50 4 conductor wire: 16awg red & black, 20awg orange & yellow, black outer jacket, 50ft (15m)

SCM-RBOY-100 4 conductor wire: 16awg red & black, 20awg orange & yellow, black outer jacket, 100ft (30.5m)

SCM-RGB18G-50 4 conductor wire: 18awg, red, green, blue, black with black outer jacket, 50ft (15m)

SCM-RGB18G-50 4 conductor wire: 18awg, red, green, blue, black with black outer jacket, 50ft (15m)

SCM-RGB18G-100 4 conductor wire: 18awg, red, green, blue, black with black outer jacket, 100ft (30.5m)

18 19

# **INDEX OF PART NUMBERS**

SCR UNDERWATER	LIGHTS		SPREADER LIGHTS		
SCR-24-CC-BZ-10 SCR-24-BW-BZ-10	Color Changing Blue/White	Page 4 Page 4	SCM-SLF-CC-WH SCM-SLF-WBR-WH	Color Changing, Flush Mount, White Ho White/Blue/Red, Flush Mount, White Ho	ousing Page 8
SCR-24-GW-BZ-10 SCR-24-BB-BZ-10 SCR-24-AG-BZ-10	Great White Bimini Blue Aqua Green	Page 4 Page 4 Page 4	SCM-SLF-GW-WH SCM-SLF-CC-BK SCM-SLF-WBR-BK	Great White, Flush Mount, White Housi Color Changing, Flush Mount, Black Ho White/Blue/Red, Flush Mount, Black Ho	using Page 8
SCR-16-BW-BZ-10	Blue/White	Page 4	SCM-SLF-WBR-BK	Great White, Flush Mount, Black Housin	3
SCR-16-UB-BZ-10 SCR-16-GW-BZ-10 SCR-16-BB-BZ-10 SCR-16-AG-BZ-10	Ultra Blue Great White Bimini Blue Aqua Green	Page 4 Page 4 Page 4 Page 4	SCM-SLB-GW-WH SCM-SLB-WBR-WH SCM-SLB-CC-WH SCM-SLB-CC-BK	Color Changing, Bracket Mount, White White/Blue/Red, Bracket Mount, White Great White, Bracket Mount, White Hou Color Changing, Bracket Mount, Black I	Housing Page 8 sing Page 8 Housing Page 8
SCR-16-CR-BZ-10	Cool Red	Page 4	SCM-SLB-WBR-BK SCM-SLB-GW-BK	White/Blue/Red, Bracket Mount, Black Great White, Bracket Mount, Black Hou	5
SC3-CC-BZSM SC3-BW-BZSM	Color Changing Blue/White	Page 5 Page 5		Great Wille, Bracket Would, Black Flou	sing rage o
SC3-GW-BZSM	Great White	Page 5	DOWN LIGHTS		
SC3-BB-BZSM	Bimini Blue	Page 5	SCM-DLX-CC-WH SCM-DLX-WBR-WH	Color Changing White Housing/Windov White/Blue/Red, White Housing/Windo	
SC3-RGB-ALTB SC3-GW-ALTB	Color Changing Great White	Page 5 Page 5	SCM-DLX-GW-WH	Great White, White Housing/Window	Page 9
SC3-BB-ALTB	Bimini Blue	Page 5	SCM-DLX-CC-BK SCM-DLX-WBR-BK SCM-DLX-GW-BK	Color Changing, Black Housing/Window White/Blue/Red, Black Housing/Windo Great White, Black Housing/Window	
SCM UNDERWATER		_	SCM-DLX-CC-CHR-WH	Color Changing, White Housing/Chrom	e Window Page 9
SCM-10-EXT-CC SCM-10-BB-20	Color Changing Bimini Blue	Page 6 Page 6	SCM-DLX-CC-CHR-BK	Color Changing, Black Housing/Chromo	3
SCM-10-GW-20	Great White	Page 6	SCM-DLXS-CW-WH SCM-DLXS-WW-WH	Cool White, White Housing/Window Warm White, White Housing/Window	Page 9 Page 9
SCM-10-AG-20 SCM-10-UB-20	Aqua Green Ultra Blue	Page 6 Page 6	SCM-DLXS-BB-WH	Bimini Blue, White Housing/Window	Page 9
SCM-10-CR-20	Cool Red	Page 6	SCM-DL-CC-WH SCM-DL-WBR-WH	Color Changing, White Housing White/Blue/Red, White Housing	Page 9 Page 9
SCM-6-BB-20 SCM-6-GW-20	Bimini Blue Great White	Page 7 Page 7	SCM-DL-GW-WH	Great White, White Housing	Page 9
SCM-6-AG-20	Aqua Green	Page 7	SCM-DL-CC-BK SCM-DL-WBR-BK	Color Changing, Black Housing White/Blue/Red, Black Housing	Page 9 Page 9
SCM-6-UB-20 SCM-6-CR-20	Ultra Blue Cool Red	Page 7 Page 7	SCM-DL-GW-BK	Great White, Black Housing	Page 9
SCM-4-BB-20 SCM-4-GW-20	Bimini Blue Great White	Page 7 Page 7	COURTESY LIGHTS		
SCM-4-AG-20	Aqua Green	Page 7	SCM-CL-BB SCM-CL-GW	Bimini Blue/White & Black Covers Great White/White & Black Covers	Page 11 Page 11
SCM-4-UB-20 SCM-4-CR-20	Ultra Blue Cool Red	Page 7 Page 7	SCM-CL-CR SCM-CL-RGB	Cool Red/White & Black Covers Multi-Color / White & Black Covers	Page 11 Page 11
CONTROLLERS			SCM-CL-BB/GW SCM-CL-BB-SS	Bimini Blue/Great White/White & Black Bimini Blue/Stainless Steel Cover	Covers Page 11 Page 11
SCM-LC-N2K SCM-LC-PLUS	NMEA 2000 Lighting Controller NMEA 2000 Lighting Controller	Page 12-15 Page 12-15	SCM-CL-GW-SS SCM-CL-CR-SS	Great White/Stainless Steel cover Cool Red/Stainless Steel Cover	Page 11 Page 11
SCM-MFD-LC-KIT SCM-MFD-BRIDGE SCM-MZ-LC	SC-NET Lighting Controller Ethernet Communications Bridge Multi Zone Lighting Controller	Page 16 Page 16 Page 16-17	SCM-CL-BB/GW-SS SCM-CL-RGB-SS	Bimini Blue/Great White/Stainless Stee Multi-Color/Stainless Steel Cover	l Cover Page 11 Page 11
SCM-ZC-KIT	Multi-Zone Lighting Controller Kit	5	ACCENT LIGHTS		
SCM-ZC-REMOTE SCM-SNLC	4 Zone Push Button Remote Single Zone Lighting Controller	Page 17 Page 17	SCM-RAL-RGB-0.5 SCM-RAL-RGB-0.4AB SCM-RAL-RGB-0.4PW	Round Accent Light for ½" Hole Round Accent Light for ¾" Hole, Black Round Accent Light for ¾" Hole, White	
			SCM-AL-LED-08 SCM-AL-LED-16 SCM-AL-NEON- 08	8 ft RGB 16 ft RGB 8 ft Neon RGB	Page 10 Page 10 Page 10
			SCM-AL-NEON- 16 SCM-AL-MINI-NEON- 08 SCM-AL-MINI-NEON- 16 SCM-AL-SV-MINI-NEON- 08	16 ft Neon RGB 8 ft Mini Neon RGB 16 ft Mini Neon RGB 8 ft Mini Neon RGB	Page 10 Page 10 Page 10 Page 10
			SCM-AL-SV-MINI-NEON- 16 SCM-AL-SV-MINI-NEON- 30	16 ft Mini Neon RGB 30 ft Mini Neon RGB	Page 10 Page 10
			POWER DISTRIBUTION BOX	ES	
			SCM-PD4CH SCM-PWR6	4 Position Power Distribution Module 6 Channel Digital Switch Module	Page 18 Page 18
			SCM-PD-PLUS SCM-PD-RELAY-4		visit our website for detail visit our website for detail

### SHADOW-CASTER™ LIGHTING COLOR CODES

GW - Great White

CW - Cool White

WW - Warm White

UB - Ultra Blue BW - Blue/White

AG - Aqua Green WBR - White/Blue/Red





