MED APPROVED COMPASSES





5": B6W5 - BW2 - BW4

4": BU2 - BU4 - BU5 -BU7

3": BZ3

2"3/4: BA3

FLUSH MO

5":B6W1 - BW1 - BW3 4":BU1 - BU3

3": BZ1

2"3/4: BA1

FLUSH MOU

4" BP2

BRACKET **MOUNT**

2" 3/4 : BA2





DECK MOUNT

B6W2




Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	6" - 150 mm

ORDER CODES

62.00133.01 Stainless steel 5° Black card 62.00134.01 Stainless steel 2° Black card

DM 586/200 included. MED certificate on request RINA certification approved, on request. The B6W6 compasses have the stainless steel cover included









Card graduations 2°

Card graduations 5

B6W5






Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - white lubber line
Card graduations:	5° - 2°
Apparent card dia:	6" - 150 mm

ORDER CODES

62.00084.01Black 5° Black card - high speed 62.00083.01Black 2° Black card - high speed **62.00076.01***Black 5*° *Black card*

62.00075.01Black 2° Black card









DM 586/200 included. MED certificate on request RINA certification approved, on request.

Card graduations 2 Card graduations 5




Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - white lubber line
Card graduations:	5° - 2°
Apparent card dia:	5" - 130 mm

ORDER CODES

62.00021.01 Black 5° Black card - high speed **62.00021.10** *Black 5*° *Red card - high speed* 62.00023.01 Black 2° Black card - high speed

62.00025.01 *Black* 5° *Black card* 62.00027.01 Black 2° Black card







Card graduations 2°



DM 587/200 included. MED certificate on request RINA certification approved, on request.

Rear - red lubber line

<u>5° - 2°</u>

5" - 130 mm

Circle al trus as	BW4	5"	RIPE CONTRACTOR
Gimbai type: Internally gimbaled	Gimbal type	li	nternally gimbaled
Lighting: 24 V standard (12V on request,	Lighting:	2	24 V standard (12V on request)

ORDER CODES


Card graduations:

Apparent card dia:

Reading:

62.00056.01 Black 5° Black card - high speed **62.00056.10** *Black* 2° *Red card - high speed* 62.00140.01 Black 2° Black card - high speed

62.00055.01 *Black 5*° *Black card* 62.00054.01 Black 2° Black card **62.00113.01** White 5° Black card **62.00141.01** White 2° Black card







Card graduations 2°





DM 586/200 included. MED certificate on request RINA certification approved, on request.

Card graduations 5°

Card graduations 5°

BU₂




Gimbal type:	Internally gimbaled
Lighting:	12V standard (24V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	4" - 100 mm



62.00038.01 Black 5° Black card - high speed 62.00038.10 Black 5° Red card - high speed

62.00037.01 *Black* 5° *Black card* 62.00152.01 Black 2° Black card **62.00506.01** *White 5*° *White card*









DM 586/200 included. MED certificate on request RINA certification approved, on request.

BU₄






Gimbal type:	Internally gimbaled
Lighting:	12V standard (24V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	4" - 100 mm

ORDER CODES

62.00042.01 Black 5° Black card - high speed **62.00042.10** *Black* 5° *Red card - high speed*

62.00041.01 Black 5° Black card **62.00150.01** *Black* 2° *Black card* 62.00507.01 White 5° White card










DM 586/200 included. MED certificate on request RINA certification approved, on request.

BU5	4"	⊕ RISH ⊕
Gimbal type	e:	Internally gimbaled
Lighting:		12V standard (24V on request)
Reading:		Rear - red lubber line
Card gradua	ations:	5° - 2°
Apparent ca	ard dia:	4" - 100 mm

ORDER CODES

62.00158.01 Black 5° Black card - high speed **62.00158.10** *Black* 5° *Red card - high speed* **62.00112.01** *Black* 5° *Black card*

62.00157.01 *Black* 2° *Black card* **62.00103.01** *White* 5° *Black card*









Card graduations 5°

BU6-7



Gimbal type:	Internally gimbaled
Lighting:	LED 12V standard (LED 24V on request)
Reading:	Rear
Card graduations:	5°
Apparent card dia:	4" - 100 mm


DM 586/200 included. MED certificate on request RINA certification approved, on request.



62.00126.01Stainless steel - 5° Black card - high speed - White lubber line BU6 62.00125.01Stainless steel - 5° Black card - White lubber line BU6

62.00128.01 *Stainless steel - 5° Black card - high speed - Red lubber line BU7*

62.00127.01Stainless steel - 5° Black card - Red lubber line BU7











DECK MOUNT

BZ3



Lighting:	12V standard (24V on request)
Reading:	Rear
Card graduations:	<i>5°</i>
Apparent card dia:	3" - 80 mm

ORDER CODES

62.00147.01 Black Black card - high speed


62.00148.01 *Black Black* card

62.00314.01 Grey Blue card - high speed

62.00315.01 *Grey Blue card*

62.00314.02 White Black card - high speed

62.00315.02 *White Black card*









Card graduations 5°

Card graduations 5

DM 586/200 included. MED certificate on request RINA certification approved, on request.







Lighting: 12V standard (24V on request)	Gimbal type:	Internally half gimbaled
Lighting:	Lighting:	12V standard (24V on request)
Reading: Rear	Reading:	Rear
Card graduations: 5°	Card graduations:	<i>5°</i>
Apparent card dia: 2" 3/4 - 70 mm	Apparent card dia:	2" 3/4 - 70 mm



62.00116.01 Black Black card **62.00305.01 Grey** Blue card **62.00305.02** White Black card

60 133





Card graduations 5° Card graduations 5





FLUSH MOUNT HORIZONTAL






Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	6" - 150 mm

ORDER CODES

62.00100.01 Black 5° Black card - high speed 62.00099.01 Black 2° Black card - high speed

62.00078.01 Black 5° Black card 62.00077.01 Black 2° Black card







Card graduations 2° Card graduations 5

B6W1






DM 586/200 included. MED certificate on request RINA certification approved, on request.

Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - white lubber line
Card graduations:	5° - 2°
Apparent card dia:	6" - 150 mm

ORDER CODES

62.00082.01 Black 5° Black card - high speed 62.00081.01 Black 2° Black card - high speed 62.00074.01 Black 5° Black card

62.00073.01 Black 2° Black card









Card graduations 2°

Card graduations 5'


4" 0 **BW1**

Gimbal type:	Internally gimbaled
Lighting:	24V standard (12V on request)
Reading:	Rear - white lubber line
Card graduations:	5° - 2°
Apparent card dia:	5" - 130 mm

ORDER CODES

62.00013.01 Black 5° Black card - high speed **62.00013.10** *Black* 2° *Red card - high speed* 62.00015.01 Black 2° Black card - high speed

62.00017.01 Black 5° Black card 62.00019.01Black 2° Black card











DM 586/200 included. MED certificate on request RINA certification approved, on request.

BW3	5"	CRITHED MANAGEMENT EXTEN
Gimbal type:		Internally gimbaled
Lighting		211/ standard (121/ a

annour typo.	internally girribated
Lighting:	24V standard (12V on request)
Reading:	Rear - red lubber line
Card graduations:	5° - 2°
Apparent card dia:	5" - 130 mm

ORDER CODES without protective cover

62.00053.01 Black 5° Black card - high speed **62.00053.10** *Black* 5° *Red card - high speed* 62.00142.01 Black 2° Black card - high speed **62.00052.01** *Black 5° Black card*

62.00051.01 Black 2° Black card

182 ප





Card araduations 2



Card araduations 5



DM 586/200 included. MED certificate on request RINA certification approved, on request.



ORDER CODES

62.00036.01 Black 5° Black card - high speed **62.00036.10** *Black* 5° *Red card - high speed* 62.00035.01 Black 5° Black card

62.00151.01 Black 2° Black card 62.00318.01 White 5° White card

162 136







Card gradu**ð livrds þ**rð du**ð livrd s þ**rð duations 5°

Card graduations 2

BU₃ RI A 🔵 Gimbal type: Internally gimbaled 12V standard (24V on request) Lighting: Reading: Rear - red lubber line 5° - 2° Card graduations: 4" - 100 mm Apparent card dia:


DM 586/200 included. MED certificate on request RINA certification approved, on request.

ORDER CODES

62.00040.01 Black 5° Black card - high speed **62.00040.10** *Black* 5° *Red card - high speed* 62.00039.01 Black 5° Black card

62.00153.01 *Black* 2° *Black card*

62.00321.01 White 5° Blue card - high speed









DM 586/200 included. MED certificate on request RINA certification approved, on request.



FLUSH MOUNT HORIZONTAL

BZ1



Gimbal type:	Internally gimbaled
Lighting:	12V standard (24V on request)
Reading:	Rear
Card graduations:	<i>5°</i>
Apparent card dia:	3" - 80 mm

ORDER CODES without protective cover

62.00144.01 *Black Black* card **62.00311.01** *Grey Blue card* **62.00311.02** White Black card


62.00143.01 Black Black card - high speed **62.00309.01** *Grey Blue card - high speed* 62.00309.02 White Black card - high speed


ORDER CODES without protective cover

62.00643.00 *Black Black* card **62.00643.02** *Grey Blue card* **62.00643.01** White Black card 62.00581.00 Black Black card - high speed **62.00581.02** Grey Blue card - high speed 62.00581.01 White Black card-high speed 62.00581.03 White Blue card - high speed

No approvals needed for navigation within 6 miles. MED certification on request. Black or blue card available. Anti-glare screen. Repairable. Built-in compensation.











BA1	2" 3/4	RI\A 😂
Gimbal type	e: I	nternally half gimbaled
Liahtina:		121/ standard 211/ on ro

12V standard 24V on request Lighting: Reading: Rear Card graduations: *5°* 2" 3/4 - 70 mm Apparent card dia:

134 않 82



ORDER CODES

62.00114.01 Nera Rosa nera / Black Black card 62.00301.01 Grigia Rosa blu / Grey Blue card 62.00301.02 Bianca Rosa nera / White Black card

No approvals needed for navigation within 6 miles. MED certification on request. Black or blue card available. Anti-glare screen. Repairable. Built-in compensation.



Card graduations 5°





FLUSH MOUNT VERTICAL






Gimbal type:	Internaly gimbaled
Lighting:	LED 12V standard (LED 24V on request)
Reading:	Direct
Card graduations:	5°
Apparent card dia:	4" - 100 mm

ORDER CODES

62.00044.05 Black White card 62.00044.02 Black Black card **62.00044.03** *Black Red card* 62.00044.04 Black Blue card **62.00509.01** *White White card* **62.00509.02** *White Black card* **62.00509.03** *White Red card* 62.00509.04 White Blue card







BP1


4"



Gimbal type:	Internaly gimbaled
Lighting:	LED 12V standard (LED 24V on request)
Reading:	Direct
Card graduations:	<i>5°</i>
Apparent card dia:	3" - 80 mm

ORDER CODES

62.00043.05 Black White card 62.00043.02 Black Black card 62.00043.03 Black Red card 62.00043.04 Black Blue card 62.00508.01 White White card 62.00508.02 White Black card 62.00508.03 White Red card 62.00508.04 White Blue card



MED certification on request



BRACKET MOUNT

BZ2





Gimbal type:	Internally gimbaled
Lighting:	12V standard (24V on request)
Reading:	Rear
Card graduations:	<i>5°</i>
Apparent card dia:	3" - 80 mm

ORDER CODES

62.00145.01 Black Black card - high speed


62.00146.01 *Black Black card*

62.00312.01 Grey Blue card - high speed

62.00313.01 *Grey Blue card*

62.00312.02 White Black card - high speed

62.00313.02 White Black card











available. Anti-glare screen. Repairable. Built-in compensation. Canvas hood available.

	EEO 0001
Gimbal type:	Internally half gimbaled
Lighting:	12V standard (24V on request)
Reading:	Rear
Card graduations:	<i>5°</i>
Apparent card dia:	2" 3/4 - 70 mm


RIA 🔵

No approvals needed for navigation within 6 miles. MED certification on request. Black or blue card

ORDER CODES

62.00115.01 *Black Black card* **62.00304.01** *Grey Blue card* **62.00304.02** *White Black card*

No approvals needed for navigation within 6 miles. MED APPROVED COMPASSES on request. Black or blue card available. Anti-glare screen. Repairable. Built-in compensation.











www.rivieragenova.it

