



# **ELEVATE YOUR ELECTRONICS**

Seaview is the global leader in designing and manufacturing mounting solutions for marine electronics. Seaview offers hundreds of installation options for optimal positioning of radar, satellite and tv domes, GPS, VHF, camera, searchlights and navigation lights. Seaview mounting solutions will not only provide unmatched strength and durability but look elegant, complementing the styling of your boat.

Working closely with all major electronic manufacturers, we offer an innovative range of high quality products for powerboats, sailboats, yachts, commercial and military vessels. While we offer a comprehensive selection of standard mounts, we also offer personalized mast solutions where the standard mounts may not be suitable. You will find Seaview mounting systems aboard many of the finest yachts around the world.



For more information on Seaview products or to build your own mount please visit us on the web at **www.seaviewglobal.com** 

**Seaview supporting the world's leading marine electronic manufacturers!**See what they have to say on pages 39 and 40!

**Intellian** 



**LOWRANCE** 

Raymarine



FURUNO



**SIMRAD** 

SI-TEX

# TABLE OF CONTENTS

MODULAR MOUNTS	INSTRUMENT MOUNTS
Single Mounts	Sail Instrument Pods
Dual Mounts 9-10	Deck Instrument Pods
Top Plates11	Sail, Deck & Rail Pod Reference Guide 31
Light Bars & Light Bar Tops 12-13	Rail Instrument Pods
Modular Mount Accessories 14	CABLE GLAND
POWER BOAT MOUNTS	Cable Gland 33-34
Tapered Masts 15-16	PERSONALIZED OPTIONS
Stainless Steel Mounts	Personalized Mast Options
Low Profile Satdome Adapters 19-20	Commercial Masts
Direct Mount Wedges	MANUFACTURER TESTIMONIALS
CAMERA & SEARCH LIGHT MOUNTS	Manufacturer Testimonials
Camera & Search Light Mounts 21-22	

**SAILBOAT MOUNTS** 





We rig them to be "dream boats" with every conceivable option and technology. Seaview's flexible line of electronics mounting solutions makes it easy to fit our full system including radar, satellite TV and thermal night vision. Their customizable masts and mounts are rugged, reliable and they look fantastic too. They blend seamlessly with the design of today's modern sport-fishing boats and look totally built-in, not bolt-on. That's really appreciated by the boat builders we work with on these projects too.


Jim McGowan Americas Marketing Manager FLIR Maritime and Raymarine

# HERE'S WHY YOU SHOULD CHOOSE SEAVIEW



# **PERFORMANCE**

Seaview mounts will properly elevate your electronics to eliminate interference, safely clear those on board and encourage longevity of the electronics.



# **DURABLE**

Unlike any other mount available, Seaview takes the finish to another level. We Chem-Film (same process used by Boeing) each high grade aluminum part prior to our standard 3 part epoxy prime and powder coat to ensure the best possible finish and corrosion resistance.



# **MODULAR DESIGN**

Simple 3 step system to choose your Seaview mount and accessories. Visit the website for a simple selector guide.

- 1. Pick Mount Style
- 2. Select Top Plate
- 3. Choose Accessories



# **SPACE SAVING**

Compact Seaview mounts help you get all of your marine electronics with one simple solution. Small footprints and one center hole for wiring point of entry.



# **HIGH QUALITY**

Our Robotic Welding provides maximum efficiency while producing consistently superior welds. The Lincoln Fanuc 55E Single Station, AM120iC/12L with 6 axis robotic arm and 2 axis turntable was specifically programmed to weld our Seaview products.

This robot is operated by our very experienced welding team, manufacturing our Seaview products for stock, commercial and military applications including OEM parts.



# FOR RADARS, THERMAL CAMERAS, SATDOMES & SEARCHLIGHTS MODULAR MOUNTS

# EASY 3 STEP SOLUTION



# STEP 1 CHOOSE A MODULAR MOUNT


# **FORWARD LEANING**



# Fits RADAR (S

- 18" 24" closed dome radars
- 16" diameter or smaller satdomes

• 10" tall mounts are not to be used with open array radars



	Α	В	C & D	E
Model #	inch /mm	inch /mm	inch /mm	inch /mm
PMF-57-M1	7 / 177.8	5 / 127	5 / 127	.5 / 12.7
PMF-107-M1	7 / 177.8	10 / 254	5 / 127	.5 / 12.7

### **AFT LEANING**





- 18" 24" closed dome radars
- 16" diameter or smaller satdomes
- 10" 36" tall mounts are not to be used with open array radars

	Α	В	C & D	E
Model #	inch /mm	inch /mm	inch /mm	inch /mm
PMA-57-M1	7 / 177.8	5 / 127	5 / 127	.5 / 12.7
PMA-107-M1	7 / 177.8	10 / 254	5 / 127	.5 / 12.7
PMA-167-M1	7 / 177.8	16 / 406.4	5 / 127	.5 / 12.7
PMA-247-M1	7 / 177.8	24 / 609.6	5 / 127	.5 / 12.7
PMA-367-M1	8 / 203.2	36 / 914.4	6.5 / 165.1	.5 / 12.7


# **VERTICAL**








- 18" 24" closed dome radars
- 24" diameter or smaller satdomes
- Not to be used with open array radars






	Α	В	C & D	E
Model #	inch /mm	inch /mm	inch /mm	inch /mm
AM5-M1	8 / 203.2	5 / 127	4.77 / 121.2	0.5 / 12.7
AM12-M1	8 / 203.2	12 / 304.8	4.77 / 121.2	0.5 / 12.7
AM18-M1	8 / 203.2	18 / 457.2	4.77 / 121.2	0.5 / 12.7


# **OPEN ARRAY RADAR MOUNT**





- Up to 6' open array radars
- Available in Forward or aft leaning






	A	В	C&D	E
Model #	inch /mm	inch /mm	inch /mm	inch /mm
PMF-57-M1 (FWD Leaning)	7 / 177.8	5 / 127	5 / 127	0.5 / 12.7
PMA-57-M1 (AFT Leaning)	7 / 177.8	5 / 127	5 / 127	0.5 / 12.7

# **SATDOME MOUNT**





- 16" 24" diameter satdomes
- Available in Aft leaning
- Can be used with Open
   Array Radars with a special top plate. Contact Seaview.



	Α	В	C & D	E
Model #	inch /mm	inch /mm	inch /mm	inch /mm
PMA-57-M1	7 / 177.8	5 / 127	5 / 127	0.5 / 12.7
PMA-1210-M2	10 / 254	12 / 304.8	8.5 / 215.9	0.5 / 12.7
PMA-1810-M2	10 / 254	18 / 457.2	8.5 / 215.9	0.5 / 12.7




# STEP 1 CHOOSE A MODULAR MOUNT



Fits RADAR SATDOME CAMERA

- 18" 24" closed dome radars
- 16" 24" satdomes
- Cameras
- Spotlights

Comes with Seaview
Cable Gland for
water tight radar
cable entry into
the mast.




# **PMA-DM124-M2**





- 18" 24" closed dome radars
- 16" 18" satdomes
- Cameras
- Spotlights




# PMA-DM2-M2



# SATDOME OPENARRAYRADAR

- Up to 4.5' open array radars
- 16" 24" satdomes
- Cameras
- Spotlights


Comes with Seaview
Cable Gland for
water tight radar
cable entry into
the mast.







- Up to 4.5' open array radars
- 16" 18" satdomes




# PMA-DM4-M1







- 18" 24" closed dome radars
- 16" 24" satdomes
- Cameras
- Spotlights



**Key** 1" = 25.4mm

# STEP 2 SELECT A TOP PLATE

M1 fits modular mounts anding in

**NOTE:** If you have selected a modular mount ending in "M1" use the M1 column below. Mounts ending in "M2" use M2 column.

M1 fits modular mounts ending M1. Example: PMA-57-M1		tits modular moun L. Example: PMA-DN	
<b>A</b>		M2	Light Par
ACR	M1	IVIZ	Light Bar
RCL50B, RCL75, RCL100, RCL1000	ADA-BLANK	ADA-BLANK	LTB13
RCL300	CALL	CALL	CALL
COMNAV			
Explorer V2/V3	ADA-F1	ADA-F1	LTB-S
FLIR			
MD324, MD625, M324XP, M324L, M324S, M324CS, M625XP, M625L, M625S, M625CS, M612L, M617CS, M618CS, T200, T300, T400	ADA-F1	ADA-F1	LTB13
M132, M232 Series (Hiko)	ADA-F2	ADA-F2	LTB13
FURUNO			
SC30, SC703, SC1303, DRS4DL, DRS4D, DRS4DNXT	ADA-R1	ADAR1DMLTB	LTB-R
DRS6A-NXT	ADA-R1	ADAR1DMLTB	LTB-OA or LTB-OA-6
Open array radar 1942	ADA-R2	ADAR1DMLTB	LTB-OA
GARMIN			
FANTOM18, GMR18(HD), GMR18x(HD)	ADA-R1	ADAR1DMLTB	LTB-R
GMR24(HD), GMR24x(HD)	ADA-R1	ADAR1DMLTB	LTB-R
-antom, 4'-6' open array radar	ADA-R1	ADAR1DMLTB	LTB-OA or LTB-OA-6
GLOMEX			LID ON O
20" - 27" Satdome	ADA-S1	ADA-S3	LTB-S24
HUMMINBIRD			
HB2124 Chirp Radar	ADA-R1	ADAR1DMLTB	LTB-R
RH44, RH45 4' - 6' open array radar	ADA-R1	ADAR1DMLTB	LTB-OA or LTB-OA-6
INTELLIAN			
2 (FB150 in i2 matching dome)	ADA-S1	ADA-S3	LTB-S
3 (FB150 in i3 matching dome)	ADA-S1	ADA-S1	LTB-S
4, i4P (FB150 in i4 matching dome)	ADA-S2	ADA-S2	LTB-S
5	ADA-S2	ADA-S2	LTB-S24
6, i6P, S6HD, FB500	ADA-S2	ADA-S2	LTB-S24
FB150, FB250	ADA-S4	ADA-S4	LTB-S
RC			
5" radar domes	ADA-R1	ADAR1DMLTB	LTB-R
24" radar domes	ADA-R2	ADAR1DMLTB	LTB-R
KODEN			
18" - 25" radar domes	ADA-R1	ADAR1DMLTB	LTB-R
1' - 6' open array radar	ADA-R1	ADAR1DMLTB	LTB-OA or LTB-OA-6
KVH			
	ADA-S1	ADA-S3	LTB-S
M1DX, M1, TV1, LTE-1	ADA-S1	ADA-S3 ADA-S1	LTB-S
M1DX, M1, TV1, LTE-1 M2, M3, M3DX, M3ST, V3, V3-IP, TV3 ,V3-HTS M5, TV5, FB250 (18")			
M1DX, M1, TV1, LTE-1 M2, M3, M3DX, M3ST, V3, V3-IP, TV3 ,V3-HTS	ADA-S1	ADA-S1	LTB-S
M1DX, M1, TV1, LTE-1 M2, M3, M3DX, M3ST, V3, V3-IP, TV3, V3-HTS M5, TV5, FB250 (18") M7, M7SK, HD7, V7, TV6, FB500(26"), F55, V3-	ADA-S1 ADA-S2	ADA-S1 ADA-S2	LTB-S LTB-S

	M1	M2	Light Bar
LOWRANCE			
3G, 4G radar domes	ADA-R1	ADAR1DMLTB	LTB-R
LORENZ			
12" - 24" radar domes	ADA-R1	ADAR1DMLTB	LTB-R
4' - 6' open array radar	ADA-R1	ADAR1DMLTB	LTB-OA or LTB-OA-6
RAYMARINE			
RD418D, RD418HD, RD424D, RD424HD, Quantum, Quantum 2	ADA-R1	ADAR1DMLTB	LTB-R
RA1048(S)HD, RA3048(S)HD, Magnum 4'	ADA-R1	CALL	LTB-OA
RA1072(S)HD, RA3072(S)HD, Magnum 6'	ADA-R1	CALL	LTB-OA-6
33STV	ADA-S1	ADA-S3	LTB-S
37STV	ADA-S1	ADA-S1	LTB-S
45STV	ADA-S2	ADA-S2	LTB-S
60STV	ADA-S2	ADA-S2	LTB-S24
SEA-TEL (COBHAM)			
ST14, FX150 (16.5")	ADA-S2	ADA-S2	LTB-S24
C18, FX250 (24")	ADA-S2	ADA-S2	LTB-S24
SIMRAD			
3G, 4G radar domes, HALO24	ADA-R1	ADAR1DMLTB	LTB-R
DX64S	ADA-R2	N/A	LTB-R
TX06S	ADA-R1	ADAR1DMLTB	LTB-OA
TX10S	ADA-R1	ADAR1DMLTB	LTB-OA6
	ADA-R1		LTB-OA
4' - 6' Halo™ open array radar	+ ADA-HALO-3	N/A	or LTB-OA-6
4' - 6' RB series open array radar	ADA-R1	ADAR1DMLTB	LTB-OA or LTB-OA6
SITEX			
18" (T760/T921) radar domes	ADA-R1	ADAR1DMLTB	LTB-R
24" (T761) radar domes	ADA-R2	N/A	LTB-R
25" radar domes	ADA-R1	ADAR1DMLTB	LTB-R
4'-6' open array radar	ADA-R1	ADAR1DMLTB	LTB-OA or LTB-OA-6
THRANE & THRANE			
FB150, FB250, Fleet 33, 33+	ADA-S4	ADA-S4	LTB-S
Sailor FB500, Fleet 55+	ADA-S1	ADA-S3	LTB-S24



Seaview Top Plates come with a drill template for precise drilling for your radar, satdome, search light or thermal camera.

# STEP 3 CHOOSE OPTIONAL ACCESSORIES

# **LIGHT BARS**



This light bar can fold over 90°.



### LTB-SF

A 2" diameter Light Bar designed to work with search lights. Contact Seaview directly to make sure this light bar is right for your boat. Not intended for fast ocean going boats. Will not work with 24" satdomes. This will clear 20" satdomes or smaller.

# LTB-SF2

A 2" diameter Light Bar designed to work with FLIR M100/M200 Series. Contact Seaview directly to make sure this light bar is right for your boat. Not intended for fast ocean going boats. Will not work with 24" satdomes. This will clear 20" satdomes or smaller.

# **LTB13**

A 1.25" Light Bar 14" tall for FLIR over 90°.

Note that Light Bars do not come with a light. Select a Light Bartop for your Light Bar on page 13.

cameras and Searchlights. Can fold

# light bar can fold over 90°. LTB-S24

For 26" or smaller satdomes. This light bar can fold over 90°.

For 20" or smaller satdomes. This



LTB-S

### **LTB90**

Bolt on kit that allows you to quickly fold over the Light Bar without any tools.



### LTB-OA

For open array radars up to 41/2'.

### LTB-OA-6

For 6' open array radars.

# STEP 3

# **CHOOSE OPTIONAL ACCESSORIES**

# LIGHT BAR TOPS



LTBP-1197

Perko 1197 Anchor light & 7' of wire (12v). Can be converted to 24v.



### LTBA-7800

Attwood LED light & 7' of wire (12v).



# LTB-BOX (while supplies last)

(4"x41/2") Box Top to fit three navigation lights or similar. Note that this does not come with lights.



### LTB-BOX-W

(4"x41/2") Box Top to fit three navigation lights or similar. Note that this does not come with lights.



### LTB-U1A

(21/2"x7") Allows you to mount a single light or a GPS and a light. Lights and GPS not included.



### PM-U2A

Allows you to mount a single light and two GPS units. Light and GPS not included.



# LTB-U

Adapter to mount a GPS or wind transducer. The threads are 1-14.




### LTB-U-SS

Stainless steel adapter to mount a GPS or wind transducer. The threads are 1-14.



# LTBU1A7800

Attwood LED 7800 series light on 9" post with 7' of wire (12v). USCG approved for boats up to 20 meters (65.6') in length. 1-14 threads for GPS or similar.





### LTBU1A1197

Perko 1197 Anchor light on 9" post with 7' of wire (12v). Can be converted to 24v. USCG approved for boats up to 20 meters (65.6') in length. 1-14 threads for GPS or similar.





### PM-114LT-LED

LED Floodlight kit (9-33v). For Seaview 1¼" diameter light bars. Includes 11/4" stainless steel clamp, mounting hardware & Hella 0670 Sea Hawk LED Floodlight.

# STEP 3 CHOOSE OPTIONAL ACCESSORIES

# SPREADER KITS






### SP1-MOD

Fits all Seaview mounts that end in "M1". For example PMA-57-M1.

### SP2-MOD

Fits all Seaview mounts that end in "M2". For example PMA-DM2-M2.





Part #	A inch / mm	B inch / mm	C inch / mm	D
SP1-MOD	42.4 / 1077	12.625 / 320.67	1.75 / 44.45	25°
SP2-MOD	44.5 / 1130.3	14.282 / 362.76	1.75 / 44.45	25°



### SPREADER KIT ACCESSORIES

sp-LT-LED Enhance your visibility with a Seaview spreader LED floodlight kit. This kit includes stainless steel bracket, mounting hardware & Hella 0670 Sea Hawk LED Floodlight. (9-33v)




Do **NOT** use 4' or taller fiberglass antennas on nylon or plastic adapters! 4' or smaller stainless steel whip antennas ok. If you need to mount 4' or taller fiberglass antennas you must use this stainless steel 1-14 threaded insert. (Sold separately, part **#SP7-SS**)



# **BASE WEDGES**

Most common planing attitude requires 3-4° of adjustment. If you are unsure which to choose then we recommend the 4° wedge. We do however offer 2° & 6° wedges if you feel a little more or a little less is better for your application.





# **HINGE ADAPTERS**

Captive knobs means these will stay with the hinge when it's open or closed.

stay with the hinge when
open or closed. 😱
1
SEAVEW

Part #	Description
РМ-Н7	For 7"x7" base plate. Fits 5" - 24" tall radar mounts.
РМ-Н8	For 8"x8" base plate. Fits 36" tall radar mounts.
PM-H10	For 10"x10" base plate. Not to be used for PMA-DM2-M2 or PMA-200 series mounts.

The hinge adapter can hinge back 180°. Allowing you to have the most clearance possible.

# **TAPERED MASTS**

# FOR MOST CLOSED & OPEN ARRAY RADARS

# **Removeable Spreaders**

All Seaview Tapered Masts feature removeable spreaders for easier shipping. Standard 1-14 threaded fittings are used on the spreaders and are made out of nylon to eliminate corrosion.

# For Just About Any Radar

Three different models are available to fit just about any marine electronic combination.

# **High Visibility**

Mounting plate for lights on all Seaview Tapered Masts. Example shown on PMA-200 image.

If you plan to use 4' or taller antennas on the spreaders you should use a stainless steel adapter (SP7-SS) shown



**PMA-100S** 

Mounting plate will accept most standard 18" and 24" radar domes.



Mounting plate will accept most standard 18" and 24" radar domes. Features a welded platform for cameras or search lights.



# **PMA-200**


Mounting plate will accept most open array radars up to 41/2 feet. Comes with a 10"x10" backing plate.




Do **NOT** use 4' or taller fiberglass antennas on nylon or plastic adapters! 4' or smaller stainless steel whip antennas ok. If you need to mount 4' or taller fiberglass antennas you must use this stainless steel 1-14 threaded insert. (Sold separately, part #SP7-SS)



PMA-BC-37S pictured above.





"Afina 3950 by Floe International uses Seaview mounts exclusively. The sport yacht seamless appearance, rugged quality and ease of installation are appreciated."

Steve Gillman
Product Development Manager
FLOE Craft



# STAINLESS STEEL MOUNTS

# FOR MOST CLOSED DOME & OPEN ARRAY RADARS



# STAINLESS STEEL LIGHT BARS



Part #	Description
LTB-SS Stainless steel light bar for GPS or light. Features a 3" diameter nylon universal top.	
LTB-100-SS Stainless steel light bar with Perko 1197 anchor light. comes with 7" wire lead.	
LTB-100-SS-LED	Stailness steel light bar with Attwood LED light. Comes with 7' wire lead.


**Note:** These Stainless Steel Light Bars will not work with open array radars.


# **PART NUMBER GUIDE**

FURUNO	
15" - 24" radar domes	PMA-5-7LSS
4' - 6' open array radars	PMA-5-7LSS
GARMIN	
18" - 24" radar domes	PMA-5-7LSS
Fantom, 4' - 6' open array radars	PMA-5-7LSS
HUMMINBIRD	
HB2124 Chirp Radar	PMA-5-7LSS
4' - 6' open array radars	PMA-5-7LSS
JRC	
15" radar domes	PMA-5-7LSS
KODEN	
18" - 25" radar domes	PMA-5-7LSS
4' - 6' open array radars	PMA-5-7LSS
LOWRANCE	
3G, 4G radar domes, HALO2	PMA-5-7LSS
LORENZ	
12" - 24" radar domes	PMA-5-7LSS
4' - 6' open array radars	PMA-5-7LSS
RAYMARINE	
18" - 24" Radomes	PMA-5-7LSS
Quantum, Quantum 2 radar	PMA-5-7LSS
4' - 6' open array radars	PMA-5-7LSS
SIMRAD	
3G, 4G, HALO24 radar domes	PMA-5-7LSS
TX06S, TX10S	PMA-5-7LSS
# Hala™ anan agga, gadag	PMA-5-7LSS
4' Halo™ open array radar	ADAHALO3
4' - 6' RB Series open array radars	PMA-5-7LSS
SITEX	
18" - 25" radar domes	PMA-5-7LSS
4' - 6' open array radars	PMA-5-7LSS

# **DIMENSIONS**

Part #	Α	В	C	D	E
Part #	inch /mm	inch /mm	inch /mm	Degrees	inch /mm
PMA-5-7LSS	7 / 177.8	5 / 127	5 / 127	80°	0.25 / 6.35





# LOW PROFILE ADAPTERS

# **FOR MOST SATDOMES**



# OPTIMIZE YOUR SATELLITE DOME INSTALLATION

The Seaview Low Profile Adapters will reduce the footprint of your satdome. Add an AMA-W wedge to your installation to level your satdome when installing on sloped surfaces.

- 2.75" models made with UV stable white ABS plastic
- 3" and 4" models made of marine grade aluminum
- Small mounting base for space limited installations
- Hides cables

# **ACCESSORY | AMA-W**





By rotating the **AMA-W** wedge halves you can achieve 0° - 12° of adjustment. The AMA-W wedge works with AMA-16, AMA-18, AMA-24 and AMA-GXF only.

# **DIMENSIONS**

	Α	В	C
Part #	inch /mm	inch /mm	inch /mm
AMA-14	8 / 203.2	4.75 / 120.6	2.75 / 69.85
AMA-16	12 / 304.8	8 / 203.2	2.75 / 69.85
AMA-18	14.25 / 362	8 / 203.2	2.75 / 69.85
AMA-18IP	14.25 / 362	8 / 203.2	3 / 76.2
AMA-24	19 / 482.6	8 / 203.2	2.75 / 69.85
AMA-GXF	12 / 304.8	8 / 203.2	3 / 82.55

# AMA-14 / AMA-16 / AMA-18 / AMA-18IP / AMA-24





# **LOW PROFILE SATDOME PART # GUIDE**

Find your satdome below to find the correct Low Profile mount part number. If you do not see your satdome below please give us a call.

GLOMEX	
20" - 27" satdomes	AMA-GXF
INTELLIAN	
i2	AMA-GXF
i3	AMA-16
i4, i4P, i5	AMA-18
i6, i6P, S6HD, FB500	AMA-24
i9, S80hd	Contact Seaview
FB150, FB250	AMA-14
KVH	
M1, M1DX, TV1, LTE-1	AMA-GXF
M2, M3, M3DX, M3ST, V3, V3-IP, TV3	AMA-16
M5, TV5, FB250(18")	AMA-18
M7, M7SK, HD7, TV6, V7, FB500 (26"), F55	AMA-24
V3-IP (24"), TV7-IP, V7HTS	AMA-18IP
TV8, HD11, FB500 (35"), F77	Contact Seaview
FB150 (10.8"), FB250 (11"), Fleet 33, Fleet One	AMA-14

RAYMARINE	
33STV	AMA-GXF
37STV	AMA-16
45STV	AMA-18
60STV	AMA-24
SEA TEL / COBHAM	
ST14, FX150 (16.5")	AMA-18
C18, FX250 (24")	AMA-18
THRANE & THRANE	
FB150, FB250, Fleet 33, Fleet 33+	AMA-14
SAILOR FB500, Fleet 55+	AMA-GXF

Aluminum insert shown inside the AMA-24. The AMA-18 and AMA-18IP are also reinforced with the aluminum insert. This provides superior strength and durability.








# CAMERA & SEARCH LIGHT MOUNTS

# **VERTICAL MOUNTS**







		CAMERA		SEARCH LIGHT
	PM5-FMT-8 inch /mm	PM5-FMD-8 inch /mm	PM5-FMH-8 inch /mm	PM5-SL-8 inch /mm
Α	7.12 / 182.6	6 / 152.4	7.75 / 196.9	7.6 / 193
В	5.5 / 140	5.5 / 140	5.5 / 140	5.5 / 140
С	8 / 203.2	8 / 203.2	8 / 203.2	8 / 203.2
D	4.77 / 121.2	4.77 / 121.2	4.77 / 121.2	4.77 / 121.2
Е	0.5 / 12.7	0.5 / 12.7	0.5 / 12.7	0.5 / 12.7

# **AFT LEANING MOUNTS**





CAMERAS					
PMA-5FMT-7	7 / 178	5.25 / 140	70°	5 / 127	0.5 / 12.7
PMA-12FMT-7	7 / 178	12.75 / 323.85	70°	5 / 127	0.5 / 12.7
SEARCH LIGHTS					
PMA-5FSL-7	7 / 178	5.25 / 140	70°	5 / 127	0.5 / 12.7
PMA-12FSL-7	7 / 178	12.75 / 323.85	70°	5 / 127	0.5 / 12.7




# **TOP DOWN RISER**

Designed in cooperation with FLIR / Raymarine engineers. Tested and approved by FLIR / Raymarine as recommended mounting for their night

vision cameras.





	CAMERAS	
FTDR2 inch / mm	FTDR3 inch / mm	FTDR4 inch / mm
8.86 / 225	7.75 / 196.85	12.75 / 323.85
2 / 50.8	8	2.4 / 60.96
8 / 203	3 <b>v</b> 7 88.9	11.75 / 298.45
	inch / mm 8.86 / 225 2 / 50.8	FTDR2         FTDR3           inch / mm         inch / mm           8.86 / 225         7.75 / 196.85           2 / 50.8         8



The FTDR-2, FTDR-3 and FTDR-4 mounts allow you to mount FLIR or Raymarine thermal cameras upside down or vertically.

# MAST MOUNT | SM-14-F | Key | 1" = 25.4mm | 16.61" | 7.6" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61" | 16.61"

A SM-14-F mast mount

for thermal cameras.



# **CAMERA & SEARCH LIGHT MOUNT PART # GUIDE**

					C	AMERA	SEARCH LIGHT							
	RAYMARINE		FLIR		NVTI	COMNAV	VEI		ACR		GOLIGHT	JABSCO		
Part #	T200	T300, T400	MD324, MD625	M132, M232 (Hiko)	M324S, M324L, M324CS, M324XP, M625S, M625L, M625CS, M625XP, M612L, M617CS, M618CS	M400, M400XR, M500	NV2020, NV1018, NV1020	EXPLORER V2, V3	APOLLO II, II HD	RCL50, RCL100	RCL75	RCL300	ALL MODELS	ALL MODELS
FTDR2		•			•									
FTDR3	•		•											
FTDR4						•								
PM5-FMT-8		•			•			•						
PM5-FMD-8	•		•											
PM5-FMH-8				•										
PM5-SL-8							•		•	•	•		•	•
PMA-5FMH-7				•										
PMA-12FMH-7				•										
PMA-5FMT-7	•	•	•		•			•						
PMA-12FMT-7	•	•	•		•			•						
PMA-5FSL-7							•		•	•	•		•	•
PMA-12FSL-7							•		•	•	•		•	•
RM-GOL-1													•	
PMA-DM1-M2*	•	•	•	•	•			•		•	•	•	•	
SM-14-F	•	•	•		•									
SM-14-F2				•										

# **DIRECT MOUNT WEDGES**

# **OPTIMIZES RADAR BEAM**





3-4° is most commonly need to compensate for planing attitude. This is why Seaview only offers the 4° direct mount wedge. We can provide custom wedges upon request.

# **DIRECT MOUNT ANGLED WEDGES PART # GUIDE**

B&G	
3G, 4G radar domes	RW4-2
FURUNO	
DRS4DL, 15" - 20" radar domes	RW4-1
DRS4D, DRS4DNXT, 24" radar domes	RW4-6
DRS6A-NXT, 4' - 6' open array radars	RW4-3
GARMIN	
Fantom18, GMR18(HD), GMR18x(HD), GMR24(HD), GMR24x(HD)	RW4-2
Fantom 4 & 6, 4' - 6' open array radars	RW4-3
HUMMINBIRD	
HB2124 Chirp Radar	RW4-2
RH44, RH45 4' - 6' open array radars	RW4-5
JRC	
15" radar domes	RW4-6
24" radar domes	RW4-5
4' - 6' open array radars	RW4-5

KODEN	
18" (MDC 900 series) radar domes	RW4-1
25" (MDC 900 series) radar domes	RW4-2
Some 4' - 6' open array radars	RW4-3
HDS10 open array radar	RW4-5
LORENZ	
12" - 24" radar domes	RW4-1
4' - 6' open array radar	RW4-5
LOWRANCE	
3G, 4G radar domes	RW4-2
4' - 6' open array radar	RW4-5
RAYMARINE	
RD418D, RD418HD, RD424D, RD424HD, Quantum, Quantum 2 radar domes	RW4-2
RA1048(S)HD, RA3048(S)HD, RA1072(S)HD, RA3072(S)HD, Magnum open array radars	RW4-4

SIMRAD	
3G, 4G, HALO24 radar domes	RW4-2
DX64S radar domes	RW4-6
TX06S, TX10S open array radar	RW4-5
4' open array radar (RB7 Series)	RW4-3
4′ Halo™ open array radar	RW4-7
SITEX	
18" (T760 / T921) radar domes	RW4-1
24" (T761) radar domes	RW4-6
25" radar domes	RW4-2
4' - 6' open array radars	RW4-3

# **DIMENSIONS**



	RW4-1 inch / mm	RW4-2 inch / mm	RW4-3 inch / mm	RW4-4 inch / mm	RW4-5 inch / mm	RW4-6 inch / mm	RW4-7 inch / mm
Α	0.31 / 7.87	0.53 / 13.46	0.25 / 6.35	0.15 / 3.81	0.25 / 6.35	0.67 / 17.02	0.29 / 7.37
В	0.95 / 24.13	1.40 / 35.56	0.95 / 24.13	0.95 / 24.13	0.77 / 19.56	1.50 / 38.10	1 / 25.4



# **ADAPTER PLATE**

# FOR SIMRAD® HALO™ OPEN ARRAY RADAR

This Simrad Halo™ adapter plate is a great solution when replacing an existing Simrad Broadband 3G™, Broadband 4G™, Raymarine or Garmin closed dome radar. Mounting holes pick up existing radar brands mentioned above and the Simrad Halo™ open array. Halo24 works without adapter plate.



adapter plate





Halo™ mounting hole pattern



# **MAST PLATFORMS**

# FOR MOST RADARS & SATDOMES



# **ADJUSTABILITY**



The SM-18-R is designed with fore and aft adjustable rails so that you can have the radar as close as possible to the mast.

Solid underbody construction not only greatly improves strength but also hides radar cables.

 Predrilled to receive accessories such as a flood light or horn.


# **STRENGTH**



Six stainless steel rivets with nylon washers to protect powder coat finish per foot are used to hold the heavy duty mounting feet to the mast.

SEAVIEW

# **DIMENSIONS**



	SM-14-A inch /mm	SM-15-A inch /mm	SM-18-A inch /mm	SM-18-U inch /mm	SM-18-R inch /mm	SM-24-A inch /mm	SM-24-U inch /mm	SM-24-R inch /mm
Α	8.23 / 209	12 / 304.8	18.5 / 469.9	12 / 304.80	11.28 / 286.5	18.50 / 470	11.75 / 298.45	11.75 / 298.45
В	15.9 / 403.1	16.25 / 412.75	24.25 / 616	15.65 / 397.51	18.01 / 457.5	24.25 / 616	20 / 508	20 / 508
С	4.11 / 104.4	6 / 152.4	6 / 152.4	3.44 / 87.4	3.44 / 87.4	6 / 152.4	6 / 152.4	6 / 152.4
D	7.44 / 189	6.50 / 165.1	6.50 / 165.1	7.44 / 189	7.44 / 189	6.50 / 165.1	6.50 / 165.1	6.50 / 165.1
Е	≤ 2.63 / 66.68	≤ 2.63 / 66.68	≤3.63 / 92.08	≤ 2.63 / 66.68	≤ 2.63 / 66.68	≤3.63 / 92.08	≤ 3.63 / 92.08	≤ 3.63 / 92.08

# **MAST PLATFORM PART # GUIDE**

	Mast Mount Part #	Stainless Steel Guard Part #
B&G		
3G, 4G	SM-18-R	SM-G18-U
HALO24	SM-18-R	SM-G24-U
FLIR		
MD324, MD625, M324XP, M324L, M324S, M324CS, M625XP, M625L, M625S, M625CS, M612L, M617CS, M618CS	SM-14-F	NA
M132, M232 Series (Hiko)	SM-14-F2	NA
FURUNO		
DRS4DL, DRS4W	SM-18-U	SM-G18-U
SC30, SC703, SC1303	SM-24-U	NA
DRS4D, DRS4DNXT	SM-24-U	SM-G24-U
GARMIN		
GMR18(HD), GMR18x(HD), Fantom18	SM-18-R	SM-G18-U
GMR24(HD), GMR24x(HD), Fantom24	SM-24-R	SM-G24-U
HUMMINBIRD		
HB2124 Chirp Radar	SM-18-R	SM-G24-U
INTELLIAN		
FB150, FB250	SM-14-A	SM-G18-U
i2, i3 (FB150 in i3 matching dome)	SM-15-A	SM-G18-U
i4, i4P (FB150 in i4 matching dome)	SM-18-A	SM-G18-U
i5, i6, i6P, S6HD, FB500	SM-24-A	SM-G24-U
FB150, FB250	SM-14-A	SM-G18-U

	Mast Mount Part #	Stainless Steel Guard Part #
JRC		
JUE 250, JUE 33 (14")	SM-14-A	SM-G18-U
JMA 1032 (18")	SM-18-U	SM-G18-U
JUE 500 (24")	SM-24-A	SM-G24-U
JMA-5104, NKE-2042 (24")	SM-24-U	SM-G24-U
KODEN		
18" (MDC 900 series) radomes	SM-18-U	SM-G18-U
25" (MDC 900 series) radomes	SM-24-U	SM-G24-U
KVH		
FB150 (10.8"), FB250 (14"), Fleet 33, Fleet One	SM-14-A	SM-G18-U
M1DX, M1, TV1, M2, M3, M3DX, M3ST, V3, V3-IP, TV3, LTE-1	SM-15-A	SM-G18-U
M5, TV5, FB250 (18")	SM-18-A	SM-G18-U
M7, M7SK, HD7, V7, TV6, FB500 (26"), V3-IP (24"), TV7-IP	SM-24-A	SM-G24-U
FB150 (10.8"), FB250 (14"), Fleet33, Fleet One	SM-24-U	SM-G24-U
LORENZ		
12" - 24" radomes	SM-18-U	SM-G18-U
LOWRANCE		
BROADBAND BR24, 3G, 4G (18")	SM-18-R	SM-G18-U
RAYMARINE		
RD418D, RD418HD	SM-18-R	SM-G18-U
RD424D, RD424HD	SM-24-R	SM-G24-U
Quantum, Quantum 2 radar	SM-18-R	SM-G24-U
33STV, 37STV	SM-15-A	SM-G18-U
45STV	SM-18-A	SM-G18-U

SM-G24-U

SM-24-A

SM-14-F

	Part #	Guard Part #
SEA TEL / COBHAM		
ST14, FX150 (16.5")	SM-18-A	SM-G18-U
C18, FX250 (24")	SM-24-A	SM-G24-U
SIMRAD		
3G, 4G	SM-18-R	SM-G18-U
HALO24	SM-18-R	SM-G24-U
DX64S	SM-24-U	SM-G24-U
SITEX		
18" (T760 / T921) radomes	SM-18-U	SM-G18-U
24" (T761) radomes	SM-24-U	SM-G24-U
25" radomes	SM-24-A	SM-G24-U
THRANE & THRANE		
FB150, FB250, Fleet 33, Fleet 33+, Fleet One	SM-14-A	SM-G18-U
Sailor FB500, Fleet 55+	SM-24-A	SM-G24-U
VDO		
Ocean Line 132 (18")	SM-18-U	SM-G18-U
Ocean Line 337 (15")	SM-18-A	SM-G18-U
Ocean Line 345 (18")	SM-24-A	SM-G24-U
Ocean Line 360, 445, 460 (24")	SM-24-A	SM-G24-U

Mast Mount Stainless Steel

# **MAST PLATFORM ACCESSORIES**

60STV


T200, T300, T400



Stainless steel guard for most closed dome radars. Part number SM-G18-U and SM-G24-U. (Refer to guide above)



**SM-AD-ISO** Isomat adapter for boats with Isomat masts (Integral Track at the Front).




**SM-AD-FB** Flybridge adapter kit for smaller mast mounts. Fits the following Seaview mast mounts: SM-18-R, SM-18-U, SM-14-F. Will allow for 35° of adjustment.

# RADAR MAST POLE KITS

# **RADAR MASTS FOR SAILBOATS & TRAWLERS**


Seaview offers a pole mount for just about any application. The two most common pole kits are the 8' or 10' tall pole kits. Additional sizes are available, please call to special order. The adjustable base has a small 5\%" x 3" footprint, and water tight Seaview Cable Gland, which can be easily disassembled for pole removal.

**NOTE:** Each pole kit comes with the Seaview modular top, top plate to fit most closed dome radars, 8' pole (3" diameter) and adjustable base with cable gland integration. The only variable between the three common pole kits below are the secondary support kits.




# **RM8148** 8' Tall Kit

- Fixed pole top
- One 48" strut
- One 1" rail stand off kit
- Adjustable base



### RM8KT1 8' Tall Kit

- Fixed pole top
- One 1" rail stand off kit
- Adjustable base



### **RM848S** 8' Tall Kit

- Fixed pole top
- Two 48" strut kits
- Adjustable base

8' TALL POLE KIT (For 3" Diameter Mast)	
Fixed Top, Adj. Base, Pole & 48" Strut Kit & One Rail Stand-Off Kit	RM8148
Fixed Top, Adjustable Base, Pole & One Rail Stand-Off Kit	RM8KT1
Fixed Top, Adjustable Base, Pole & Two 48" Strut Kits	RM848S

NOTE: Top plate included with each pole kit to fit most closed dome radars



# **ADJUSTABLE BASE**

All Seaview Pole Kits feature a anodized adjustable base with a water tight Seaview Cable Gland.



High polished stainless steel strut supports. Not offered in the RM8KT1 Pole kit.



# **RAIL STAND-OFF KIT**

The rail stand-off kit includes two turnbuckle style struts that are adjustable from 6" - 12", two stainless steel 3" pole clamps and two stainless steel 1" rail clamps. 11/4" clamps are available upon special request.



# SAIL PODS - SPOD FOR MOST INSTRUMENTS & DISPLAYS





The SP1BOX is an add-on accessory that allows you to mount additional instruments to your SPOD. This optional add-on will fit single instruments 4.125" x 4.125" or smaller. Depending on the pod box size you can fit up to 4 of these onto a single SPOD.


# PRECISE VIEWING

The Seaview SPOD fits the majority of steering gear in the market place including Jefa, Whitlock and Edson.

- Clamps onto 1", 1%" or 1¼" rails
- Fits standard 12", 9½" & non standard guard rails
- UV resistant ABS plastic
- Water tight gasket
- Tamper resistant security screws



Two high polished stainless steel clamps are used to secure your SPOD to a 1", 11%" or 114" (25mm to 32mm) rails. The SPOD fits standard 12", 91/2" and non standard guard rails.



Carbon fiber look available upon special request. Contact Seaview for more information.

# ACHIEVE THE PERFECT VIEW

The SPOD has a wide mounting angle, allowing for precise viewing. Angle is set during installation.



# **DECK PODS - DPOD**

# FOR MOST INSTRUMENTS & DISPLAYS





# QUICK ON THE FLY ADJUSTMENTS

When you are just about to catch a huge one the last thing you want to worry about is adjusting your fish finder. With the quick adjustment knob on the DPOD simply pull the knob out and rotate.

- Rotates up to 350°
- Anodized aluminum base
- UV protected ABS plastic housing
- Water tight gasket
- Tamper resistant security screws




Tamper proof screws are used to secure the UV protected ABS plastic housing of the SPOD, DPOD and Rail Pods.


Need help with finding the right SPOD or DPOD for you?

Check out our reference guide on page 33!

The Seaview DPOD is very easy to adjust. Just simply grab the sides of the DPOD and turn either direction. It's perfect for quick adjustments!

# SAIL, DECK & RAIL POD PART NUMBER GUIDE





Note: All pods are uncut. Seaview can pre-cut upon request.

Max Cut Out Area

Max Usable Face

**NOTE:** Electronics change often. Please refer to website for most up to date reference guide.

		<b>A</b> inch / mm	<b>B</b> inch / mm	<b>c</b> inch / mm	<b>D</b> inch / mm	<b>E</b> inch / mm	<b>F</b> <sup>1</sup> inch / mm	<b>G¹</b> inch / mm	<b>F</b> ² inch / mm	<b>G</b> <sup>2</sup> inch / mm	н	1
		Overall Dimensions				Max Usa	ıble Face	Max Cut	Out Area			
۵	SP1S	5.04 / 127.97	NA	NA	5.16 / 131.14	3.125 / 79.38	4.63 / 117.47	4.63 / 117.47	4.125 / 104.77	4.125 / 104.77	NA	NA
8	SP1S2	5.38 / 136.53	NA	NA	5.38 / 136.53	3.38 / 85.73	5 / 127	5 / 127	4.38 / 111.13	4.38 / 111.13	NA	NA
RAIL	SP2S / SP2S1	12.30 / 312.55	NA	NA	7.56 / 191.89	5.08 / 129.03	11.75 / 298.45	7 / 177.80	11 / 279.40	6.125 / 155.57	26°	12°
/ Q	SP3S / SP3S1	14.25 / 361.95	NA	NA	9.5 / 241.30	5.15 / 130.73	13.75 / 349.25	9 / 228.60	12.94 / 328.63	8.125 / 206.37	32°	30°
SPO	SP4S	17.5 / 444.50	NA	NA	12.75 / 323.85	5.7 / 144.78	16.94 / 430.23	12.25 / 311.15	16 / 406.40	11.25 / 285.75	10°	7°
S	SP5S / SP5S1	15.25 / 387.35	NA	NA	5.5 / 139.70	3.19 / 80.90	14.75 / 374.65	5 / 127	13.88 / 352.42	4.125 / 104.77	6°	6°
Δ	SP2P	12.30 / 312.55	9.37 / 238	4 / 101.6	7.56 / 191.89	5.08 / 129.03	11.75 / 298.45	7 / 177.80	11 / 279.40	6.125 / 155.57	NA	NA
8	SP3P	14.25 / 361.95	11.31 / 287.27	4 / 101.6	9.5 / 241.30	5.15 / 130.73	13.75 / 349.25	9 / 228.60	12.94 / 328.63	8.125 / 206.37	NA	NA
Δ	SP5P	15.25 / 387.35	7.31 / 185.67	4 / 101.6	5.5 / 139.70	3.19 / 80.90	14.75 / 374.65	5 / 127	13.88 / 352.42	4.125 / 104.77	NA	NA
Ac	cessory											
	SP1BOX	5.04 / 127.97	NA	NA	5.16 / 131.14	3.125 / 79.38	4.63 / 117.47	4.63 / 117.47	4.125 / 104.77	4.125 / 104.77	NA	NA
S	P1BOX2	5.38 / 136.53	NA	NA	5.38 / 136.53	3.38 / 85.73	5 / 127	5 / 127	4.38 / 111.13	4.38 / 111.13	NA	NA

PART NUMBER GUIDE	SPOD	DPOD	RAIL POD
B&G			
Triton2	SP1S2	_	SP1S2
Vulcan 5, Vulcan 7, Zeus2 7, Z7, Touch 7, Zeus3, Zeus2 9 (W9), Zeus3 9, H5000	SP2S	SP2P	SP2S1
Vulcan 9, Z8, Vulcan 12, Touch 8	SP3S	SP3P	SP3S1
Zeus2 12 (Z12), Touch 12, Zeus3 12, T12, Zeus2 Glass Helm ZM 16	SP4S	-	-
FURUNO			
GP39, GP1670, GP1670F, GP1870, GP1870F, GP7800	SP2S	SP2P	SP2S1
GP170, GP170D, GS100, 1623, 1715	SP3S	SP3P	SP3S1
TZTL12F, MFD12	SP4S	_	_
GARMIN			
echoMAP 50 series, echoMAP CHIRP 52cv - 54cv, GPSMAP 722, 722xsv, 742, 742xsv, Striker 5, Striker 7, 441, 441S, 527, 547, 620, 640, 720, 721, 740, 741, 741xsv, 70s, 7407xsv, 7607xsv, echoMAP 70 & 90 series, echoMAP CHIRP 92sv - 95sv, 75sv, 74sv, 73sv 72sv, 74cv, 73cv, GPSMAP 922, 922xsv, 942, 942xsv, 6008, 6208, 8008, 8208, 7408xsv, 7608xsv, 62cv, 64cv, 65cv, 72cv, 75cv, 93cv, Striker 9	SP2S	SP2P	SP2S1
820, 840, 4008, 4208, 5008, 5208, 7410xsv, 7610xsv, 7412xsv, 7612xsv, GPSMAP 1022, 1022xsv, 1042xsv, 8612xsv, 8412xsv, 8610xsv, 8410xsv	SP3S	SP3P	SP3S1
1020, 1040, 4010, 4210, 4012, 4212, 5012, 5212, 8012, 8212, 7416xsv, 7616xsv, 8015, 8215, GPSMAP 1222, 1222xsv, 1242xsv, 8616xsv, 8416xsv, 8617, 8417	SP4S	_	_
HUMMINBIRD			
Helix 5, 50 0 Series, 700 Series, Helix 7, 800 Series, 900 Series	SP2S	SP2P	SP2S1
Helix 9, Helix 10, ONIX 8, ONIX 10	SP3S	SP3P	SP3S1
ION 10, ION 12, 1100 Series, Helix 12, Solix 12, Solix 12SI, Solix 15, Solix 15Si	SP4S	_	_
KODEN			
KGP-913MkII, 913MkIID, KGP-915, KGP-925, KGP-920, KGC-222, CVS-126, CVR-010, KTN-70A	SP2S	SP2P	SP2S1
CVS-126, CVR-010	SP3S	SP3P	SP3S1
CVS-128, CVS-128B, MRD-103, MRD-103A	SP4S	_	_

PART NUMBER GUIDE	SPOD	DPOD	RAIL POD
LOWRANCE			
TROPHY-5M, HDS-5, HOOK5, 5X, HDS-7, HDS-7 Gen3, 7M, Elite 7, Elite-5Ti, Elite-7Ti, HDS-9, HDS-9 Gen3, Elite-9Ti, HOOK 7, 7x, HOOK 9, 9x, Elite 9, 9x	SP2S	SP2P	SP2S1
HDS-8, HDS-8M, HDS-10, HDS-10M, HDS-12 Gen2, HDS-12 Gen3, Elite-12Ti	SP3S	SP3P	SP3S1
RAYMARINE			
a65, a67, a68, a75, a77, a78, e7, e7D, Axiom 7, e575, e577, e578, c95, c97, e95, e97, Axiom 9, Element 7HV, Element 9HV	SP2S	SP2P	SP2S1
eS97, eS98, a95, a97, a98, gS95, Axiom Pro 9, Axiom 12	SP3S	SP3P	SP3S1
a125, a127, a128, eS127, eS128, gS125, e165, gS165, Axiom Pro 12, Element 12HV	SP4S	_	_
SIMRAD			
NSS7, NSS7 evo2, NSS7 evo3, GO5 XSE, GO7 XSE, NSS9 evo2, NSS9 evo3	SP2S	SP2P	SP2S1
GO9 XSE, NSS8, NSE8, GO12	SP3S	SP3P	SP3S1
NSS12, NSE12, NSS12 Evo 2, NSS12 Evo 3, MO16-T, MO16-P, NSO Evo3 16	SP4S	_	_
SITEX			
SVS-560CF, EC5E, EC5I, EC5FE, EC5FI, SNS 700	SP2S	SP2P	SP2S1
EC7E, EC7I, EC7FE, EC7FI	SP3S	SP3P	SP3S1
EC11, SNS 1100	SP4S	_	_
STANDARD HORIZON			
CP150, CP150C, CP155C, CP170C, CP175C, CPN700i, CP190i, CP390i, CPF190i, CPF180i, CPF300i	SP2S	SP2P	SP2S1
CPN1010i, CP1000C	SP3S	SP3P	SP3S1
CP590	SP4S	_	_
ICOM			
MA-500TR	SP2S	SP2P	SP2S1
MXD5000	SP4S	_	_

# RAIL POD

# FOR MOST INSTRUMENTS & DISPLAYS



# FAQ's

### 1. Will Seaview Rail Pod fit my electronic device?

Yes, several pod box sizes to fit your electronic device. Plus with the accessory pod option you are able to mount small screens just about anywhere.

# 2. Is it easy to install your instrument pods?

Seaview instrument pods are very easy to install and only requires basic tools and a drill.

### 3. Are these durable?

Yes! Our pods are made from UV resistant ABS plastic. The clamps are made from 316 stainless steel. So you can be sure our pods can withstand the harshest of conditions.

# 4. Will the instrument pod protect my electronic instrument?

Yes, our instrument pods use a rubber gasket to keep water out. A  $GORE^{TM}$  vent also lets hot air out without letting water in. Tamper resistant screws are also used to hold everything together.

### 5. Are these instrument pods uncut or pre-cut?

For ease of stocking purposes Seaview instrument pods are uncut. We do offer a pre-cut service however.

# **OPTIMIZE YOUR VIEW**

Seaview offers a solution to the age old problem of figuring out where to mount all your instruments on your sailboat. The Rail Pod allows you to mount smaller displays and instruments directly to the rail, allowing you to position the instrument where it is most optimal for you.

- Fits 1", 1%" or 1¼" (25mm to 32mm) rails
- Cables routed internally through the clamp and into the rail
- · UV protected ABS plastic housing
- Water tight gasket
- Tamper resistant security screws






# RETROFIT CABLE GLANDS

# FOR MARINE ELECTRONIC CABLES



Part #CG20PG2





# ✓Install with cable in place!

- ✓ Paintable to match color of choice.
- ▼Tapered rubber seal forms watertight installation.

### **EASY INSTALLATION**

- Captive nuts.
- No need to remove cable connectors during installation.
- No need to remove the cable at all, simply install with cable already in place.
- All hardware provided for easy installation.

# **WATERTIGHT INSTALLATION**

- IPX6 & IPX7 waterproof rating.
- Undrilled tapered watertight rubber seal.
- · Rubber base gasket.

### **IMPROVED SHAPE AND DESIGN**

- Strong impact resistant.
- · Low profile design.
- · No sharp edges.
- Flush top design means no place for water to collect.

### **IPX6 & IPX7 TESTED & APPROVED**

What does this mean?

• IPX6 test means these pass 100L/min of water sprayed from 2.5 to 3 meters away for 3 min.

# CABLE GLANDS FOR MARINE ELECTRONIC CABLES

# Part #CG30A-B Undrilled seal allows a

# wide variety of cables to be used.

# **COLOR / MATERIALS**





# WATERTIGHT INSTALLATION FOR YOUR ELECTRONIC CABLES

The Cable Glands provide waterproof cable routing and are made of:

- UV stable glass filled ABS plastic
- 316 stainless steel
- Black anodized aluminum

Each style has options for 17mm to 34mm (.67" to 1.34") connectors, making it ideal for almost every installation.

# NO NEED TO REMOVE CONNECTORS


The split seal design eliminates the need to remove cable connectors during installation.

### WATERTIGHT INSTALLATION

Tapered rubber seal forms watertight installation. Base gasket also provided for clean, watertight installation. Waterproof rating of IPX6 and IPX7.

### **IMPROVED SHAPE AND DESIGN**

Low profile design for a strong, impact-resistant and clean installation. No sharp edges.



Part #CGM17P-G





# **CABLE GLAND PART NUMBER GUIDE**

	# OF CABLES	COLOR / MATERIAL	CONNECTOR DIAMETER	CABLE SIZE	PART#
		Grey ABS Plastic	Up to 20mm / 0.81"	Up to 13.5mm / 0.53"	CG20P-G
	1	Black Aluminum	Up to 20mm / 0.81"	Up to 13.5mm / 0.53"	CG20A-B
		Stainless Steel	Up to 20mm / 0.81"	Up to 13.5mm / 0.53"	CG20-SS
		Grey ABS Plastic	Up to 34mm / 1.38"	Up to 27.5mm / 1.08"	CG30P-G
CABLE GLAND	1 or 2	Black Aluminum	Up to 34mm / 1.38"	Up to 27.5mm / 1.08"	CG30A-B
		Stainless Steel	Up to 34mm / 1.38"	Up to 27.5mm / 1.08"	CG30-SS
		Grey ABS Plastic	Up to 17mm / 0.67"	Up to 10.6mm / 0.5"	CGM17P-G
		Black Aluminum	Up to 17mm / 0.67"	Up to 10.6mm / 0.5"	CGM17A-B
		Stainless Steel	Up to 17mm / 0.67"	Up to 10.6mm / 0.5"	CGM17-SS
RETROFIT	1	Grey ABS Plastic	Up to 20mm / 0.81"	Up to 13.5mm / 0.53"	CG20PG2
CABLE GLAND	1 or 2	Grey ABS Plastic	Up to 34mm / 1.38"	Up to 27.5mm / 1.08"	CG30PG2

"As a semi-custom yacht builder, Kadey-Krogen Yachts requires vendors to provide superior quality products, custom built to order and within the needed timeframe to keep our production moving. Seaview does all that, while also providing excellent engineering support and customer service support before and after the product is complete."

Tom Button
VP Operations
Kadey-Krogen Yachts, Inc.



Image courtesy of Kadey Krogen. (Seaview builds arch and masts for Kadey Krogen)



Image courtesy of Protector USA Inc.

Seaview provides our customers with a simple and elegant solution for our boats. Seaview has also provided us with very punctual service when it comes to custom modifications to their mounting solutions.

Andrew Carleton
Protector USA Inc.

# PERSONALIZED OPTIONS

# **COMPLETE PERSONALIZED MOUNTS FOR RECREATIONAL BOATS**

Seaview can custom fabricate a mount specific to your personal design and needs. Our expert design team can turn your ideas into a reality. By utilizing our experience, skills and software we can provide you with the ability to visualize your design with multiple viewing angles using interactive 3-D models. Costly mistakes can be avoided and difficult to foresee aesthetic decisions can be made prior to fabrication. With our experienced team of fabricators and well equipped facility we can handle whatever project you bring our way. It is our guarantee that our work will be done with quality in mind. Artistic design and functionality partnered with technology based fabrication is groundwork for excellence in our products.



**MODEL 57** 



**MODEL 58** 



**MODEL 59** 



**MODEL 60** 



**MODEL 61** 



**MODEL 62** 



**MODEL 63** 



**MODEL 64** 



# PERSONALIZED OPTIONS

# COMPLETE PERSONALIZED MOUNTS FOR RECREATIONAL BOATS







MODEL 65 MODEL 66 MODEL 67







MODEL 70 MODEL 71



MODEL 72

For more examples visit our website at **www.seaviewglobal.com** 





# **COMMERCIAL MARINE MASTS**

# MOUNTING SOLUTIONS FOR COMMERCIAL MARINE MARKETS

For over 20 years Seaview has been designing and manufacturing mounting solutions for commercial, industrial, governmental agencies, military and Coast Guard applications. A few mast examples are shown below. We can provide a 3D design to fit your application within 48 hours, and a completed mount in 4 weeks depending on design.





# **TESTIMONIALS**

# HERE'S WHAT THEY HAVE TO SAY ABOUT **SEAVIEW!**



"Seaview has been a tremendous help to Raymarine USA on all of our demonstration boat projects. These high-performance boats make appearances at boat shows, industry events, fishing tournaments, on TV, and at lots of other high-impact events. Both consumers and members of the boating press and media come onboard to see the latest Raymarine technologies in-action.

We rig them to be "dream boats" with every conceivable option and technology. Seaview's flexible line of electronics mounting solutions makes it easy to fit our full system including radar, satellite TV and thermal night vision. Their customizable masts and mounts are rugged, reliable and they look fantastic too. They blend seamlessly with the design of today's modern sport-fishing boats and look totally built-in, not bolt-on. That's really appreciated by the boat builders we work with on these projects too.

Another thing that always impresses is Seaview's ability to deliver their systems quickly and accurately. No matter what combination of scanners, sensors and antennas I need to mount topsides, Seaview's team always seems to have the correct parts ready to go, and they deliver them on-time. The Seaview team is truly a pleasure to work with."

Jim McGowan Americas Marketing Manager FLIR Maritime and Raymarine



"Garmin is proud to work with Seaview and we'd recommend them as a partner to do business with. In today's market, customer expectations are at an all-time high and aesthetics and functionality are at the forefront. Seaview has a proven track record of consistently delivering a professional and reliable product, and because of that, Garmin incorporates their products as often as we can in our demo boats and trade show displays."

David Dunn Garmin Sr. Manager Marine Sales & Marketing

# SI-TEX(() KODEN



"We have been working with Seaveiw for a number of years now. Whenever a customer calls our SI-TEX Customer Service department and asks us to recommend a supplier for a Radar Antenna Mount, we instantly recommend Seaveiw. Our experience working with Seaveiw makes us very confident that they will have the right radar antenna mount for the customers installation no matter what type of boat it is or the size of the radar antenna."

Jason, and the staff at Seaveiw go above and beyond researching all of our different SI-TEX and Koden radar antennas each year to make sure they will always have the right product for our customers.

Allen Schneider Vice President SI-TEX Marine Electronics

# SIMRAD

"From fit to finish, SEAVIEW offers up the cleanest and best solutions for mounting on both my sail and power boat. Plus they are always bringing in great ideas like their new folding running light option! From tapered masts to deck glands to electronics pods, Seaview also has all the right parts to make the fit perfect and professionally eye catching. Add in excellent technical and customer service, my boat would not have anything mounted without SEAVIEW!"

Steve Hamber
Business Development/Sales Training, Americas, Navico



FURUNO

SIM AD

"Seaview has been an excellent company for Furuno to work with for a number of years. Their off the shelf solutions have been fool-proof and we don't hesitate to recommend them for any boater. It's a very responsible company. Jason and the Seaview team recently helped us on very short notice with a one-off, custom mount for a tricky demonstration and it went off on-time, under budget and without any problems at all. You can be confident you're getting great products and great support with Seaview!"

Matt Wood National Sales Manager Furuno USA



Ryan Smith Leisure Marine - National Sales Manager KVH Industries, Inc.



**USA OFFICE** 

Tel: 509-795-0977 Toll Free: 800-655-7922 www.seaviewglobal.com **EUROPEAN OFFICE** 

Tel: +33 4 94 53 27 70 www.seaviewprogress.com





