

OCTOBER 2021



WHERE  
SAFETY & QUALITY  
STAND FIRST.

MADE IN THE U.S.A.

**BROWNELL**  
BOAT STANDS & EQUIPMENT

BOATSTANDS.COM

508.758.3671

MADE IN THE U.S.A.





We're here to help.  
[boatstands.com](http://boatstands.com)  
508.758.3671

**BROWNELL BOAT  
STANDS & EQUIPMENT  
ARE MADE IN AMERICA  
FIRMLY ADHERING TO  
THE BROWNELL SEVEN  
STANDARDS OF QUALITY**

Whether you're looking to add a few pieces to your current inventory or to purchase an entire system, Brownell has what you need to ensure that you, your team, your customers, and their boats are safe.

Brownell has the highest quality and safest boat stands and equipment on the market.

**04 | BOAT STANDS**

- 04 | motorboat stands
- 06 | mega motorboat stands
- 08 | sailboat stands
- 10 | maxi sailboat stands

**12 | KEEL SUPPORT**

- 12 | keel stands
- 13 | block support

**14 | BOAT RACKS**

- 14 | boat racks
- 15 | display stands

**16 | BOAT DOLLIES**

- 16 | pontoon dollies
- 17 | boat dollies

**18 | BOAT LIFT SYSTEMS**

**20 | SHOP EQUIPMENT**

- 21 | drive racks
- 21 | outboard racks
- 21 | stern drive jack
- 21 | dispenser dolly

**22 | STAND TOPS**

- 23 | replacement pads
- 23 | boat stand tops

**24 | STAGING LADDERS**

**24 | TRAILER COMPONENTS**

- 25 | trail tops w/locking adjustments
- 25 | wedge stands



**LEARN ABOUT  
OUR SAFETY  
TRAINING  
PROGRAM**

Keep your staff, customers and their boats safe. Make sure everyone in your yard goes through **The Brownell Safety Training Program** and receives their certificate of completion.

**LIFETIME WARRANTY**

Brownell Boat Stands are warranted to be free from defects in material and workmanship for the life of the product. Please report any such defects to Brownell for verification. If such defects are verified, Brownell will replace or repair that product or component at no charge.





## THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected  
manufacturing techniques



All products carry a certified  
safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters

THE **BROWNELL SEVEN STANDARDS OF QUALITY** MANUFACTURING PRACTICES ARE THE FOUNDATION OF THE **BROWNELL SAFETY TRAINING PROGRAM**, WHICH TEACHES USERS BEST PRACTICES TO SAFELY BLOCK, SUPPORT, AND STORE ALL TYPES OF BOATS.





# MOTORBOAT STANDS

Our motorboat stands have been independently tested and are **certified to a safe working load of 20,000 lbs.** (9,100 kgs). In our 60+ years, **a Brownell stand has never failed.** Our products are widely utilized throughout the world to help people work more safely and more efficiently. Both our traditional blue painted finish or hot-dipped galvanized stands offer long-lasting durability. Our adjustable stands feature a precision-cut Acme threaded, solid steel center rod for easy adjustment even under load. They feature a vertical base **with a top that swivels to 25-degrees** to fit most hull shapes. When not in use, the motorboat stands stack neatly for storage.

The system is simple. Most of the vessel's weight rests on its keel on either wood blocking or keel stands. The boat stands safely balance the load when used properly; one stand every 8' - 10' (3 meters) along each side of the boat.

**All motorboats stands are available in painted or hot-dipped galvanized finish.**

## THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters



## MB4 2' MOTORBOAT STAND

- Height: 18" - 25"  
(46 cm - 64 cm)
- Weight: 27 lbs. (12.3 kg)

- All stands also **available in galvanized** by adding **"G"** to the end of the part number, e.g., **MB2G**
- **Bases can be purchased separately** by adding **"BASE"** to the end of the part number, e.g., **MB2BASE**. Subtract 4" from min height.
- All stands **available with a V-top** by adding **"V"** to the end of the part number, e.g., **MB2V**



## MB3 2.5' MOTORBOAT STAND

- Height: 25" - 38"  
(64 cm - 97 cm)
- Weight: 36 lbs. (16.3 kg)



## MB2 3' MOTORBOAT STAND

- Height: 29" - 46"  
(74 cm - 117 cm)
- Weight: 43 lbs. (19.5 kg)



## MB1 3.5' MOTORBOAT STAND

- Height: 33" - 50"  
(84 cm - 127 cm)
- Weight: 47 lbs. (21.3 kg)



## MBO 4' MOTORBOAT STAND

- Height: min. 41" - 58"  
(104 cm - 142 cm)
- Weight: 55 lbs. (25.0 kg)



## MBOX 5' MOTORBOAT STAND

- Height: 54" - 72"  
(137 cm - 183 cm)
- Weight: 68 lbs. (30.8 kg)



## MBOXX 6' MOTORBOAT STAND

- Height: 67" - 84"  
(170 cm - 213 cm);
- Weight: 81 lbs. (36.7 kg)



# MEGA MOTORBOAT STANDS

Introducing our 25-ton beauty to keep large yachts and commercial vessels safe. Using the **Brownell 7 Standards of Quality**, this rugged steel constructed boat stand has a safe working load of **25 tons**, so order now and keep large yachts and commercial vessels safe. Use with **KB12** keel bench, which has a **35T SWL**.

**All Brownell Boat Stands come with a Lifetime Warranty. In our 60+ years, a Brownell stand has never failed.**

## THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters



## MBX5 5' MEGA MOTORBOAT STAND

- Dimensions: 65" – 78"  
(165 cm – 198 cm)
- Weight: 226 lbs. (103 kgs)



## MBX6 6' MEGA MOTORBOAT STAND

- Dimensions: 77" – 90"  
(195 cm – 228 cm)
- Weight: 249 lbs. (113 kgs)



## MBX7 7' MEGA MOTORBOAT STAND

- Dimensions: 89" – 102"  
(226 cm – 259 cm)
- Weight: 274 lbs. (124 kgs)



## MBX8 8' MEGA MOTORBOAT STAND

- Dimensions: 101" – 114"  
(256 cm – 289 cm)
- Weight: 321 lbs. (146 kgs)



## MBXTOP MEGA STAND FLAT TOP

- Overall Length: 25"
- Weight: 31 lbs. (14 kgs)
- Adjustment: 14"
- Rod Diameter: 2"
- Material: Solid steel, ASTM Grade 1045 rod
- Pivots minimum of 25°
- Features reinforced, channel steel backing plate, secured to rod with a high-strength Grade 8 steel bolt
- Rod is treated with corrosion inhibitor for longer life
- Oversized handle for greater leverage and easier adjustment under load

Brownell Boat Stands has developed the **MEGA MOTORBOAT STAND** to keep commercial vessels, super yachts, and mega yachts safe.

- Hot-dip galvanized
- Rugged steel construction
- **25T SWL** - independently tested and certified
- Easy-to-use Brownell design
- Use with **KB12** keel bench, which has a **35T SWL**





# SAILBOAT STANDS

**All Brownell Boat Stands  
come with a Lifetime Warranty.  
In our 60+ years, a Brownell stand  
has never failed.**

Our sailboat stands have been independently tested and are **certified to a safe working load of 20,000 lbs.** (9,100 kgs). Our sailboat stands are built with the same high quality as our motorboat stands but have a 23-degree angled base. This allows for better support against sailboat hulls and also powerboats with steep angled hulls. Our sailboat stands are very versatile. Between the angled base and the swivel top, the pad can go from parallel to the ground to 45-degrees, thereby having the ability to safely support virtually any boat. When not in use, the sailboat stands nest neatly for storage. Most of the vessel's weight rests on its keel on either wood blocking or keel stands. The boat stands safely balance the load when used properly; one stand every 8' - 10' (3 meters) along each side of the boat. With sailboat stands, it is crucial that a chain be utilized to connect the stands across the width of the boat (port to starboard). A slot is welded on each base to allow for the chain. This prevents the stands from slipping. Additionally, it is recommended to utilize a stand with a V-Top at the center line towards the bow to prevent the boat from tipping forward on its keel.

## THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected  
manufacturing techniques



All products carry a certified  
safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters





## SB4 3' SAILBOAT STAND

- Height: 24" - 36"  
(61 cm - 91 cm)
- Weight: 35 lbs. (15.9 kg)



## SB3 4' SAILBOAT STAND

- Height: 35" - 52"  
(52 cm - 132 cm)
- Weight: 49 lbs. (22.2 kg)



## SB2 5' SAILBOAT STAND

- Height: 46" - 65"  
(117 cm - 165 cm)
- Weight: 62 lbs. (28.1 kg)



## SB1 6' SAILBOAT STAND

- Height: 64" - 79"  
(163 cm - 201 cm)
- Weight: 78 lbs. (35.4 kg)



## SBO 7' SAILBOAT STAND

- Height: 79" - 96"  
(201 cm - 244 cm)
- Weight: 93 lbs. (42.2 kg)



## SB2XV 6' HYDRAULIC TRAILER BOW STAND

- V-Top
- Height: 64" - 79"  
(162 cm - 200 cm)
- Weight: 78 lbs. (35.4 kg)
- Long neck with narrow base.  
Used at bow in conjunction with hydraulic trailer



## 3/16" GALVANIZED SAFETY CHAIN

- Required to safely utilize sailboat stands.
- Available in bulk or by foot.

- All stands also **available in galvanized** by adding **"G"** to the end of the part number, e.g., **SB2G**
- Bases can be purchased **separately** by adding **"BASE"** to the end of the part number, e.g., **SB2BASE**. Subtract 4" from minimum height.
- All stands **available with a V-Top** by adding **"V"** to the end of the part number, e.g., **SB2V**



# MAXI SAILBOAT STANDS

## Safety carried to new heights.

Our sailboat stands have been independently tested and are **certified to a safe working load of 20,000 lbs. (9,100 kgs)**. Brownell's maxi sailboat stands are designed for very deep draft boats. They are constructed and operate in the same manner as our more conventional stands. Because of their large size, a ladder is incorporated in the base in order to easily reach the top for adjustment. They fold flat for easy storage and transportation, and are easily assembled with supplied hardware. The use of a chain is crucial with the maxi stands, as well.

THE UNIQUE DESIGN OF BROWNELL BOAT STANDS  
ALLOWS BOATYARDS TO BE ABLE TO STORE MORE  
BOATS PER SQUARE FOOT, ALLOWING THEM TO  
MAXIMIZE SPACE AND INCREASE REVENUE.

## THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected  
manufacturing techniques



All products carry a certified  
safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters





## SB8

- Height: 95" - 111"  
(241 cm - 288 cm)
- Weight: 110 lbs. (49.5 kg)



## SB9

- Height: 108" - 125"  
(274 cm - 318 cm)
- Weight: 133 lbs. (60.0 kg)



## SB10.5

- Height: 123" - 140"  
(312 cm - 355 cm)
- Weight: 154 lbs. (69.5 kg)

- All stands also **available in galvanized** by adding **"G"** to the end of the part number, e.g., **SB2G**
- **Bases can be purchased separately** by adding **"BASE"** to the end of the part number, e.g., **SB2BASE**
- All stands **available with a V-Top** by adding **"V"** to the end of the part number, e.g., **SB2V**

## ADDITIONAL SIZES UP TO 15' BUILT TO ORDER

	SB12	SB13	SB14	SB15
<b>Height</b>	139" - 155" (353 cm - 394 cm)	154" - 170" (391 cm - 432 cm)	170" - 186" (432 cm - 472 cm)	185" - 200" (470 cm - 508 cm)
<b>Weight</b>	172 lbs. (78.0 kg)	203 lbs. (92.0 kg)	234 lbs. (106.0 kg)	265 lbs. (120.0 kg)



# KEEL SUPPORT

Keel support takes the most weight off the vessel while it is out of the water, while boat stands are used for balancing and stability. Brownell offers three different options for keel support.

Brownell's innovative keel stands are designed to save time and labor. Rather than stacking and cribbing wood blocks, these are placed under the keel and quickly adjusted to the proper height, thereby saving labor and increasing efficiency and profit. Available in three sizes; most with options for flat or V tops.

Brownell keel benches are also quick to install and provide robust support. When adjustment isn't required, keel benches are the best option for labor savings. With products rated from 20,000 lbs. (9,100 kgs) to 80,000 lbs. (36,400 kgs) these are ideal even for large recreational and commercial vessels.

Traditionally, wood blocks have been stacked and cribbed under boats' keels to bear the load. While this method is labor intensive, it is still widely used. Wood blocks are still the best option under a sailboat keel. Our wood blocks are cut from eastern pine and also available pressure treated for longer life.

## PROPER USE

Make sure your entire team knows how to properly use our boat stands, keel stands, and accessories. **The Brownell Safety Training Program** teaches users best practices to safely block, support, and store all types of boats. Go to [boatstands.com](http://boatstands.com) to sign up.

## THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters





#### K4

- SWL 20,000 lbs. (9,100 kg)
- Height: 16"- 24" (41cm - 61cm)
- Weight: 23 lbs. (10.4 kg)
- Also available hot-dip galvanized. Order K4G



#### KS1

- SWL 20,000 lbs. (9,100 kg)
- Height: 20"- 32" (51cm - 81cm)
- Weight: 36 lbs. (16.3 kg)
- Also available with Flat Top KS1F
- 5" Flat or 6" V
- Also available hot-dip galvanized. Order KS1G



#### KS28

- SWL 20,000 lbs. (9,100 kg) each
- Height: 28"- 41" (71cm - 104 cm)
- Weight: 42 lbs. (19.1 kg)
- Also available with Flat Top KS28F
- 5" Flat or 6" V
- Also available hot-dip galvanized. Order KS28G



#### BRB16

#### KEEL BENCH

- SWL 20,000 lbs. (9,100 kg)
- Dimensions: 22" x 24" x 16" (56 cm x 51cm x 41 cm)
- Weight: 45 lbs. (20.4 kg)
- Also available hot-dip galvanized. Order BRB16G



#### KB12

#### HEAVY DUTY KEEL BENCH

- SWL 80,000 lbs. (36,400 kgs)
- Load distributed on a 12" x 22" (31 cm x 56 cm) surface
- Dimensions: 21" x 30" x 36" (55 cm x 76 cm x 91 cm)
- Weight: 160 lbs. (72.6 kg)
- Hot-dip galvanized only

## WOODEN KEEL SUPPORT BLOCKS



#### PINE BLOCK

	B6	B8	B12
Dimensions	6" x 6" x 22" (15 x 15 x 56 cm)	8" x 8" x 22" (20 x 20 x 56 cm)	12" x 12" x 22" (30 x 30 x 56 cm)
Weight	18 lbs. (8.0 kg)	28 lbs. (12.5 kg)	60 lbs. (27.5 kg)

#### PRESSURE TREATED BLOCK

	B6PT	B8PT	B12PT
Dimensions	6" x 6" x 22" (15 x 15 x 56 cm)	8" x 8" x 22" (20 x 20 x 56 cm)	12" x 12" x 22" (30 x 30 x 56 cm)
Weight	23 lbs. (10.0 kg)	49 lbs. (22.0 kg)	78 lbs. (35.5 kg)



# BOAT RACKS

**Brownell's Boat Racks are the simplest storage solution on the market, designed to safely store a boat for service or wash down.**

This very stable platform is recommended for boats up to 20,000 lbs. (9,100 kgs.) The bow rests on the flat bench and the stern is supported by two fixed pads creating a safe and stable platform. The high ground clearance in the taller "X" series makes hull waxing or bottom painting easier. They disassemble for storage and transportation.

The BR37 provides four adjustable TLC tops to disperse load and protect the gelcoat and glass, with a minimal storage footprint. It is recommended to utilize two to three racks to best distribute the load. Consider using a boat stand on each side for additional stability.

**WATCH A  
VIDEO ABOUT  
OUR BOAT  
RACKS**



**THE BROWNELL  
SEVEN  
STANDARDS  
OF QUALITY**



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters




Innovative system to safely secure catamarans and other modern boats with thin hulls. The straps conform to the hull shape and distribute the load.



### CATBOW - CATAMARAN SLING SYSTEM - BOW

- SWL 10,000 lbs. (4,550 kgs) each
- Dimensions: 44" x 40" x 61.5" (112 cm x 122 cm x 156 cm)
- Weight: 213 lbs. (96.6 kg)
- Use with CATSTERN



### CATSTERN - CATAMARAN SLING SYSTEM - STERN

- SWL 10,000 lbs. (4,550 kgs)
- Dimensions: 67" x 48" x 52" (170 cm x 122 cm x 132 cm)
- Weight: 217 lbs. (98.4 kg)
- Use with CATBOW



### BRB BOW RACK

- SWL 20,000 lbs. (9,100 kg) each
- 28" x 24" x 30" (70 cm x 62 cm x 76 cm)
- Weight: 60 lbs. (27.2 kg)
- Use with BRS41



### BRS41 STERN RACK

- SWL 20,000 lbs. (9,100 kg) each
- 31.5" x 41.5" x 30" (79 cm x 105 cm x 76 cm)
- Weight: 68 lbs. (30.8 kg)
- Use with BRB



### BRBX BOW RACK TALL

- SWL 20,000 lbs. (9,100 kg) each
- 52" x 34" x 48" (132 cm x 86 cm x 121 cm)
- Weight: 128 lbs. (58 kg)
- Use with BRS41X



### BRS41X STERN RACK TALL

- SWL 20,000 lbs. (9,100 kg) each
- 54" x 41.5" x 48" (136 cm x 105 cm x 121 cm)
- Weight: 126 lbs. (57 kg)
- Use with BRBX



### BR37 DISPLAY RACK

- SWL 20,000 lbs. (9,100 kg) each
- 34" x 37"
- Height: 19" - 28" (48 cm - 71 cm)
- Weight: 67 lbs. (30 kg)
- Acme-threaded to allow leveling of boat
- TLC pads to prevent scuffing new gel coat
- Ideal for showroom, shows, and storage





# BOAT DOLLIES

Boat dollies, sometimes called trollies, are one of the most useful pieces of equipment in the marine industry. They can be utilized to safely and professionally display boats in a showroom or boat show. They are also useful in maximizing the space in a workshop or storage facility, thereby maximizing profit. Brownell manufactures an extensive range of steel dollies for a broad range of boats including:

- Small craft and personal watercraft
- Pontoon boats
- Motorboats of various sizes up to 35,000 lbs. (16,000 kgs)

**All Brownell dollies are made in the USA and feature highly quality phenolic casters to roll smoothly and prevent marking floors. All surfaces in contact with the boat are padded to prevent slipping and marking the hull.**

**WATCH  
VIDEOS  
ABOUT OUR  
PRODUCTS**



**BD1, BD2**



**SCD1**



**BDXL**

**THE BROWNELL  
SEVEN  
STANDARDS  
OF QUALITY**



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control




7-ply marine-grade plywood




Highest-quality casters





## PD2 PONTON DOLLY

- Capacity 2,000 lbs (905 kg)
- Dimensions: 19" x 19.5" x 8" (48 cm x 50 cm x 20 cm)
- Weight: 32 lbs. (14.5 kg)
- Packed two per box
- Wheel size: 4" x 2"



## PD2B PONTON DOLLY

- Same specifications as PD2, but has brake on all 3 casters.



## PD2X TALL PONTON DOLLY

- Capacity 2,500 lbs. (1,134 kg)
- Dimensions: 19" x 19.5" x 19" (48 cm x 50 cm x 23 cm)
- Weight: 47 lbs. (21.3 kg)
- Wheel size: 4" x 2"



## PD3 PONTON DOLLY

- Capacity 2,500 lbs. (1,134 kg) each
- Dimensions: 24" x 32" x 17" (61 cm x 32 cm x 44 cm)
- Weight: 59 lbs. (27.0 kg)
- Wheel size: 4" x 2"



## SCD1 SMALL CRAFT/PWC DOLLY

- Capacity 2,000 lbs. (905 kg) each
- Dimensions: 48" x 38" x 16" (140 cm x 97 cm x 41 cm)
- Weight: 85 lbs. (39.0 kg)
- Wheel size: 4" x 2"



## BD2 BOAT DOLLY

- Capacity 8,000 lbs. (3,630 kg) per pair
- Height: min. 15" - 21" (39 cm - 54 cm)
- Dimensions: 39" x 24" (99 cm x 61 cm)
- Weight: 84 lbs. (38.1 kg)
- Wheel size: 6" x 2" with brakes



## BD3 BOAT DOLLY

- Capacity 12,000 lbs. (5443 kg) per pair
- Height: 29" - 33" (73.7 cm - 116.8 cm)
- Width: 51" - 77" (130 - 195 cm)
- Weight: 183 lbs. (83 kg)
- Wheel size: 6" x 2.5" with brakes
- Optional 12' connector bar available #BD3BAR12



## BD1 BOAT DOLLY

- Capacity 20,000 lbs. (9,100 kg) per pair
- Width: 55" - 91" (138 cm - 221 cm)
- Height: 29" - 46" (73.7 cm - 116.8 cm)
- Weight: 272 lbs. (108.8 kg)
- Wheel size: 8" x 2" with brakes



## BDXL BOAT DOLLY

- Capacity 35,000 lbs. (15,875 kg) per pair
- Width: 12" x 136" (30 cm x 345 cm)
- Height: 31" x 42" (78 cm x 120 cm)
- Weight: 524 lbs. (238 kg)
- Wheel size: 8" x 3" with brakes
- Options: BDXLTB - Tow Bar
- BDXLCK Connector Kit



# BOAT LIFT SYSTEMS

Brownell manufactures several systems designed to safely and quickly remove a boat from a trailer. Each system carries a safe working load and are designed to allow one or two people to safely operate. Whether in the shop, in the yard, or at a boat show, a Brownell Boat Lift System can help you work more quickly and efficiently while keeping personnel and boats safe.

*"Brownell Boat Stands are a must have for all boatyards in my opinion. We operate a yard with a 100 ton Travelift and we deal with vessel from 25 feet – 90 feet. We lift 500+ vessels per year of various types; using boat stands is a daily issue for us. We have tried most other brands of stands but we have found that the design and quality of the Brownell Boat Stands is superior and in our opinion the best in the market today. We also appreciate Brownell's continued effort to introduce a variety of innovative products for boatyards such as the staging ladders, boat lifting systems, engine handling systems etc which help to make our boatyard processes more efficient."*

**Bruce Kempling** Ocean Pacific Marine Supply | Campbell River, BC

**WATCH  
VIDEOS  
ABOUT OUR  
PRODUCTS**



**BL3**



**BL3AIR**



**BLT4**



**BL2**

## THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected  
manufacturing techniques



All products carry a certified  
safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters





## BL3 HYDRAULIC BOAT LIFT


- SWL 3,000 lbs. (1360 kgs) per jack
- Powered by hydraulic jacks for smooth and easy operation
- Complete system utilizes four jacks
- Adjustable base and arm
- Safety pins for added protection
- No-flat 10" tires and hand grip for easy mobility
- Lifting range 20" - 50" (51 cm - 127 cm)
- Weight: 263 lbs. (120 kgs)



## BL3-AIR AIR-POWERED BOAT LIFT


- SWL 3,000 lbs. (1360 kgs) per jack
- The safest, easiest, most efficient boat lift system on the market.
- Powered by pneumatic driven hydraulic jacks
- Includes a 25' air hose and moveable hose hanger
- One person can operate all four lifts simultaneously with a standard pneumatic manifold allows available from your favorite tool supplier. Jacks are lowered individually.
- Adjustable base and arm
- Safety pins for added protection
- No-flat 10" tires and hand grip for easy mobility
- Lifting range 20" - 50" (51 cm - 127 cm)
- Weight: 300 lbs. (136 kgs)

- Full speed operation requires 15-20 CFM per jack at 120 PSI. Lifting possible as low as 10 CFM at reduced speed
- Complete system utilizes four jacks



## BL2 MANUAL BOAT LIFT

- Complete system to safely lift a boat up to 5,000 lbs. (2265 kgs)
- Two stands support the stern while the bow is lifted by a crossbeam connected to Acme threaded jacks
- Includes: 2 adjustable stern stands, two piece steel lifting beam, two adapters for flat or V hulls, two stands for lifting bow
- Accommodates trailers up to 103" wide
- Lifting range: 19" - 37" (61cm - 91 cm)
- Weight: 195 lbs. (88 kgs)



## BLT4 TRAILER-MOUNTED BOAT LIFT

- Safely lifts a boat above its trailer up to 10,000 lbs. (4535 kgs)
- Maximum lifting height of 12" provides enough elevation to prepare and paint the bottom
- Mounts to the frame of trailers with beam dimensions of 2" - 3" wide and 4.5" - 5.75" high
- Complete system includes four Acme threaded jacks, mounting plates, mounting hardware and two handle extensions for additional leverage
- Weight: 135 lbs. (61 kgs)



## BLT4-XL TRAILER-MOUNTED BOAT LIFT

- Safely lifts a boat above its trailer up to 10,000 lbs. (4535 kgs)
- Maximum lifting height of 12" provides enough elevation to prepare and paint the bottom
- Mounts to the frame of trailers with beam dimensions of 3" - 4.625" wide and up to 10" high
- Complete system includes four Acme threaded jacks, mounting plates, mounting hardware and two handle extensions for additional leverage
- Weight: 150 lbs. (68 kgs)



# SHOP EQUIPMENT

In addition to a full line of boat storage and handling products, Brownell Boat Stands & Equipment manufactures a variety of accessories and equipment that will make your shop or yard operations safer and more efficient. From outboard and stern drive racks to stern drive installers and a handy material dispensing dolly, Brownell has the tools you need to streamline your operations. All carry a weight rating for safety. All engine racks feature phenolic wheels.

*"We store lots of boats and some are very large. Safety is important to us. Brownell Boat Stands is the only brand that we trust. They last forever and have never let us down."*

**Jimmy Correia**

Newport Shipyard | Newport, RI

**WATCH  
VIDEOS  
ABOUT OUR  
PRODUCTS**



**SD3**

**THE BROWNELL  
SEVEN  
STANDARDS  
OF QUALITY**



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters





## OBR1 OUTBOARD MOTOR RACK

- Designed to hold multiple small and medium motors up to 150 HP each
- Capacity: 2000 lbs. (907 kg)
- Dimensions: 53" x 24" x 45" (135 cm x 61 cm x 114 cm)
- Weight: 165 lbs. (74 kgs)
- Locking casters



## OBR2 LARGE OUTBOARD MOTOR RACK

- Designed for a single small to mid-sized clamp-on motor up to 115 HP
- Combination of swivel (w/ brakes) and rigid casters for easy maneuvering
- Handle bars for convenient maneuvering
- Capacity: 400 lbs. (180 kgs)
- Dimensions: 24" x 20" x 46" (61 cm x 51 cm x 118 cm)
- Weight: 74 lbs. (34 kgs)



## SDR1 SINGLE UNIT DRIVE RACK

- Ideal for outboard lower units or stern drives
- Capacity: 500 lbs. (227 kg)
- Dimensions: 24" x 22" x 17" (61 cm x 57 cm x 43 cm)
- Weight: 53 lbs. (24 kg)



## SDR4 FOUR-UNIT DRIVE STORAGE RACK

- Ideal for outboard lower units or stern drives
- Capacity: 2,500 lbs. (1134 kg)
- Dimensions: 49" x 24" x 22" (124 cm x 61 cm x 56 cm)
- Weight: 139 lbs. (63 kg)



## SWD1 DISPENSING DOLLY

- Convenient, mobile rack for dispensing a variety of rolled materials, e.g., shrink wrap, fiberglass, carpet, headliner and more
- Holds four 200 lb. rolls
- Dimensions: 72" x 36" x 48" (183 cm x 91 cm x 122 cm)
- Weight: 208 lbs. (94 kg)



## SD3 HEAVY DUTY DRIVE JACK

- Ideal for outboard lower units or stern drives
- Adjusts on three axes for easy installation or removal
- Cart handle provides easier maneuverability and additional leverage
- Capacity: 500 lbs. (227 kg)
- Weight: 165 lbs. (74 kg)



## STAND TOPS

You can also purchase various sizes and styles of Brownell Acme threaded stand tops, which can be utilized to replace stand tops. They can also be used to fabricate your own trailers or cradles. Made from solid American steel, the precision cut Acme threaded rod is adjustable under load, allowing for secure storage. It is unthreaded at the bottom for safety and features a durable steel handle for adjusting the height.

Choose from various lengths with plywood pads, TLC pads or steel V-Tops, depending on your needs. All tops have a 1-7/16" O.D. rods and carry a 20,000 lb. (9,100 kg) safe working load.

The OTOP, GTO, and BTO, with plywood or TLC pad, feature a 25 degree swivel to conform to the hull. The other tops are fixed and do not swivel.

*"We are the largest dry-storage facility in California. We have survived earthquakes and gale force winds and have never lost a boat in our yard. We credit our safety record to our professional staff and the exclusive use of Brownell Boat Stands."*

**Kirby Long**

*Napa Valley Marina*

### THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected manufacturing techniques



All products carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters



**27" STAND TOPS** (FITS ALL STANDS OTHER THAN LISTED BELOW)**OTOP  
ORANGE FLAT TOP**

- Rod Length: 27" (70 cm)
- Weight: 18 lbs. (8.0 kg)

**OVTOP  
ORANGE V TOP**

- Rod Length: 27" (70 cm)
- Weight: 16 lbs. (7.3 kg)
- 3" deep

**OWV  
ORANGE WIDE V TOP**

- Rod Length: 27" (70 cm)
- Weight: 20 lbs. (9.1 kg)
- 6" deep

**23" STAND TOPS** (FITS MB3, SB4 AND W1)**GTOP  
GREY FLAT TOP**

- Rod Length: 23" (60 cm)
- Weight: 15 lbs. (6.8 kg)

**GV TOP  
GREY V TOP**

- Rod Length: 23" (60 cm)
- Weight: 14 lbs. (6.4 kg)
- 3" deep

**GWV  
GREY WIDE V TOP**

- Rod Length: 23" (60 cm)
- Weight: 18 lbs. (8.2 kg)
- 6" deep

**16" STAND TOPS** (FITS MB4 AND W2)**BTOP  
BLUE FLAT TOP**

- Rod Length: 16" (41 cm)
- Weight: 13 lbs. (6.0 kg)

**BVTOP  
BLUE V TOP**

- Rod Length: 16" (41 cm)
- Weight: 11 lbs. (5.0 kg)
- 3" deep

**BWV  
BLUE WIDE V TOP**

- Rod Length: 16" (41 cm)
- Weight: 16 lbs. (7.3 kg)
- 6" deep

**KTOP - KEEL  
STAND FLAT TOP**

- Rod Length: 13" (33 cm)
- Weight: 11 lbs. (5.0 kg)
- 5" square top
- Fits K4

**KV TOP  
KEEL STAND V TOP**

- Rod Length: 21" (54 cm)
- Weight: 17 lbs. (7.7 kg)
- 6" deep V
- Fits KS1 and KS28

**KFTOP  
KEEL STAND FLAT TOP**

- Rod Length: 23" (60 cm)
- Weight: 14 lbs. (6.4 kg)
- 5" square top
- Fits KS1 and KS28

**PVTOP  
PONTON V-TOP**

- Rod Length: 16" (41cm)
- Weight: 20 lbs. (9.0 kg)
- Fits any motorboat stand base
- Dimensions: 16" x 6" (40 cm x 15 cm)

**OPAD  
GROUND PAD**

- 6" x 6" (15 cm x 15 cm) 1/2" plywood
- Extends life of stands
- Prevents stands from sinking in soft ground
- Packed six per box

**REPLACEMENT PADS** (FASTENERS INCLUDED)**PLY  
3/4" PLYWOOD PAD**

- 12" x 12" 7-ply marine-grade plywood
- Painted for long life
- Pre-drilled for easy installation
- Packed five per box

**TLCPAD  
PLASTIC AND TPE PAD**

- Plastic pad with thermoplastic elastomer
- Provides TLC for additional protection of hull
- Sheds water and eliminates scuffing from grit
- Provides good traction/grip



## TRAILER COMPONENTS

Brownell manufactures two products for building trailers or cradles. The first utilizes stand tops with the addition of a set screw in the handle to prevent possible loosening due to road vibration. They are inserted into the existing upright tubing of the trailer or cradle. Secondly, Brownell manufactures two sizes of wedge stands, which are commonly u-bolted to a trailer frame or fastened to a wood beam. The two sides of each wedge stand differ in length for greater versatility.



## STAGING LADDERS

Brownell manufactures A-frame staging ladders that are commonly utilized in boatyards. Planks are placed on the rungs of two or more ladders to create a platform for hull work, waxing, etc.

### THE BROWNELL SEVEN STANDARDS OF QUALITY



Only first-rate American steel



60 years of perfected manufacturing techniques



All stands carry a certified safe working load



Precision Acme #4 threads



Daily redundant quality control



7-ply marine-grade plywood



Highest-quality casters



## TRAILER TOPS WITH LOCKING ADJUSTMENT



### OTOPT GREY LOCKING TOP

- Rod Length: 27" (70 cm)
- Weight: 18 lbs. (8.2 kg)



### GTOPT GREY LOCKING TOP

- Rod Length: 23" (60 cm)
- Weight: 16 lbs. (7.3 kg)



### BTOPT BLUE LOCKING TOP

- Rod Length: 16" (41 cm)
- Weight: 13 lbs. (5.9 kg)

Can be ordered with TLC pad by adding "TLC" to part number, e.g., OTOPTTLC

## WEDGE STANDS



### W1

- Two Usable Positions
- Height: 22" - 56" (40 cm - 102 cm)
- Weight: 35 lbs. (15.9 kg)



### W2

- Two Usable Positions
- Height: 15" - 38" (27 cm - 69 cm)
- Weight: 23 lbs. (10.4 kg)

## STAGING LADDERS



### SL6 6' STAGING LADDER

- Height: 72" (183 cm)
- Weight: 56 lbs. (25 kg)



### SL8 8' STAGING LADDER

- Height: 96" (244 cm)
- Weight: 70 lbs. (31 kg)



### SL10 10' STAGING LADDER

- Height: 120" (305 cm)
- Weight: 111 lbs. (30 kg)



### SL12 12' STAGING LADDER

- Height: 144" (366 cm)
- Weight: 142 lbs. (64 kg)

# SAFETY TRAINING FOR YOUR TEAM

## THE BROWNELL SAFETY TRAINING PROGRAM

## BROWNELL HAS TAKEN SAFETY TO A NEW LEVEL.

Make sure you, your team, your customers, and their boats are safe. The Brownell Safety Training Program teaches users best practices to safely block, support, and store all types of boats. Make sure everyone in your yard goes through **The Brownell Safety Training Program** and receives their certificate of completion.

To enroll and/or learn more about this program, contact Brownell at 508-758-3671 or visit us online at: [boatstands.com](http://boatstands.com)



WHERE  
QUALITY  
AND SAFETY  
STAND FIRST.

LEARN ABOUT  
OUR SAFETY  
TRAINING  
PROGRAM





"I tried the imported brand because of price. I found them to be far less durable and the threads don't work under load. I'm back to exclusively using Brownell."

**Keith LiGreci**

Nanny Cay

"With 4 acres of yard space I have purchased thousands of Brownell boat stands. They are tough, sturdy, reliable and made in the USA. They are the only stands I trust to protect my customer's boats."

**Howard D. Bean**

North Harbor Diesel & Yacht Service Inc.  
Anacortes, WA

"We thought that boat stands were boat stands. We experienced a few failures and accepted it as par for the course. However, upon discovering Brownell's boat stands and their solid steel rod we realized that we had probably been buying knock offs and it's actually Brownell that sets the standard. Our PREVIOUS stands were not meeting what our expectations should have been."

**Bob Coghlin**

Coghlin Enterprises  
Dartmouth, Nova Scotia

"We are the largest dry-storage facility in California. We have survived earthquakes and gale force winds and have never lost a boat in our yard. We credit our safety record to our professional staff and the exclusive use of Brownell Boat Stands."

**Kirby Long**

Napa Valley Marina

"I have been using Brownell Boat Stands for over 25 years. When I consider the confidence my customers place in me to safely store their boat, I can't place my confidence in any stand other than a Brownell."

**Rich Larsen**

V.P./ General Manager  
Yacht Works, Inc.

"All Brownell Boat Stands, nothing but the best!"

**Scott Hamernick**

Scituate Boat Works

"We store lots of boats and some are very large. Safety is important to us. Brownell Boat Stands is the only brand that we trust. They last forever and have never let us down."

**Jimmy Correia**

Newport Shipyard, Newport, RI

"Brownell Boat Stands are a must-have for all boatyards in my opinion. We operate a yard with a 100 ton Travelift and we deal with vessel from 25 feet – 90 feet. We lift 500+ vessels per year of various types; using boat stands is a daily issue for us. We have tried most other brands of stands but we have found that the design and quality of the Brownell Boat Stands is superior and in our opinion the best in the market today. We also appreciate Brownell's continued effort to introduce a variety of innovative products for boatyards such as the staging ladders, boat lifting systems, engine handling systems etc which help to make our boatyard processes more efficient."

**Bruce Kempling**

Ocean Pacific Marine Supply  
Campbell River, BC

"I've used the same set of Brownell Stands for the past 33 years on different sailboats and they are still going strong. I would never buy anything else"

**John L.**

Brewster, MA

"At Balboa Boat Yard we are commitment to craftsmanship and tradition. That is why we only buy Brownell Boat Stands. They are built to last and provide safe storage that we can trust."

**Pat Werner**

Balboa Boat Yard  
Newport Harbor, CA

"We began using Brownell keel stands about 2 years ago mainly for boats under 50 feet in length. We started with 12. We now have about 30. They have helped us decrease the time to block the boats, resulting in an increase in efficiency and hauls per day. The stands are well made and easy to use. We would strongly recommend them."

**Mike Wilkinson**

Bayliss Boatworks



## SAFETY TRAINING FOR YOUR TEAM

Make sure you, your team, your customers, and their boats are safe. **The Brownell Safety Training Program** teaches users best practices to safely block, support, and store all types of boats.

Go to [boatstands.com](https://boatstands.com) to sign up.

**[hello@boatstands.com](mailto:hello@boatstands.com)**  
**1.508.758.3671**



## LEARN MORE ABOUT THE SAFEST STANDS IN THE INDUSTRY

FIND US ONLINE

[hello@boatstands.com](mailto:hello@boatstands.com) | [boatstands.com](https://boatstands.com)

CALL US

**1.508.758.3671**

MADE IN THE U.S.A.

5 Boat Rock Rd. Mattapoisett, MA 02739

