




Index

HABA

happy
campers

Catalogue 2021





New products

Nieuwe producten
Neue Produkte
Produits nouveaux

6-7



Lighting

Verlichting
Beleuchtung
Éclairage

12-29



Electricity

Elektra
Elektrik
Matériel électrique

32-91



Steps

Opstapjes
Trittsstufen
Marchepieds

94-97



Trailer parts

Aanhangwagen accessoires
Anhänger-Zubehör
Pièces détachées pour remorque

100-101



Chassis components

Chassisonderdelen
Chassis Zubehör
Accessoires pour châssis

104-109



Security & safety

Beveiliging en veiligheid
Sicherheitssysteme & Sicherheit
Accessoires de sécurité & sûreté

112-121



Awning & tent accessories

(Voor) tentaccessoires
(Vor-) Zeltzubehör
Auvent et accessoires pour tente

124-131



Domestic

Huishoudelijk
Haushalt
Domestique

134-151



Water

Water
Wasserversorgung
Eau

154-165



Mirrors

Spiegels
Spiegel
Rétroviseurs

168-173

● **Verkoopverpakking**
Colour packaging
Verkaufsverpackung
Emballage de vente




Instruction video on YouTube/Hababv

HABA

happy
campers

Catalogue 2021



@habahappycampers



/Hababv



/Hababv

New products



P. 18



P. 45



P. 47



P. 48



P. 49



P. 49



P. 71



P. 94



P. 114



P. 115



P. 125



P. 130

New products by HABA


NEW!



P. 137



P. 142



P. 142



P. 142



P. 142



P. 143



P. 144



P. 149



P. 149



P. 149



P. 156



P. 160

HABA

happy
campers

Catalogue 2021





**Branding
in store**

HABA

happy campers

Catalogue 2021


Branding in store

Ask for the possibilities.

Vraag naar de mogelijkheden.

Fragen Sie nach den Möglichkeiten.

Demandez les possibilités.





Lighting

Informatie LED verlichting

Lichtsterkte

De hoeveelheid licht ofwel de lichtsterkte wordt uitgedrukt in lumen.

Belangrijke factoren, naast het aantal lumen, voor de beleving van de lichtsterkte zijn:

- de grootte van de lichtbundel: brede bundel versus smalle bundel
- het type reflector: zoals bij MR11 en MR16
- de lichtkleur: warm white versus cool white

Bij keuze van een LED lamp als alternatief voor een halogeen lampje kan naaststaande tabel als leidraad gebruikt worden. **LET OP!** Door kwaliteitsverschil in de LED modules kan het zijn dat het ene LED lampje dat 3W verbruikt, veel minder licht geeft, dan een ander LED lampje dat 2W verbruikt.

Wattage halogeen lamp	Aantal lumen	Wattage LED lamp
5	50 - 80	0.5 - 1
10	100 - 140	1 - 2
15	180 - 210	2 - 3.5
20	250 - 290	2.5 - 4

Lichtkleur

warm white	2700 - 3300K	vergelijkbaar met gloeilamp/halogeen licht
white	3300 - 4500K	vergelijkbaar met TL-buis en spaarlamp
cool white	5700 - 6200K	vergelijkbaar met koel daglicht



Lichtbundel

De lichtbundel van een LED lampje wordt aangeduid met naaststaand symbool.

Hoe smaller de bundel des te sterker zal het beschenen oppervlak verlicht worden (lezen/werkvlak). Hoe breder de bundel, des te meer zal de gehele omgeving verlicht worden (sfeerverlichting/ruimteverlichting).



Dimbaarheid

Elke afzonderlijke LED in een LED lampje heeft een speciale spanning en stroom nodig.

De 'Driver' in het LED lampje verzorgt deze speciale spanning en stroom.

Er zijn 2 soorten LED lampjes in het assortiment: gestabiliseerd en ongestabiliseerd.

Gestabiliseerde LED lampjes

De 'Driver' heeft een stabiliserende functie, waardoor hogere of lagere spanningen worden opgevangen door de 'Driver' en de afgegeven specifieke spanning en stroom van de 'Driver' aan de LED's gelijk en stabiel blijft. Aangezien de gestabiliseerde 'Driver' de afgegeven specifieke spanning en stroom naar de LED's gelijk en stabiel houdt, kan het LED lampje niet gedimd worden. De levensduur en het functioneren van een gestabiliseerd LED lampje is hierdoor optimaal.



Ongestabiliseerde LED lampjes

De 'Driver' heeft geen stabiliserende functie, waardoor hogere of lagere spanningen niet worden gecorrigeerd door de 'Driver' en de afgegeven specifieke spanning en stroom van de 'Driver' aan de LED's kan variëren. Het LED lampje is hierdoor dimbaar (lagere spanning is mogelijk), maar de levensduur kan aanzienlijk worden verkort of het LED lampje kan zelfs defect gaan, als gevolg van hogere spanning.



Voordelen van Led

- geen opwarmtijd, de LED zal direct op volle sterkte gaan branden
- geen inschakeltijd, de LED zal niet knipperen bij inschakelen
- bij de normale LED's is de warmte productie minimaal vergeleken met halogeen lampjes
- hoge lichtopbrengst bij een laag stroomverbruik

For the English version 'information LED lighting' please see p. 29



Lighting display

Voor een betere presentatie en verkoop heeft HABA een verlichtingdisplay ontwikkeld, met daarop de meest gangbare spotjes, deurverlichting, LED strip en dergelijke.

Vraag naar de mogelijkheden.

For better presentation and sales, HABA has developed a lighting display, containing the most current spots, door lights, LED strips etc.

Ask your representative for the possibilities.



Mars

● 4300140 Brushed steel

LED inbouw spot, zonder schakelaar
LED recessed spot, without switch
LED Einbauleuchte, ohne Schalter
Éclairage LED encastrable, sans interrupteur

Technical specifications

12V DC, 1.9W, 150 lumen, warm white,
20000h, IP44, build in: Ø48x11mm
Amount of light comparable to 15W halogen
Pilote, KABE



Bern

● 4300180 Aluminium

LED opbouwspot
LED surface spot
LED Aufbauleuchte
Éclairage LED en applique

Technical specifications

12V DC, Max. 2.9W, 200 lumen, warm white
20000h, Ø70x10mm
Amount of light comparable to 15W halogen



Dimmable
by touch

1. Off
2. 0.12W
3. 1.45W
4. 2.9W



Mercurius universal LED light

● 4309050 White

Universeel toepasbare LED lamp, met schakelaar
Universal LED light, with switch
Universal-LED-Leuchte, mit Schalter
Lampe à LED universel, avec interrupteur

Technical specifications

12V DC, 3W, 325 lumen, warm white
115x175x27mm
Hobby



- ✓ Garage
- ✓ Living area
- ✓ Bedroom



Meteor

- **J600132** Metal matt chrome, colour packaging
- **J600132G** Spot Meteor glass

LED opbouwspot, met schakelaar
LED surface spot, with switch
LED Aufbauleuchte, mit Schalter
LED éclairage en applique, avec interrupteur

Technical specifications

10-30V DC, MR16, 2W, 120 lumen, warm white, 20000h, beam angle 160°, 80x60x113mm



Meteor triple

- **J600137S** Metal matt chrome

LED plafonnière, met schakelaar
LED ceiling light, with switch
LED Deckenleuchte, mit Schalter
LED plafonnier, avec interrupteur

Technical specifications

10-30V DC, MR16, 3x 2W, 360 lumen, warm white, 20000h, beam angle 160°, Ø170x120mm



Annika

- **J600110** Metal matt chrome

LED opbouwspot, met schakelaar
LED surface spot, with switch
LED Aufbauleuchte, mit Schalter
Éclairage LED en applique, avec interrupteur

Technical specifications

12V DC, MR16, 3W, 230 lumen, white, 20000h, beam angle 160°, 95x85x123mm



Jesper

- **J600100** Metal matt chrome

LED plafonnière, met schakelaar
LED ceiling light, with switch
LED Deckenleuchte, mit Schalter
Plafonnier LED, avec interrupteur

Technical specifications

12V DC, MR16, 3x 3W, 690 lumen, white, 20000h, beam angle 160°, Ø235x130mm





Almond / Arum LED wall ceiling light

- 4305761
- 4305762


Mirror glass, 100x75x10mm
Mirror glass, 195x85x10mm

LED opbouw lamp
LED surface light
LED Aufbauleuchte
Éclairage LED en applique

Technical specifications

12V DC, warm white, 20000h, beam angle 160°
On/Off by touch, dimmable, mirror effect

- 4305761
0.5-3.5W, 300 lumen, 100x75x10mm
- 4305762
0.5-5W, 450 lumen, 195x85x10mm



Tarente

- 4305757

Chrome

LED plafonnière, zonder schakelaar
LED ceiling light, without switch
LED Deckenleuchte, ohne Schalter
Plafonnier LED, sans interrupteur

Technical specifications

12V DC, 1.1/10W, 800 lumen, white, 20000h,
Ø195x12mm
Amount of light comparable to 20W halogen
Solifer, Notin, Heinrich GmbH and Pössl, Clever



Cirro

- 4300870H
- 4300870AH

White
Silversand

LED plafonnière, met schakelaar
LED ceiling light, with switch
LED Deckenleuchte, mit Schalter
Plafonnier LED, avec interrupteur

Technical specifications

12V DC, 1.4W, 90 lumen, G4
Ø240x40mm



Ossona

- 4305790

Chrome

LED plafonnière, met touch schakelaar
LED ceiling light, with touch switch
LED Deckenleuchte, mit touch Schalter
Plafonnier LED, avec interrupteur tactile

Technical specifications

12V DC, 6.7W, 500 lumen, white
Ø178x17mm



Furnari

- 4306860** Silver grey
- 4306860H** Silver grey, colour packaging

LED flex verlichting met USB
LED flex light with USB
LED flex Leuchte mit USB
Éclairage flex LED avec USB

Technical specifications

10-30V DC, 1W, 150 lumen, white, 20000h,
288x55x27mm
Amount of light comparable to 15W halogen
USB output 5V DC / 2.1A
Clever



Luna

- 4305744** Brushed steel
- 4305744H** Brushed steel, colour packaging

LED opbouwspot, met schakelaar
LED surface spot, with switch
LED Aufbauleuchte, mit Schalter
Éclairage LED en applique, avec interrupteur

Technical specifications

10-15V DC, 1.4W, 150 lumen, warm white, 20000h,
Ø60x113mm
Amount of light comparable to 15W halogen
Euramobil, Bresler, Benimar, Heinrich GmbH and Pössl



Triton & Sao

- 4305739** Triton matt chrome
- 4305739H** Triton matt chrome, colour packaging
- 4305734** Sao matt chrome in colour box

LED opbouwspot, met schakelaar
LED surface spot, with switch
LED Aufbauleuchte, mit Schalter
Éclairage LED en applique, avec interrupteur

Technical specifications

12V DC, 1.4W, 150 lumen, warm white, 20000h, not dimmable
70x120x105mm, amount of light comparable to 15W halogen

- 4305739** Knaus, Pilote and Le Voyageur
- 4305734** Pilote and Le Voyageur



Neso Flex

- 4305747** Matt chrome
- 4305747H** Matt chrome, colour packaging

LED opbouwspot, met schakelaar
LED surface spot, with switch
LED Aufbauleuchte, mit Schalter
Éclairage LED en applique, avec interrupteur

Technical specifications

10-15V DC, 1.4W, 150 lumen, white, 20000h, not dimmable
Ø60x196mm, amount of light comparable to 15W halogen






Ohio

- **4303671H** 1mtr
- **4303673H** 3mtr
- **4303675H** 5mtr

LED strip 8mm met aansluitkabel en 3M plakstrip
 LED strip 8mm with cable 3M adhesive strip
 LED-Leuchtband 8mm mit Anschlusskabel und 3M-Doppelklebeband
 Bande à LED 8mm avec câble de branchement et band adhésive 3M

Technical specifications

- 4303671H** 4W, 60 LED, 220lm/m, warm white, IP44
- 4303673H** 11W, 180 LED, 220lm/m, warm white, IP44
- 4303675H** 18W, 300 LED, 220lm/m, warm white, IP44



It's possible to cut on every desired length
 Please ensure to only cut on the scissor marked lines



LED connector

- 4303656** 8mm ● **4303656H** colour packaging
- 4303658** 10mm ● **4303658H** colour packaging

Verbindingsstuk voor LED-strip
 LED strip connector part
 Anschluss-Stück für LED strip
 Connecteur pour bande à LED

Technical specifications

- 4303656**
- Max. 24V DC, 20x15x8mm
- For use with a LED-strip with a width of 8mm (IP44)
- 4303658**
- Max 24V DC, 20x13x8mm
- For use with a LED-strip with a width of 10mm (IP44)
- LED strip not included***



In combination with Ohio LED strip

LED connector

- 4303655** 8mm ● **4303655H** colour packaging
- 4303657** 10mm ● **4303657H** colour packaging

Verbindingsstuk voor LED-strip en bedrading
 LED strip connector part and wiring
 Anschluss-Stück für LED strip und Verdrahtung
 Connecteur pour bande à LED et câblage

Technical specifications

- 4303655**
- Max. 24V DC, 20x13x7.7mm, Max. outer diameter of wires 1.5mm
- For use with a LED-strip with a width of 8mm (IP44)
- 4303657**
- Max 24V DC, 24x13x8mm, Max. outer diameter of wires 1.5mm
- For use with a LED-strip with a width of 10mm (IP44)
- LED strip not included***



In combination with Ohio LED strip

Caletta

- 4302540 White
- 4302541 Black

LED deurlamp, zonder schakelaar
LED doorlamp, without switch
LED Türleuchte, ohne Schalter
Éclairage LED pour porte, sans interrupteur

Technical specifications

12V DC, 4,2W, 400 lumen, black, 20000h,
beam angle 82°, 235x35x40mm, IP44
400mm wire length



NEW!



Rovello

- 4302550 White
- 4302551 Black

LED deurlamp, zonder schakelaar
LED doorlamp, without switch
LED Türleuchte, ohne Schalter
Éclairage LED pour porte, sans interrupteur

Technical specifications

12V DC, 9W, 900 lumen, white, 20000h,
beam angle 82°, 480x22x30mm, IP44
400mm wire length



NEW!



Shape 3000-1

- 4302580 Grey
- 4302590 White

LED deur- en voortentlamp opbouw, zonder schakelaar
LED door and awning light surface, without switch
LED Tür/Vorzeltleuchte Aufbau, ohne Schalter
Éclairage LED de porte applique, sans interrupteur

Technical specifications

12V DC, 5,5W, 130 lumen, white,
neon flex, beam angle: 110°
775x157x35mm, IP44
Elddis caravans



Soft LED

- 4301430H White
- 4301440H Silversand

Opbouwlamp, met schakelaar
Surface light, with switch
Aufbauleuchte, mit Schalter
Éclairage en applique, avec interrupteur

Technical specifications

12V DC, 0,75W, 80 lumen, 248x64x35mm





Insight de luxe

4302007 Frosted glass

Voortentlamp met bevestigingsklemmen en klitteband, aansluitbaar op 12V DC of 230V AC, met dimmer

Tent light with clamps and Velcro, connectable to 12V DC or 230V AC with dimmer


Vorzeltleuchte mit Befestigungsklemmen und Klettband, anzuschliessen auf 12V DC und 230V AC, mit Dimmer

Éclairage de tent incluant systèmes de fixation (attaches et bandes Velcro), puissance 12V DC et également 230V AC, avec variateur

Technical specifications

700mm, 8.5W, 450 lumen, white

dimbaar/dimmable/dimmbaar/réglable



Insight

4302017 Insight LED tube 4302017A Adapter 4302017B Set of clamps 4302017C Velcro set

Voortentlamp met bevestigingsklemmen en klitteband, aansluitbaar op 12V DC of 230V AC

Tent light with clamps and Velcro, connectable to 12V DC or 230V AC


Vorzeltleuchte mit Befestigungsklemmen und Klettband, anzuschliessen auf 12V DC und 230V AC

Éclairage de tent incluant systèmes de fixation (attaches et bandes Velcro), puissance 12V DC et également 230V AC

Technical specifications

100mm, 9.5W, 600 lumen, white, 20000h

dimbaar/dimmable/dimmbaar/réglable



Viganella

4302530 Graphite black (RAL 9011)

Deurlamp en regengoot

Awning light and rain gutter

Türleuchte und Regenrinne

Éclairage porte d'entrée et caniveau de pluie

Technical specifications

12V DC, 11W, 450 lumen, white

HOBBY, 1500x12.2x34.4mm



Suitable for camper vans from type Fiat Ducato




Neptunus

- **4303770H** Silver, with touch switch
- **4303771** Silver, without touch switch

Koppelbare LED bar
Connectable LED bar
Leuchten können aneinander gekuppelt werden
Peut se brancher bout à bout

Technical specifications

12V DC, 6W, 450 lumen, 84 LED warm white, 30000h, 420x15x19mm



LED bar

- **4303754** Aluminium

LED bar met bewegingssensor schakelaar
LED bar with movement sensor switch
LED lampe mit Bewegungssensor switch
Éclairage LED avec interrupteur détecteur de mouvements

Technical specifications

12V DC, 6W, 225 lumen, 30 LED SMD white, 20000h, 500x33x7mm



Sigma

- **4303705** Silver, 25cm
- **4303705H** Silver, 25cm, colour packaging
- **4303707** Silver, 35cm
- **4303707H** Silver, 35cm, colour packaging
- **4303704** Silver, 55cm

LED bar opbouw, met schakelaar, richtbaar
LED bar surface, with switch, turnable
LED bar Aufbau, mit Schalter, drehbar
LED applique, avec interrupteur, orientable

Technical specifications

4303705/4303705H

12V DC, Max. 1.5W, 80 lumen, 14 LED warm white, 30000h, 25cm

4303707/4303707H

12V DC, Max. 2.4W, 110 lumen, 20 LED warm white, 30000h, 35cm
Arca, La Strada, Solifer, Polar and Frankia

4303704

12V DC, Max. 3.9W, 180 lumen, 30 LED white, 30000h, 55cm

Knaus, Trigano and Benimar





Camp-LED


● 4302660

White

Drukspotje met karabijnhaak
Push light with carabiner
Drückleuchte mit Karabinerhaken
Éclairage bouton-poussoir avec mousqueton

Technical specifications

110 lumen, 12 LED white, 20000h,
beam angle 175°, 85x80x21mm
Battery operated 3x AAA, not included
Magnetic, hanged, standing



Colorado

● 4302650

White

Instap lamp met bewegings- en lichtsensor,
afneembaar als zaklamp
Entrance light with movement and light sensor,
detachable as flashlight
Einstiegleuchte mit Bewegungs- und Lichtsensor,
abnehmbar als Taschenlampe
Éclairage d'entrée avec détecteur de lumière et mouvements,
détachables comme lampe de poche

Technical specifications

50 lumen, 1 LED white, 165x93x45mm
Battery operated 3x AA, not included



Memphis

● 4303747

Silver

LED wand en tafel deco lampjes
LED decorative wall and table light
LED dekorative Wand- und Tischleuchte
Éclairage LED mural et de table décoratif

Technical specifications

80 lumen, 4 LED warm white, 20000h,
230x70mm, Battery operated 3x AAA

In colour packaging with 'test button'




G4 SMD LED 65 lumen

4304785 G4
4304785H G4, colour packaging

Lichtopbrengst vergelijkbaar met 5W halogeen
 Amount of light comparable to 5W halogen
 Licht-Ertrag vergleichbar mit 5W halogen
 Éclairage comparable à 5W halogène

Technical specifications

12V DC, 1W, 65 lumen, warm white,
 20000h, 10x38mm



G4 SMD LED 105 lumen

4304791 G4
4304791H G4, colour packaging

Lichtopbrengst vergelijkbaar met 10W halogeen
 Amount of light comparable to 10W halogen
 Licht-Ertrag vergleichbar mit 10W halogen
 Éclairage comparable à 10W halogène

Technical specifications

10-30V DC, 1.3W, 105 lumen, warm white,
 20000h, 10x36mm



G4 COB LED 140 lumen

4304780 G4
4304780H G4, colour packaging

Lichtopbrengst vergelijkbaar met 15W halogeen
 Amount of light comparable to 15W halogen
 Licht-Ertrag vergleichbar mit 15W halogen
 Éclairage comparable à 15W halogène

Technical specifications

10-30V DC, 1.5W, 140 lumen, 1 COB LED warm white,
 20000h, 10x36mm





Super flat LED 200 lumen

● **4304805H**

G4 Super flat LED

Lichtopbrengst vergelijkbaar met 15W halogeen
Amount of light comparable to 15W halogen
Licht-Ertrag vergleichbar mit 15W halogen
Éclairage comparable à 15W halogène

Technical specifications

10-30V DC, 2W, 200 lumen, 12 SMD LED warm white, 20000h, beam angle 180°, dimmable, Ø20.5x5mm



Super flat LED 150 lumen

● **4304800**
● **4304800H**

G4

G4, colour packaging

Lichtopbrengst vergelijkbaar met 10W halogeen
Amount of light comparable to 10W halogen
Licht-Ertrag vergleichbar mit 10W halogen
Éclairage comparable à 10W halogène

Technical specifications

12V DC, 1.2W, 150 lumen, warm white, 20000h, 22x8mm, dimmable



Super flat LED 100 lumen

● **4304796ST**
● **4304796H**

G4

G4, colour packaging

Lichtopbrengst vergelijkbaar met 7W halogeen
Amount of light comparable to 7W halogen
Licht-Ertrag vergleichbar mit 7W halogen
Éclairage comparable à 7W halogène

Technical specifications

12V DC, 1W, 100 lumen, warm white, 20000h, 30x24x7mm, dimmable



Pigmy bulb E14

● **4304570**
● **4304570H**

E14

E14, colour packaging

Technical specifications

● **4304570**

12V DC, 0.7W, 60 lumen, warm white, 20000h, 21x55mm
Amount of light comparable to 7W halogen

● **4304570H**

10-30V DC, 2W, 140 lumen, warm white, 20000h, 23x52mm
Amount of light comparable to 15W halogen



MR11 SMD LED 80 lumen

4304902ST MR11
4304902H MR11, colour packaging

Technical specifications

10-30V DC, 1.3W, 80 lumen, warm white, 20000h, 35x35mm




MR11 SMD LED 100 lumen

4304910 MR11
4304910H MR11, colour packaging

Technical specifications

10-30V DC, 1.8W, 100 lumen, warm white, 20000h, 35x40mm



MR16 SMD LED 120 lumen

4304930H MR16, colour packaging

Technical specifications

10-30V DC, 2W, 120 lumen, warm white, 20000h, 50x48mm



MR16 SMD LED 400 lumen

4304925 MR16
4304925H MR16, colour packaging

Technical specifications

10-30V DC, 5W, 400 lumen, warm white, 20000h, 50x50mm, with stabilizer





G9 230 Volt LED 180 lumen

● 4304810H G9

Lichtopbrengst vergelijkbaar met 18W halogeen
Amount of light comparable to 18W halogen
Licht-Ertrag vergleichbar mit 18W halogen
Éclairage comparable à 18W halogène

Technical specifications

230V AC, 2W, 180 lumen, warm white,
20000h, 20x57mm



Pigmy bulb 230 Volt E14 LED 200 lumen

● 4304906H E14, colour packaging

Lichtopbrengst vergelijkbaar met 15W halogeen
Amount of light comparable to 15W halogen
Licht-Ertrag vergleichbar mit 15W halogen
Éclairage comparable à 15W halogène

Technical specifications

230V AC, 3W, 200 lumen, warm white,
20000h, 30x62mm



Festoon S8,5 12 Volt LED 55 lumen

● 4304955H S8,5

Lichtopbrengst vergelijkbaar met 5W halogeen
Amount of light comparable to 5W halogen
Licht-Ertrag vergleichbar mit 5W halogen
Éclairage comparable à 5W halogène

Technical specifications

12V DC, 0.5W, 55 lumen, warm white,
20000h, 13x36mm




BA9S 12 Volt LED bulb 41 lumen

● 4304960H BA9S

Lichtopbrengst vergelijkbaar met 6W halogeen
Amount of light comparable to 6W halogen
Licht-Ertrag vergleichbar mit 6W halogen
Éclairage comparable à 6W halogène

Technical specifications

12V DC, 0.5W, 41 lumen, warm white,
20000h, 11x29mm



Wedge T10 12 Volt LED 35 lumen

● **4304965H** Wedge T10 W2x9,5D

Lichtopbrengst vergelijkbaar met 2W halogeen
Amount of light comparable to 2W halogen
Licht-Ertrag vergleichbar mit 2W halogen
Éclairage comparable à 2W halogène

Technical specifications

12V DC, 0.3W, 35 lumen, warm white, 20000h, 23x11mm



BA15S 12 Volt LED 150 lumen

● **4304970H** BA15S

Lichtopbrengst vergelijkbaar met 15W halogeen
Amount of light comparable to 15W halogen
Licht-Ertrag vergleichbar mit 15W halogen
Éclairage comparable à 15W halogène

Technical specifications

12V DC, 1.5W, 150 lumen, warm white, 20000h, 17x52mm



BA9S 12 Volt LED 31 lumen

● **4304980** BA9S

Lichtopbrengst vergelijkbaar met 6W halogeen
Amount of light comparable to 6W halogen
Licht-Ertrag vergleichbar mit 6W halogen
Éclairage comparable à 6W halogène

Technical specifications

12V DC, 0.89W, 31 lumen, warm white, 20000h, 12x27mm



Park-safe LED 140 lumen

● **4304990H** with warning signal

Achteruitrijlamp met **waarschuwingssignaal**
Back-up light with **warning signal**
Rückwärts-Birne mit **Sound**
Éclairage de recul (ampoule) **avec émetteur de bruit**

Technical specifications

12V DC, 2.3W, 140 lumen, cool white, 20000h, BA15S, 50x26mm





Itouch LED dimmer

● 4300300H Silver

Itouch LED dimmer, aan/uit + dimmer functie
Itouch LED dimmer, on/off + dimming function
Itouch LED Dimmer, an/aus + Helligkeitsregler
Régulateur de lumière tactile pour LED, allumer/arrêter + variateur

Technical specifications

12/24V DC, Max. 36W, 3A - IP21



Singel pole switch 230V

● 4300015 Black

Enkelvoudige schakelaar 230V
Single pole switch 230V
Schalter einzeln 230V
Interrupteur simple 230V

Technical specifications

230V AC, Ø23mm



Stabilizer 72W

● 4403360 Stabilisator/stabilizer/Stabilisator/stabilisateur 72W

Deze stabilisator zorgt voor een constante spanning van 12-12,8V waardoor uw apparatuur beschermd blijft tegen spanningspieken.


This stabilizer maintains a constant voltage of 12-12,8V, which protects your devices from voltage peaks.

Der Stabilisator sorgt für einen konstanten Strom von 12V bis 12,8V womit Sie Ihren Geräte schützen.

Ce stabilisateur fait en sorte que la tension reste constante entre 12-12,8V ce qui protège vos appareils.

Technical specifications

Input 10V-18V DC, output 12V-12,8V DC, max. output current 6A
87x113x52mm



MR. Grip

● 43003302 2 pieces

Eenvoudig lichtbolletjes verwijderen uit en plaatsen in spotjes
Easily remove bulbs from and put into their light fixtures
Einfach Birnen aus der Leuchte entfernen und plazieren
Retirer et remettre l'ampoule de l'armature plus facilement

Technical specifications

Suitable for MR8, MR11 and MR16



TL 12 Volt T5

- 4303790 4 Watt, 110 lumen, 136xØ16mm
- 4303800 8 Watt, 280 lumen, 288xØ16mm

Fluorescerend koel wit
Fluorescent cool white
Fluoreszierend hell weiss
Fluorescent blanc

Technical specifications



4303790
12V DC, 4W, 110 lumen, white,
6000h, beam angle 360°, 136xØ16mm

4303800
12V DC - 230V AC, 8W, 280 lumen, white,
6000h, beam angle 360°, 288xØ16mm



Halogen BA9S/BA15S 12 Volt

- 4304400 BA9S, 5W, 45 lumen, 10x28mm
- 4304400H BA9S, 5W, 45 lumen, 10x28mm, colour packaging
- 4304410 BA9S, 10W, 120 lumen, 10x28mm
- 4304410H BA9S, 10W, 120 lumen, 10x28mm, colour packaging




Tubular lamp BA9S 12 Volt

- 4304196 BA9S
- 4304196H BA9S, colour packaging

Buislamp
Tubularlamp
Steckbirne
Lampe tubulaire

Technical specifications



4 Watt, 50 lumen, 10x28mm



BA15S 12 Volt

- 4304199 5W, 45 lumen, 18x35mm
- 4304199H 5W, 45 lumen, 18x35mm, colour packaging

Autolamp
Car bulb
Birne
Lampe





Information LED lighting

Amount of light

The amount of light or the so called luminance is expressed in lumen. Important factors, for the experience of amount of light, besides the amount of lumen are:

- the size of the light beam: broad beam versus narrow beam
- the type of reflector: as with MR11 and MR16
- the light colour: warm white versus cool white

When choosing a LED bulb as an alternative for a halogen bulb the table on the left can be used as guidance. **NOTE!** As a result of a difference in quality of the LED modules, a LED bulb with a power consumption of 3W may give less light than another led bulb using 2W.

Wattage halogen bulb	Amount of lumen	Wattage LED bulb
5	50 - 80	0.5 - 1
10	100 - 140	1 - 2
15	180 - 210	2 - 3.5
20	250 - 290	2.5 - 4

Light colour

warm white	2700 - 3300K	comparable to incandescent lamp/halogen light
white	3300 - 4500K	comparable to fuorescent tube and energy saving bulb
cool white	5700 - 6200K	comparable to cool daylight



Light Beam

The light beam of a LED bulb is indicated with the symbol on the left. The narrower the beam, the stronger the illuminated surface will be enlightened (reading/work surface). The broader the beam, the more the entire area will be enlightened (mood lighting/room lighting)



Ability to dim the LED light

Every individual LED in a LED bulb requires a specific voltage and current. The 'Driver' in the LED bulb provides this specific voltage and current. There are 2 types of LED bulbs in our assortment: stabilized and unstabilized

Stabilized LED bulbs

The 'Driver' has a stabilizing function, where the 'Driver' intercepts higher or lower tension and the 'Driver' maintains the issued specific uniform and stable voltage and current. As the stabilized 'Driver' keeps the voltage and current to the LED's uniform and stable, the LED lamp can not be dimmed. The life time and the functioning of a stabilized LED bulb is for this reason, optimal.



Non stabilized LED bulbs

The 'Driver' doesn't have a stabilizing function, and the higher or lower tension is not adjusted by the 'Driver', which results in a possible variation of the issued specific voltage and current from the 'Driver' to the LED's. The LED bulb is for this reason, dimmable (lower tension is possible), but the life time can be shortened significantly or the LED bulb can even become defective, as a result of higher tension.



Benefits of LED

- No warm - up time, the LED will directly light up at full strength
- No switch-on time, the LED won't flash when switched on
- With normal LED's, the heat production is minimal, compared to halogen bulbs
- High light output at low power consumption

HABA

happy campers






Electricity



CEE



Extension lead/cable reel
Page 63-64




Adapter/Adapter cable
Page 61

Electricity by HABA

Electric connection diagram

OUTDOOR



Inlet CEE
Page 57-58 & 60



Outlet ESB
Page 57 & 59



Fuse box/consumer unit
Page 49

Electricity inside your
> **Caravan** page 34-35
> **Motorhome** page 36-37

Electricity outside your
caravan or motorhome






Fuse box/consumer unit
Page 49



Switching equipment 230V
Page 41



Power supply / transformer 230V > 12V
Page 45

Electricity outside your
caravan page 32-33



Electricity inside your
caravan



Electricity by HABA

Electric connection diagram

INSIDE THE CARAVAN



Electric heater
Page 120



Transformer 230V > 12V
Page 45



Switching equipment 12V
Page 38-43

12 Volt appliances



Submersible pump
Page 147



Domestic appliances
Page 131



Lighting
Page 13-20





Electric heater
Page 120




Switching equipment 230V
Page 41



Fuse box/consumer unit
Page 49



Battery charger
Page 44



Power supply / transformer 230V > 12V
Page 45

Electricity outside your
motorhome page 32-33



Electricity inside your
motorhome


Electricity by HABA

Electric connection diagram

INSIDE THE MOTORHOME



Inverter 12V > 230V
Page 45



Household battery
in the vehicle

12 Volt appliances



Submersible pump
Page 147



Domestic appliances
Page 131



Lighting
Page 13-20



Switch C-line

Unpacked	Colour packaging
4100700	● 4100700H White
4100710	● 4100710H Brown
4100720	● 4100720H Grey
4100730	● 4100730H Black
4100740	● 4100740H Silver

Schakelaar
Switch
Schalter
Interrupteur

Technical specifications
230V AC, max. 16A



Serial switch C-line

Unpacked	Colour packaging
4100800	● 4100800H White
4100810	● 4100810H Brown
4100820	● 4100820H Grey
4100830	● 4100830H Black
4100840	● 4100840H Silver

Serienschakelaar
Serial switch
Serienschalter
interrupteur double

Technical specifications
230V AC, max. 16A



Socket 230V Schuko C-line

Unpacked	Colour packaging
4100100	● 4100100H White
4100110	● 4100110H Brown
4100120	● 4100120H Grey
4100130	● 4100130H Black
4100140	● 4100140H Silver

Wandcontactdoos
Socket
Steckdose
Prise

Technical specifications
230V AC, max. 16A



Socket French C-line

Unpacked	Colour packaging
4100030	● 4100030H Black

Wandcontactdoos pen-aarde
Socket French
Steckdose französisch
Prise Française

Technical specifications
230V AC, max. 16A





Socket 12V C-line

Unpacked	Colour packaging
4100330	● 4100330H Black

Wandcontactdoos 12V
Socket 12V
Steckdose 12V
Prise 12V

Technical specifications
Max. 8A



Voltmeter C-line

Unpacked	Colour packaging
4102830	● 4102830H Black

Voltmeter
Voltmeter
Voltmeter
Tensionmètre

Technical specifications
Input 10-30V DC



Socket + ant. + sat. C-line

Unpacked	Colour packaging
4100600	● 4100600H White
4100610	● 4100610H Brown
4100620	● 4100620H Grey
4100630	● 4100630H Black
4100640	● 4100640H Silver

Contactdoos 12V + ant. + sat.
Socket 12V + ant. + sat.
Steckdose 12V + Ant. + Sat.
Prise 12V + ant. + sat.

Technical specifications
12V DC, max. 6A



USB socket double C-line

Unpacked	Colour packaging
4102630	● 4102630H Black

USB contactdoos dubbel
USB socket double
Steckdose USB zweifach
Prise USB double

Technical specifications
Input voltage: 12V DC
Output voltage: 5V DC, max. 3.1A



Coverframe single C-line

Unpacked	Colour packaging	
4101100	4101100H	White
4101110	4101110H	Brown
4101120	4101120H	Grey
4101130	4101130H	Black
4101140	4101140H	Silver
4101160	4101160H	Chrome

Afdekraam enkel
Coverframe single
Rahmen einfach
Entourage simple



Coverframe double C-line

Unpacked	Colour packaging	
4101200	4101200H	White
4101210	4101210H	Brown
4101220	4101220H	Grey
4101230	4101230H	Black
4101240	4101240H	Silver
4101260	4101260H	Chrome


Afdekraam dubbel
Coverframe double
Rahmen zweifach
Entourage double



Coverframe triple C-line

Unpacked	Colour packaging	
4101300	4101300H	White
4101310	4101310H	Brown
4101320	4101320H	Grey
4101330	4101330H	Black
4101340	4101340H	Silver
4101360	4101360H	Chrome

Afdekraam drievoudig
Coverframe triple
Rahmen dreifach
Entourage triple



Coverflap C-line

Unpacked	Colour packaging	
4101000	4101000H	White
4101010	4101010H	Brown
4101020	4101020H	Grey
4101030	4101030H	Black
4101040	4101040H	Silver

Klapdeksel
Coverflap
Klappdeckel
Couvercle





Switch C-line

Unpacked	Colour packaging	
4101600	● 4101600H	White
4101610	● 4101610H	Brown
4101620	● 4101620H	Grey
4101630	● 4101630H	Black
4101640	● 4101640H	Silver

Schakelaar + raam + isodoos
Switch + coverframe + isobox
Schalter + Rahmen + Einbaudose
Interrupteur + entourage + cabochon

Technical specifications
250V AC, 16A



Socket 230V Schuko C-line

Unpacked	Colour packaging	
4101700	● 4101700H	White
4101710	● 4101710H	Brown
4101720	● 4101720H	Grey
4101730	● 4101730H	Black
4101740	● 4101740H	Silver

Wandcontactdoos + raam + isodoos
Socket + coverframe + isobox
Steckdose + Rahmen + Einbaudose
Prise + entourage + cabochon

Technical specifications
Max. 16A



Socket 230V Schuko C-line

Unpacked	Colour packaging	
4101800	● 4101800H	White
4101810	● 4101810H	Brown
4101820	● 4101820H	Grey
4101830	● 4101830H	Black
4101840	● 4101840H	Silver

Wandcontactdoos + klapdeksel + isodoos
Socket + coverflap + isobox
Steckdose + Klappdeckel + Einbaudose
Prise + couvercle + cabochon

Technical specifications
Max. 16A



Serial switch C-line

Unpacked	Colour packaging	
4101900	● 4101900H	White
4101910	● 4101910H	Brown
4101920	● 4101920H	Grey
4101930	● 4101930H	Black
4101940	● 4101940H	Silver

Serienschakelaar + raam + isodoos
Serial switch + coverframe + isobox
Serienschalter + Rahmen + Einbaudose
Interrupteur double + entourage + cabochon

Technical specifications
250V AC, 16A



Switch & Schuko socket C-line

Unpacked	Colour packaging
4102000	● 4102000H White
4102010	● 4102010H Brown
4102020	● 4102020H Grey
4102030	● 4102030H Black
4102040	● 4102040H Silver



Schakelaar + wandcontactdoos + dubbel raam + 2 x isodoos
Switch + socket + double coverframe + 2 x isobox
Schalter + Steckdose + zweifach Rahmen + 2 x Einbaudose
Interrupteur + prise + entourage double + 2 x cabochon

Technical specifications
230V AC, max. 16A



Volt indicator C-line

Unpacked	Colour packaging
4102330	● 4102330H Black

Voltmeter + raam + isodoos
Voltmeter + coverframe + isobox
Voltmeter + Rahmen + Einbaudose
Tensionmètre + entourage + cabochon

Technical specifications
10-30V DC



Socket 12V + ant. + sat. + frame + isobox C-line

Unpacked	Colour packaging
4102100	● 4102100H White
4102110	● 4102110H Brown
4102120	● 4102120H Grey
4102130	● 4102130H Black
4102140	● 4102140H Silver



Wandcontactdoos 12V + ant + sat + raam + isodoos
Socket 12V + ant + sat + coverframe + isobox
Steckdose 12V + Ant + Sat + Rahmen + Einbaudose
Prise 12V + ant + sat + entourage + cabochon

Technical specifications
12V DC, max. 6A

USB socket double C-line

Unpacked	Colour packaging
4102730	● 4102730H Black

USB contactdoos dubbel 3.1A + raam + isodoos
USB socket double 3.1A + coverframe + isobox
Steckdose USB zweifach 3.1A + Rahmen + isobox
Prise USB double 3.1A + entourage + cabochon

Technical specifications
Input voltage: 12V DC
Output voltage: 5V DC, max. 3.1A





Socket audio/video C-line

Unpacked	Colour packaging	
4102200	● 4102200H	White
4102210	● 4102210H	Brown
4102220	● 4102220H	Grey
4102230	● 4102230H	Black
4102240	● 4102240H	Silver

Contactdoos audio/video + raam + isodoos
 Socket audio/video + coverframe + isobox
 Steckdose Audio/Video + Rahmen + Einbaudose
 Prise audio/video + entourage + cabochon



2-way angled frame C-line

Unpacked	
4102300	Light grey
4102320	Dark grey

Opbouwframe 2 componenten hoekmodel
 2-way angled socket
 Aufbau Rahmen 2-Komponenten-Eckmodell
 Modèle de coin cadre 2 composants



Isobox C-line

Unpacked	Colour packaging	
4100900	● 4100900H	Grey

Isodoos met kabelklem
 Isobox with cable-clamp
 Einbaudose mit Zugentlastung
 Cabochon avec serre câble

Technical specifications
 60x60x9mm
 Build in size: 50mm
 Installation height: 45mm




Surface mounted frame C-line

Unpacked	Colour packaging	
4100930	● 4100930H	Black

Enkele opbouwframe
 Single surface mounted frame
 Aufbau Rahme einbau
 Boîte de surface simple

Technical specifications
 60x60x40mm



Maintenance charger

● **4404300** 230V - 6V/12V DC

Druppellader 230V AC - 6V/12V DC
Maintenance charger 230V AC - 6V/12V DC
Wartungsladegerät 230V AC - 6V/12V DC
Chargeur de goutte à goutte 230V AC - 6V/12V DC

Technical specifications

230V AC, Max. input power consumption 21W,
Output voltage 7.2 ± 2V or 14.4 ± 2V DC,
Max. output current 1A, Schuko,
0° - 40°C, 125x69x72mm



Tube inverter 200W

● **4403420** Modified sine wave inverter 12V → 230V

Gemodificeerde sinus met Schuko contactdoos
Modified sine wave with Schuko socket
Modifizierter Sinus mit Schuko Steckdose
Sinus modifié avec prise Schuko

Technical specifications

12V DC → 230V AC, 200W, Max. USB 0.5A and 12V DC plug,
for example to use a simple coffeemaker, 150xØ70mm



Smart battery charger

● **4403620** 230V AC → 12V DC

Slimme acculader geschikt voor lood, lithium en AGM accu's
Battery charger suitable for lead, lithium and AGM batteries
Batterieladegerät für Blei-, Lithium- und AGM Batterien
Chargeur de batterie adapté pour le plomb, le lithium et AGM

Technical specifications

220-240V AC → 6-12V DC, max. 70W
Current selection: 0.8A, 2A, 4A or auto selection
180x90x50mm
Includes extension leads with battery clamps and screw-eyes



Coolpower 230V → 12V

● **4403000** Cooler transformer

Koelboxtransformator
Cooler transformer
Kühlboxtransformer
Transformateur pour flacière

Technical specifications

230V AC → 12V DC, 6A, max. 72W, 120x60x38mm
From 230V AC to 12V DC for the cooler





Pure Sine 2000

● **4403450** Pure sine wave inverter 2000W

Pure sinus omvormer 2000W met AC prioriteit
Pure sine wave inverter 2000W with AC priority
Reiner Sinus-Wechselrichter 2000W mit AC Priorität
Onduleur sinusoïdal 2000W avec AC priorité

Technical specifications

10-15.5V DC → 230 ± 10% V AC, 2000W, output power peak 4000W
AC priority, USB output DC 5V (current output DC 2.1A)
Frequency 50 ± 3 Hz max. 90%, Aluminium, 320x230x100 mm
Including remote control, cable and fuse



NEW!

Pure Sine 3000

● **4403460** Pure sine wave inverter 3000W

Pure sinus omvormer 3000W met AC prioriteit
Pure sine wave inverter 3000W with AC priority
Reiner Sinus-Wechselrichter 3000W mit AC Priorität
Onduleur sinusoïdal 3000W avec AC priorité

Technical specifications

10-15.5V DC → 230 ± 10% V AC, 3000W, output power peak 6000W
AC priority, USB output DC 5V (current output DC 2.1A)
Frequency 50 ± 3 Hz max. 90%, Aluminium, 450x230x100 mm
Including remote control, cable and fuse



NEW!

Pure Sine 4000

● **4403670** Pure sine wave inverter 4000W

Pure sinus omvormer 4000W met AC prioriteit
Pure sine wave inverter 4000W with AC priority
Reiner Sinus-Wechselrichter 4000W mit AC Priorität
Onduleur sinusoïdal 4000W avec AC priorité

Technical specifications

10-15.5V DC → 230 ± 10% V AC, 4000W, output power peak 8000W
AC priority, USB output DC 5V (current output DC 2.1A)
Frequency 50 ± 3 Hz max. 90%, Aluminium, 530x250x100 mm
Including remote control, cable and fuse



NEW!

Pure sine wave inverter

- **4403400** 300W, TV/Radio
- **4403410** 600W, TV/Radio and other electronics
- **4403430** 1500W, TV/Radio, other electronics and hairdryer

Pure sine wave inverter 12 → 230V
Met Schuko contactdozen en USB 2.1A max.
With Schuko sockets and USB 2.1A max.
Mit Schuko Steckdosen und USB 2.1A max.
Avec prises Schuko et USB 2.1A max.

Technical specifications

4403400, 175x205x70mm
4403410, 230x205x70mm
4403430, 345x205x70mm

Also for charging E-bike batteries




Remote LCD display for pure sine wave inverter

- **4403440** Remote LCD display

LCD scherm voor toegang op afstand tot data van de sinus omvormer
Remote access LCD display to data from pure sine wave inverter
Remote-Zugriff LCD-Display auf Daten von Sinus-Wechselrichter
Affichage LCD à distance d'accès aux données de l'inverseur de sinus

In combination with article

- 4403400** Pure sine wave 300W
- 4403410** Pure sine wave 600W
- 4403430** Pure sine wave 1500W



Transformer 230V → 12V

- **4403103** 30VA/25 Watt automatic
- **4400700** 2A fuse
- **4400720** Fuseholder
- **4403253** 90VA/75 Watt automatic
- **4400710** 6.3A fuse
- **4400730** Fuseholder

Omvormer
Transformer
Gleichrichter
Transformateur

Technical specifications
230V AC → 12V DC




Transformer 230V → 12V

- **4403650** AT-1 transformer
- **J005221** PS-276 transformer

Omvormer
Transformer
Gleichrichter
Transformateur

Technical specifications

4403650, 230V AC → 12V DC, 12A, 144 Watt
J005221, 230 → 12V, 20A, model 2014





Accumulo 10

● 4703800

Lithium accu 10 Ah
Lithium battery 10 Ah
Lithium-Akku 10 Ah
Batterie au lithium 10 Ah

Technical specifications

12.8V, 10Ah capacity at 25°C and 85% of it at 0°C, LiFePO4 battery
120A max. continuous discharge, 650 CCA, 50A max. charge current
Screwed connection M6 connection, 175x87x155 mm



NEW!

Accumulo 20

● 4703810

Lithium accu 20 Ah
Lithium battery 20 Ah
Lithium-Akku 20 Ah
Batterie au lithium 20 Ah

Technical specifications

12.8V, 20Ah capacity at 25°C and 85% of it at 0°C, LiFePO4 battery
120A max. continuous discharge, 650 to 700 CCA, 50A max. charge current
Screwed connection M6 connection, 198x128x220 mm



NEW!

Accumulo 60

● 4703820

Lithium accu 60 Ah
Lithium battery 60 Ah
Lithium-Akku 60 Ah
Batterie au lithium 60 Ah

Technical specifications

12.8V, 60Ah capacity at 25°C and 85% of it at 0°C, LiFePO4 battery
120A max. continuous discharge, 1800 CCA, 50A max. charge current
Screwed connection M6 connection, 307x174x220 mm



NEW!

Accumulo 100

● 4703830

Lithium accu 100 Ah
Lithium battery 100 Ah
Lithium-Akku 100 Ah
Batterie au lithium 100 Ah

Technical specifications

12.8V, 100Ah capacity at 25°C and 85% of it at 0°C, LiFePO4 battery
120A max. continuous discharge, 2100 CCA, 50A max. charge current
Screwed connection M6 connection, 398x175x188 mm



NEW!

Solar Power 100

● **4404150** Solar Power 100 solar panel

Zonnepaneel 100W
Solar panel 100W
Sonnenkollektor 100W
Panneau solaire 100W

Technical specifications

100W, Monocrystalline type panel, Max. output 18.2V,
Max. current 5.5A, IP44, MC4 connector type,
2.5mm² type of connection wire (2x6000mm length),
Max. system voltage 1000V DC, 790x680x35mm

Mounting set not included, sold separately



NEW!

Mounting set for Solar Power 100

● **4404155** Mounting set for the Solar Power 100

Montageset voor het zonnepaneel
Mounting set for the solar panel
Montageset für das Solarpanel
Kit de montage pour le panneau solaire

Technical specifications

Solar panel mounting brackets, cable entry and 2x cable glands
Side brackets: 180x110x63mm
Corner brackets: 160x160x63mm
Solar panel with mounting brackets: 930x820x65mm

Suitable for solar panels of 35mm



NEW!

Solar Power 170


● **4404160** Solar Power 170 solar panel

Zonnepaneel 170W
Solar panel 170W
Sonnenkollektor 170W
Panneau solaire 170W

Technical specifications

170W, Monocrystalline type panel, Max. output 18.3V,
Max. current 9.3A, IP44, MC4 connector type,
2.5mm² type of connection wire (2x6000mm length),
Max. system voltage 1000V DC, 1350x680x35mm

Mounting set not included, sold separately



NEW!

Mounting set for Solar Power 170

● **4404165** Mounting set for the Solar Power 170

Montageset voor het zonnepaneel
Mounting set for the solar panel
Montageset für das Solarpanel
Kit de montage pour le panneau solaire

Technical specifications

Solar panel mounting brackets, cable entry and 2x cable glands
Side brackets: 520x110x63mm
Corner brackets: 160x160x63mm
Solar panel with mounting brackets: 1420x820x65mm

Suitable for solar panels of 35mm



NEW!



Abano

● 4404250

Abano MPPT charger

MPPT lader
MPPT charger
MPPT-Ladegerät
Chargeur MPPT

Technical specifications

Max. input 100V, Max. output at 12V: 260W,
Max. output at 24V: 520W, Max. charging current 20A,
IP32, 150x105.6x61,5mm



NEW!

Abano display

● 4404260

Abano remote LCD display for the
Abano MPPT charger

LCD-scherm op afstand voor de MPPT-lader
Remote LCD display for the MPPT charger
Remote-LCD-Display für das MPPT-Ladegerät
Écran LCD à distance pour le chargeur MPPT

Technical specifications

Wire length of 1.5m, IP32, Plastic, 104.4x55.5x12mm



NEW!

Abano bluetooth

● 4404270

Abano bluetooth monitor for the
Abano MPPT charger

Bluetooth-monitor voor de MPPT-lader
Bluetooth monitor for the MPPT charger
Bluetooth-Monitor für das MPPT-Ladegerät
Moniteur Bluetooth pour le chargeur MPPT

Technical specifications


Stand-by power consumption 0.04W, Run power
consumption 0.05W, Communication distance of 15m,
Wire length 1.4m, 67.3x36x15,3mm



Download "SolarApp"



Bluetooth



NEW!

Complete set Solar Power 100 - bluetooth

● **4404130** Solar Power 100 combination set

Complete set van de Solar Power 100 met bluetooth
Complete set of the Solar Power 100 with bluetooth
Kompletter Satz Solar Power 100 mit bluetooth
Ensemble complet du Solar Power 100 avec bluetooth

Includes:

- 4404150 Solar Power 100
- 4404155 Mounting set for Solar Power 100
- 4404250 Abano MPPT charger
- 4404270 Abano bluetooth monitor



+



+



NEW!

Complete set Solar Power 100 - display

● **4404135** Solar Power 100 combination set

Complete set van de Solar Power 100 met LCD-scherm
Complete set of the Solar Power 100 with LCD display
Kompletter Satz Solar Power 100 mit LCD-Display
Ensemble complet de Solar Power 100 avec écran LCD

Includes:

- 4404150 Solar Power 100
- 4404155 Mounting set for Solar Power 100
- 4404250 Abano MPPT charger
- 4404260 Abano display



+



+



NEW!

Complete set Solar Power 170 - bluetooth

● **4404140** Solar Power 170 combination set

Complete set van de Solar Power 170 met bluetooth
Complete set of the Solar Power 170 with bluetooth
Kompletter Satz Solar Power 170 mit bluetooth
Ensemble complet du Solar Power 170 avec bluetooth

Includes:

- 4404160 Solar Power 170
- 4404165 Mounting set for Solar Power 170
- 4404250 Abano MPPT charger
- 4404270 Abano bluetooth monitor



+



+



NEW!

Complete set Solar Power 170 - display

● **4404145** Solar Power 170 combination set

Complete set van de Solar Power 170 met LCD-scherm
Complete set of the Solar Power 170 with LCD display
Kompletter Satz Solar Power 170 mit LCD-Display
Ensemble complet de Solar Power 170 avec écran LCD

Includes:

- 4404160 Solar Power 170
- 4404165 Mounting set for Solar Power 170
- 4404250 Abano MPPT charger
- 4404260 Abano display



+



+



NEW!



Solcan solar controller 15A

● 4404200

15A

Regelaar voor het opslaan van opgewekte stroom
Regulator for storing of generated power
Solarregler zur Speicherung von Energieerzeugung
Régulateur de la charge des batteries

Technical specifications


Battery input Voltage: 12V DC or 24V DC (auto-select)
Maximum charge current: 15A
Fuse: 20A
Charge technology: Pulse Width Modulation
100x166x48mm

Deze slimme regelaar biedt u de mogelijkheid om de opgewekte stroom uit uw zonnepanelen op te slaan in de accu van uw caravan, camper of boot. De gebruikte techniek is PWM

This smart regulator stores the generated power from your solar panels in the battery of your caravan, camper or boat. The used technology is PWM

Dieser Smart-Solarregler bietet Ihnen die Möglichkeit die Energie-Erzeugung Ihrer Solarmodulen in die Batterie zu speichern von Caravan, Reisemobil oder boot, mit Pulse Width Modulation-Technik

Régulateur intelligent 'PWM' pour caravanes, camper et bateaux garantissant l'optimisation de la charge des batteries à partir de panneaux solaires



Solarpack 2

● 4404100

2 Watt

Solarpakket voor het opladen van bijvoorbeeld telefoon/ fototoestel (USB)
of voor het gebruik van bijgeleverde LED lamp (6V)


Solarpack for charging for example mobile phone/photo camera (USB)
or for use of the included LED light (6V)

Solarpaket fürs aufladen von z.B Telefon/Kamera (USB)
oder für Verwendung der mitgelieferten 6V LED-Lampe

Set solaire pour recharger par ex. téléphone/appareil photos
ou pour l'utilisation de l'éclairage LED 6V livré avec

Technical specifications


2 Watt
1x 6V DC, 2x USB 5V DC
1x LED bulb white 0.5W
60 lumen



=



± 1.5 hours full



± 2.5 hours full



10 hours light

Single socket 230V

4601680 230V

Schuko opbouw contactdoos 230V
Socket 230V
Aufbau Steckdose 230V
Socle Schuko 230V

Technical specifications
Single socket 230V, max. 16A
white, 65x65x43mm



Closed back plate:
Fire retardant

Double socket 230V

4601681 230V

Schuko opbouw contactdoos 230V
Socket 230V
Aufbau Steckdose 230V
Socle Schuko 230V

Technical specifications
Double socket 230V, max. 16A
white, 108x65x43mm



Closed back plate:
Fire retardant

Schuko outlet

4601630 Creme
4601635 White

Schuko wandcontactdoos
Schuko outlet
Schuko Steckdose
Socle Schuko

Technical specifications
230-250V AC, max. current 10A,
100x100x70mm





Consumer unit 4-module

4601603 10A

Dubbelpolige zekeringautomaat 10A
Double-pole circuit breaker 10A
Doppelsicherungautomat 10A
Disjoncteur automatique 10A

4601513 10A + 30mA, Type A, 25A

Dubbelp. zek. autom. 10A + aardlekschakelaar 30mA
Double-pole circuit breaker 10A + ELCB 30mA
Dopp. Sicherungsaut. 10A + FI-Schutzschalter 30mA
Disjoncteur aut. 10A + interrupteur différentiel 30mA



a



b

Consumer unit 2-module

4601760 10A

4601760H 10A, colour packaging

Dubbelpolige zekeringautomaat 10A
Double-pole circuit breaker 10A
Doppelsicherungautomat 10A
Disjoncteur automatique 10A

4601770 30mA/ELCB 30mA, type A, 25A

4601770H 30mA/ELCB 30mA, type A, 25A colour packaging

Aardlekschakelaar 30mA
ELCB 30mA
FI-Schutzschalter 30mA
Interrupteur différentiel 30mA



a



b

Consumer unit components

4601484 30mA, type A, 25A

4601484H 30mA, type A, 25A, colour packaging

Aardlekschakelaar 30mA / ELCB 30mA
FI-Schutzschalter 30mA / Interrupteur différentiel 30mA

4601746 10A

4601746H 10A, colour packaging

Dubbelpolige zekeringautomaat 10A / Circuit breaker
Doppelsicherungautomat / Disjoncteur automatique

4601748 16A

4601748H 16A, colour packaging

Dubbelpolige zekeringautomaat 16A / Circuit breaker
Doppelsicherungautomat / Disjoncteur automatique



a



b



c

Consumer units

4601780 2-module unit

4601780H 2-module unit, colour packaging

4605380 4-module unit

Zekeringskasten
Consumer-units
Sicherungskasten leer
Boîte à fusibles vide



HDMI Cable

- **4606300H** 1.5m
- **4606310H** 3m

HDMI kabel
HDMI cable
HDMI-Kabel
Câble HDMI

Technical specifications

HDMI plug to HDMI plug, ODM: 7.3mm, 28AWG,
Supports 3D and 4K video, HDMI connector type A
Dimensions 4606300H: 1500x19x11.5mm
Dimensions 4606310H: 3000x19x11.5mm



Supports
3D and 4K

World adapter

- **4609403H** White

Wereld adapter
World adapter
Weltadapter
Lot de 4 adaptateurs

Technical specifications

World adapter for; Southern European, American,
African/Asian, UK plug, max. 16A



Cable entry cover

- **4601524** Black
- **4601525** Beige

Afdekkapje voor kabeldoorvoer
Cable entry cover
Abdeckung für Kabeleingang
Cache entrée de câble





Quatro unit outlets and USB

- **4601517** 1.5m H07RN-F 3x1.5mm² + CEE
- **4601518** 20m H07RN-F 3x1.5mm² + CEE

3 Schuko contactdozen + 1x USB dubbel
 3 Schuko outlets + 1x USB double
 3 Schuko Steckdosen + 1x USB zweifach
 Boitier à 3 socles Schuko + 1x USB double

Technical specifications

230V AC, 50-60Hz, Max. 3500W, IP44
 + 1x USB double max. 2.1A (double), output 5V DC
 Suitable for charging tablets, phones, iPod etc.



Quatro unit Schuko

- **4601505** 7.5m H07RN-F 3x1.5mm²
 + Schuko rubber plug

4 Schuko contactdozen
 4 Schuko outlets
 4 Schuko Steckdosen
 Boitier à 4 socles Schuko
 + Schuko rubber plug suitable for French connection

Technical specifications

230V AC, 50-60Hz, Max. 3500W
 + Schuko rubber plug suitable for French connection



Awning - unit

- 4601893** 50cm

Tentvouwwagenunit met zekeringautomaat
 Awning-unit with circuitbreaker
 Zelt-Unit mit Doppelsicherungsautomat
 Rallonge pour tente avec disjoncteur

Technical specifications

CEE +H07RN-F 3x1.5mm²
 10A circuitbreaker

- 4601993** 50cm

Tentvouwwagenunit met zekeringautomaat en aardlekschakelaar
 Awning-unit with circuitbreaker and ELCB
 Zelt-Unit mit Doppelsicherungsautomat und FI-Schutzschalter
 Rallonge pour tente avec disjoncteur et interrupteur différentiel

Technical specifications

CEE +H07RN-F 3x1.5mm²
 10A circuitbreaker
 Type A, 25A, 30mA ELCB



Triple - unit

- **4601500** Without cable
- **4601506** 1.5m H07RN-F 3x1.5mm² + CEE
- **4601507** 20m H07RN-F 3x1.5mm² + CEE

3 Schuko contactdozen
 3 Schuko outlets
 3 Schuko Steckdosen
 Boitier à 3 socles Schuko

Technical specifications

230V AC, 50-60Hz, Max. 3500W,
 IP44



Quatro - unit

- **4601501** Without cable
- **4601502** 20m H07RN-F 3x1.5mm² + CEE
- **4601503** 1.5m H07RN-F 3x1.5mm² + CEE

4 Schuko contactdozen
 4 Schuko outlets
 4 Schuko Steckdosen
 Boitier à 4 socles Schuko

Technical specifications

230V AC, 50-60Hz, Max. 3500W,
 IP44



Rubber coupler

- 4600860** Rubber twin coupler
- 4600860H** Rubber twin coupler, colour packaging

Rubber dubbele contrastekker
Rubber twin coupler
Rubber Gummikupplung zweifach
Fiche femelle caoutchouc double

Technical specifications

250V AC, max. current 16A, IP44,
133x118x56mm

4600960
Ø53x117mm



Rubber plug

- 4600830** With handle
- 4600830H** With handle, colour packaging

Rubber stekker met handvat
Rubber plug with handle
Gummistecker mit Griff
Fiche mâle caoutchouc avec poignée

Technical specifications

250V AC, max. current 16A, IP44,
95x46.3x41.5mm



Rubber plug / coupler

- 4600800** Rubber plug
- 4600802** Rubber plug, colour packaging

Rubber stekker
Rubber plug
Gummistecker
Fiche mâle caoutchouc

Technical specifications

250V AC, max. current 16A
642x114mm

- 4600850** Rubber coupler
- 4600852** Rubber coupler, colour packaging

Rubber contrastekker
Rubber coupler
Gummikupplung
Fiche femelle caoutchouc

Technical specifications

250V AC, max. current 16A
103x33x21mm



Rubber coupler earth pin

- 4600960** Rubber coupler with earth pin
- 4600960H** Colour packaging

Rubber contrastekker met aarde pen
Rubber coupler with earth pin
Gummikupplung mit Erdstift
Fiche femelle caoutchouc avec prise terre

Technical specifications

Ø53x117mm



PVC plug / coupler

- 4600970** PVC plug
- 4600970H** PVC plug, colour packaging

PVC stekker
PVC plug
PVC Stecker
Fiche mâle plastique

Technical specifications

230V AC, max. current 16A
75x36x31mm

- 4600980** PVC coupler
- 4600980H** PVC coupler, colour packaging

PVC contrastekker
PVC coupler
PVC Kupplung
Fiche femelle plastique

Technical specifications

230V AC, max. current 16A
Ø52x79mm





CEE plug & coupler

- **4601000** CEE plug
■ **4601000H** CEE plug, colour packaging

CEE stekker
CEE plug
CEE Stecker
CEE fiche mâle
- **4601100** CEE coupler
■ **4601100H** CEE coupler, colour packaging

CEE contrastekker
CEE coupler
CEE Kupplung
CEE fiche femelle

Technical specifications
200-250V AC, 16A
pin position 6H
2P + earth, IP44



Economy CEE plug & coupler

- **4601000E** CEE plug ECO

CEE stekker ECO
CEE plug ECO
CEE Stecker ECO
CEE fiche mâle ECO
- **4601100E** CEE coupler ECO

CEE contrastekker ECO
CEE coupler ECO
CEE Kupplung ECO
CEE fiche femelle ECO

Technical specifications
230V AC, 16A
pin position 6H
2P + earth, IP44



Hooked coupler CEE/Schuko

- **4601130** CEE/Schuko
■ **4601130H** CEE/Schuko, colour packaging

Haakse koppeling
Hooked coupler
Winkelkupplung
Fiche de raccordement

Technical specifications
220-240V AC, 16A
pin position: 6h
2P + earth, IP44



CEE inlet surface

- **4601560** CEE inlet surface
■ **4601560H** CEE inlet surface, colour packaging

CEE buitenaansluiting opbouw
CEE inlet surface
CEE Einspeisungsstecker Aufbau
Socle CEE en applique

Technical specifications
230V AC, 16A
pin position: 6h
2P + earth, IP44
70x113x74mm



CEE outlet surface

- **4602000** CEE outlet surface

CEE buitenaansluiting opbouw
CEE outlet surface
CEE Aussensteckdose Aufbau
Socle CEE en applique

Technical specifications
200-250V AC, 16A
number of poles: 3, 50-60Hz
pin position: 6h
148x87x85mm



CEE plug 32A

4601005 32A

CEE stekker
CEE plug
CEE Stecker
CEE fiche mâle

Technical specifications
200-250V AC, 32A, 50-60Hz
pin position: 6h
2P + earth, IP44
143x66mm



32A

CEE coupler 32A

4601105 32A

CEE contrastekker
CEE coupler
CEE Kupplung
CEE fiche femelle

Technical specifications
200-250V AC, 32A, 50-60Hz
pin position: 6h
2P + earth, IP44
143x86mm



32A

CEE inlet surface 32A

4601205 32A

CEE buitenaansluiting opbouw
CEE inlet surface
CEE Einspeisungsstecker Aufbau
Socle CEE en applique

Technical specifications
200-250V AC, 32A, 50-60Hz
pin position: 6h
2P + earth, IP44
160x84mm



32A

CEE 2-way and 3-way splitter 16A

- 4601010 CEE 2-way splitter
- 4601010H CEE 2-way splitter
- 4601020 CEE 3-way splitter
- 4601020H CEE 3-way splitter

CEE 2/3-wegsplitter
CEE 2/3-way splitter
CEE-Verteiler 2/3-Wege
CEE prise double P17

Technical specifications
230V AC, 16A, 50-60Hz
number of poles: 3, IP44
pin position: 6h
4601010: 210x185x50mm
4601020: 227x220x50mm





Waterproof holder

● 4600940

Waterproof holder

Stekkersafe met rubber ring
Waterproof holder with rubber ring
Elektro-Safe mit Gummidichtung
Protège prise avec caoutchouc

Technical specifications
Ø75x210mm
Plug positioning range 50-135mm
IP44



Safebox CEE

● 4600950

Safebox

Stekkersafe met rubber ring en slot
Waterproof holder with rubber ring and lock
Elektro-Safe mit Gummidichtung und Schloss
Protège prise avec caoutchouc et cadenas

Technical specifications
Ø95x365mm
Plug positioning range 45-275mm
IP44



Instruction video Safebox CEE



Inlet/outlet display

4600000

Voor betere presentatie en verkoop heeft HABA een inlet/outlet display ontwikkeld, met daarop de inlet/outlets, zoals CEE/ESB-3/WIL/GOL/MSI, in verschillende uitvoeringen en beschikbare kleuren.

For better presentation and sale, HABA has developed an inlet/outlet display, containing inlets/outlets such as CEE/ESB-3/WIL/GOL/MSI, in various models and available colours.



Conversion kit Schuko → CEE

4601653

Schuko → CEE

Ombouwpakket Schuko → CEE
Conversion kit Schuko → CEE
Umrüstpaket Schuko → CEE
Ensemble de reconversion Schuko → CEE





CEE inlet

4601550	Creme
4601559	White
4601570	Brown
4601620	Black
4601557	Silvergrey

CEE invoerdoos met standaard deksel
CEE inlet with standard coverflap
CEE Einspeisungsstecker mit standard Deckelform
Socle à encastrer CEE avec couvercle standard

Technical specifications

200-250V AC, 16A, pin position 6h,
2P + earth, 100x100mm



CEE coverflap

Unpacked	Colour packaging	
4601537	● 4601537H	Creme
4601530	● 4601530H	White
4601538	● 4601538H	Black
4601534	● 4601534H	Silver grey
4601535	● 4601535H	Pin



ESB-3 Unit

4605790	White, with cable
4605795	Silver grey, with cable
4605770	White, without cable
4605775	Silver grey, without cable
4605779	Beige, without cable

ESB-3 Unit met standaard deksel
ESB-3 with standard coverflap
ESB-3 mit standard Deckel
ESB-3 avec couvercle standard

Technical specifications

230 Volt+ 12 Volt Antenne + Satellite
Max. 16A, 100x100mm



CEE inlet

4601548A	White
-----------------	-------

CEE invoerdoos
CEE inlet
CEE Einspeisungsstecker
Socle à encastrer CEE

Technical specifications

200-250V AC, 16A, pin position 6h,
2P + earth, 160x100x70mm



CEE coverflap

Unpacked	Colour packaging	
4601547A	● 4601547AH	White
4601547B	● 4601547BH	Brown
4601547E	● 4601547EH	Creme
4601546	● 4601546H	Pin
4601544		Rubber seal
4601545		Plastic innerframe



Marine inlet 16A

4601636	220-250V AC
----------------	-------------

Marine wand invoerdoos wit
Marine inlet white
Marine Einspeisungsstecker weiss
Socle à encastrer Marine blanc

Technical specifications

220-250V AC, max. 16A
L6-30P, 2 poles + ground
85x95x80mm



CEE inlet new model coverflap

4601556 White

CEE invoerdoos met nieuw model deksel
CEE inlet with new model coverflap
CEE Einspeisungsstecker mit neuem Deckelform
Socle à encastrer CEE avec couvercle nouveau modèle

4601531 White
4601531H White, colour packaging

CEE deksel
CEE coverflap
CEE Deckel
CEE couvercle

Technical specifications
200-250V AC, 16A, pin position 6h,
2P + earth, 100x100mm



WIL water inlet

2406001 White, with new model coverflap

Water invoerdoos met slot
Water inlet with lock
Wassersteckdose mit Schloss
Coupelles à eau avec clé

Arca, Chausson, Caravelair, Challenger,
Silver, Sterckeman, Benimar, Autostar,
Vendome, Sublim, Fleurette, Dethleffs,
LMC, TEC, Solifer, Polar

Technical specifications
100x100mm



GOL gas outlet

2406100 White, with new model coverflap

Gas uitvoerdoos
Gas outlet
Gas-Aussensteckdose
Socle à encastrer avec sortie de gaz

Dethleffs, LMC, TEC, Solifer, Polar, Kabe

Technical specifications
Din 4815-5 connector, hose Ø8mm,
30mA bar




MSI inlet

a 4700400 White, with new model coverflap
b 4700410 White, with new model coverflap and Voltmeter

Invoerdoos met massasleutel
Inlet with main switch
Einbaudose mit Hauptschalter
Boitier avec coupe nouveau modèle

Technical specifications
Max. 24V DC, Max. 200A,
100x100mm





ESB-3 unit new model coverflap

4605771

White

ESB-3 Unit met nieuw model deksel
ESB-3 with new model coverflap
ESB-3 mit neuem Deckelform
ESB-3 avec couvercle nouveau modèle

Technical specifications

230 Volt+ 12 Volt Antenne + Satellite,
max. 16A, 100x100mm



ESB unit HDMI + 12V Socket

4605900

White

Met nieuw model deksel, zonder kabel
With new model coverflap, without cable
Mit neuem Deckelform, ohne Kabel
Avec couvercle nouveau modèle, sans câble

Technical specifications

HDMI, 12V socket max. 10A,
230V socket max. 16A, satellite



ESB unit HDMI + USB

4605910

White

Met nieuw model deksel, zonder kabel
With new model coverflap, without cable
Mit neuem Deckelform, ohne Kabel
Avec couvercle nouveau modèle, sans câble

Technical specifications

HDMI, USB 3.1A, 230V socket max. 16A,
satellite



ESB unit HDMI + Voltage indicator

4605920

White

Met nieuw model deksel, zonder kabel
With new model coverflap, without cable
Mit neuem Deckelform, ohne Kabel
Avec couvercle nouveau modèle, sans câble

Technical specifications

HDMI, Voltage indicator 10-30V DC,
230V socket max. 16A, satellite



Element line

- 4602410 CEE inlet
- 4602450 ESB-3 unit
- 2406400 Water inlet
- 2406420 Gas outlet
- 4601522 Cover flap

Benimar



Zijn eenvoudig te vervangen door Element Line model hierboven
Are easy replaceable by the Element Line model at the top of the page
Sind einfach zu ersetzen von Element Line Modell
Remplacable facile par Element Line modèle

Dimensions in mm (+/- 0.5mm)
Build in dimensions
Hole distance
Outer dimensions

Existing HABA product

CEE inlet
ESB-3 unit
Water inlet
Gas outlet




Element line

Bestaand model
Existing model
Bestehendes Model
Produit existant

Other brand

Geen HABA model
Not a HABA model
Kein HABA-Artikel
Ceci n'est pas un produit HABA



Bestaande gaten worden door de nieuwe uitvoering afgedekt
Existing holes are covered by the new model
Anwesende Löcher werden von der neuen Ausführung abgedeckt
Clapet recouvre les trous de perçage existants

Gelijke gat afstanden
Same hole-distances
Gleichen Loch-Abstände
Distance des trous de perçage identiques



Adapter Cable

- a 4601340** England → CEE
- 4601340H** England → CEE, colour packaging
- b 4601330** Schuko → CEE
- 4601330H** Schuko → CEE, colour packaging
- c 4601320** Switzerland → CEE
- 4601320H** Switzerland → CEE, colour packaging

Adapter kabel
Adapter cable
Adapterkabel
Câble adaptateur

Technical specifications
230V DC, 50-60Hz, IP44 16A,
40cm



Cable

4606000	Neoprene 3x1.5mm ²	100mtr
4606050	Neoprene 3x2.5mm ²	100mtr
4606260	PVC 2x2.5mm ²	50mtr
4606200	Vinyl VMVL 3x1.5mm ²	100mtr
4606210	Vinyl VMVL 3x1.5mm ²	100mtr
4701310	7-aderig 6x1.5mm ² + 1x2.5mm ²	100mtr
4701350	13-aderig 9x1.5mm ² + 4x2.5mm ²	50mtr
4701352	13-aderig 9x1.5mm ² + 4x2.5mm ²	10mtr

Kabel
Cable
Kabel
Câble



White

Cable

4701260	1x1.5mm ²	Red	100mtr
4701265	1x1.5mm ²	Black	100mtr
4701270	1x2.5mm ²	Red	100mtr
4701275	1x2.5mm ²	Black	100mtr
4701280	1x6mm ²	Red	25mtr
4701285	1x6mm ²	Black	25mtr
4701290	1x10mm ²	Red	25mtr
4701295	1x10mm ²	Black	25mtr

Elektricitetskabel
Electric cable
Elektrokabel
Câble électrique

4701370	1x16mm ²	Red	25mtr
4701375	1x16mm ²	Black	25mtr
4701380	1x25mm ²	Red	25mtr
4701385	1x25mm ²	Black	25mtr
4701390	1x35mm ²	Red	25mtr
4701395	1x35mm ²	Black	25mtr

Accu kabel
Battery cable
Batteriekabel
Câble de charge batterie



Cable wraptor

● 4602090 Red/black

Verstelbare multifunctionele houder met greep
Adjustable multifunctional holder with hand grip
Verstellbare multifunktionelle Halterung mit Handgriff
Range-cable avec poignée



Ideal for storage of

Cable/rope and carrying multiple bags

Holder for cable/garden hose

● 4602060 Blue

Houder voor kabel, touw en waterslang
Holder for cable, rope and garden hose
Halterung für Kabel, Seil und Schlauch
Range-cable pour rallonges, cordes et tuyaux à eau



Ideal storage help!

Cable reel

● 4602020 Orange

Handhaspel
Cable reel
Kabeltrommel
Enrouler

Technical specifications
Max. 35mtr. neoprene cable 1.5mm²
Without cable




Stockholm cable reel


4602010 Blue

Handhaspel
Cable reel
Kabeltrommel
Enrouler

Technical specifications
Max. 30mtr. neoprene cable 1.5mm²
Without cable



Hole to secure the cable with plug



Automatic cable reel

4602055 15mtr

Kabelhaspel automatisch met 15m kabel en CEE stekker
Cable reel automatic with 15m cable and CEE plug
Kabelrolle automatisch mit 15m Kabel und CEE Stecker
Enrouleur de câble automatique avec 15m câble et prise CEE

Technical specifications

230V AC, max. 3600W
H07RN-F 3x2.5mm²
Net weight 6.7kg
320x400x115mm
Thermofuse 52°C +/- 3°C



With wall cable transit



Cable reel

4603653 20mtr
4603693 25mtr
4603643 30mtr
4603663 40mtr
4603673 50mtr

Handhaspel CEE/CEE met H07RN-F 3x1.5mm²
Cable reel CEE/CEE with H07RN-F 3x1.5mm²
Kabeltrommel CEE/CEE mit H07RN-F 3x1.5mm²
Enrouler CEE/CEE avec H07RN-F 3x1.5mm²

4603603 20mtr
4603593 30mtr
4603613 40mtr
4603623 50mtr

Handhaspel CEE/haakse koppeling met H07RN-F 3x1.5mm²
Cable reel CEE/hooked coupler with H07RN-F 3x1.5mm²
Kabeltrommel CEE/Winkelkupplung mit H07RN-F 3x1.5mm²
Enrouler CEE/fiche de raccordement avec H07RN-F 3x1.5mm²

4603583A 25mtr

Handhaspel Schuko/haakse koppeling met H07RN-F 3x2.5mm²
Cable reel Schuko/hooked coupler with H07RN-F 3x2.5mm²
Kabeltrommel Schuko/Winkelkupplung mit H07RN-F 3x2.5mm²
Enrouler Schuko/fiche de raccordement avec H07RN-F 3x2.5mm²

4603723 25mtr

Handhaspel CEE/CEE met H07RN-F 3x2.5mm²
Cable reel CEE/CEE with H07RN-F 3x2.5mm²
Kabeltrommel CEE/CEE mit H07RN-F 3x2.5mm²
Enrouler CEE/CEE avec H07RN-F 3x2.5mm²



Cable reel CEE/CEE



Cable reel CEE/Hooked coupler



Technical specifications
Thermofuse 58°C

Cable reel Schuko/Hooked coupler

Cable reel

4602053 Black/blue

Handhaspel
Cable reel
Kabeltrommel
Enrouler

Technical specifications

Max. 50mtr. neoprene cable 1.5mm²
Thermofuse 58°C
Without cable



Cable bag

4604200

Blue

Kabeltas
Cable bag
Kabeltasche
Sac pour câbles



Extensionlead

H07RN-F 3x1.5mm² CEE/CEE

Carton	Seal	Bag	
4604813	4604812	4604813T	10mtr
4604823	4604822	4604823T	20mtr
4605093	4605092	4605093T	25mtr
	4604832	4604833T	30mtr
	4604842	4604843T	40mtr
	4604852	4604853T	50mtr

H07RN-F 3x2.5mm² CEE/CEE

Seal	
4604912	10mtr
4604922	20mtr
4604952	25mtr
4604622	30mtr

H07RN-F 3x2.5mm²

Carton	Seal	
46049153 Schuko/CEE		10mtr
	4604954 CEE/hooked coupler	25mtr
	4604962 Schuko/hooked coupler	25mtr

H07RN-F 3x1.5mm² CEE/hooked coupler

Carton	Seal	Bag	
4604863	4604862	4604863T	10mtr
4604873	4604872	4604873T	20mtr
	4604882	4604883T	30mtr
		4604893T	40mtr

H07RN-F 3x1.5mm² + 4601330

Bag	
4605090T CEE/CEE	25mtr
4605098T CEE/hooked coupler	25mtr



Seal



Carton



4601330



Adapter

4609420
4609420H

Schuko → CEE
Schuko → CEE, colour packaging

Adapter
Adapter
Adapter
Adaptateur

Technical specifications
230V AC, 16A, IP44



Artikel wordt NIET in NEDERLAND geleverd

Adapter

4609421
4609421H

CEE → Schuko
CEE → Schuko, colour packaging

Adapter
Adapter
Adapter
Adaptateur

Technical specifications
230V AC, 16A, IP44



Artikel wordt NIET in NEDERLAND geleverd

Adapter

4609422
4609422H

CEE → Schuko French system
CEE → Schuko French system, colour packaging

Adapter
Adapter
Adapter
Adaptateur

Technical specifications
230V AC, 16A, IP44



Artikel wordt NIET in NEDERLAND geleverd

Adapter

4609423
4609423H

CEE → Schuko + 2x Italian coupler
CEE → Schuko + 2x Italian coupler colour packaging

Adapter
Adapter
Adapter
Adaptateur

Technical specifications
230V AC, 16A, IP44



Artikel wordt NIET in NEDERLAND geleverd

CEE sets 3x2.5mm²

Unpacked	Colour packaging		Plug	Coupler
4608180	● 4608180H	150cm	CEE	CEE
4608270	● 4608270H	150cm	Schuko	CEE
4608280	● 4608280H	150cm	CEE	Schuko
4608310	● 4608310H	150cm	Schuko	4601130
4608400A	● 4608400AH	50cm	Schuko	CEE
4608450A	● 4608450AH	50cm	CEE	Schuko

4601130 = hooked coupler



Artikelen hierboven worden NIET in NEDERLAND geleverd



Induco

● 4700860H

Induction charger

Inductielader
Induction charger
Induktionsladegerät
Chargeur à induction

Technical specifications

Input voltage 12-15V DC, Current max. output 1A,
Output power 5/7.5/10W (depending on phone),
Overheat protection, Qi standard, 78x78x19.5mm

Suitable for charging phones, earphones, etc that have wireless charging.



NEW!



Built-in model



12 Volt USB charger

● 4700780H

Max. 3A

12V stekker met 2x USB, met controlelampje
12V charger 2x USB, with control-light
12V Stecker mit 2x USB, mit Kontrolleleuchte
Chargeur USB 2x 12V, avec lampe de controle

Technical specifications

Max. input voltage 12V DC
Max. output 5V DC, 3A

Suitable for charging tablets, phones, iPods, etc.



12 Volt USB charger

● 4700785H

Max. 4.8A

12V stekker met 3x USB, met controlelampje
12V charger 3x USB, with control-light
12V Stecker mit 3x USB, mit Kontrolleleuchte
Chargeur USB 3x 12V, avec lampe de controle

Technical specifications

Max. input voltage 12V DC
Max. output 5V DC, 4.8A

Suitable for charging tablets, phones, iPods, etc.



12 Volt adapter normal → 2x UNI + 3x USB

● 4700770H

USB output max. 3.1A

12 Volt adapter normaal → 2x UNI + 3x USB
12 Volt adapter normal → 2x UNI + 3x USB
12 Volt Adapter normal → 2x UNI + 3x USB
Adaptateur 12 Volt normal → 2x UNI + 3x USB

Technical specifications

Input voltage 12-24V DC
Max. output 12-24V DC, 8A

USB max. output 5V DC, 3.1A

Suitable for charging tablets, phones, iPods, etc.



12 Volt UNI plug

- **4700500** 8A
- **4700500H** 8A, colour packaging

12 Volt UNI stekker
12 Volt UNI plug
12 Volt UNI Stecker
12 Volt UNI fiche

- **4700520** 8A, with fuse
- **4700520H** 8A, with fuse, colour packaging

12 Volt UNI stekker met zekering
12 Volt UNI plug with fuse
12 Volt UNI Stecker mit Sicherung
12 Volt UNI fiche avec fusible

Technical specifications
Max. 24V DC, 8A



12 Volt UNI plug hooked

- **4700570** 8A, with fuse, twist for hooked
- **4700570H** 8A, with fuse, twist for hooked, colour packaging

12 Volt UNI stekker met zekering, haaks verstelbaar
12 Volt UNI plug with fuse, twist for hooked
12 Volt UNI Stecker mit Sicherung, Winkelbar
12 Volt UNI fiche avec fusible, fiche coudée

Technical specifications
Max. 24V DC, 8A, 104x24x30mm



12 Volt UNI plug hooked

- **4700670** 7.5A
- **4700670H** 7.5A, colour packaging

12 Volt UNI haakse stekker met controle lampje
12 Volt hooked plug with control-light
12 Volt Winkelstecker mit Kontrolleleuchte
12 Volt fiche coudée avec lampe de controle

Technical specifications
Max. 12V DC, 7.5A, 75x52x27mm





12 Volt standard plug

4700540 8A
4700540H 8A, colour packaging

12 Volt stekker standaard
 12 Volt charger standard
 12 Volt Stecker standard
 12 Volt fiche standard

Technical specifications
 12V DC, 8A, 55.2xØ20mm



12 Volt standard plug ECO

4700550 8A
4700550H 8A, colour packaging

12 Volt stekker standaard ECO
 12 Volt charger standard ECO
 12 Volt Stecker standard ECO
 12 Volt fiche standard ECO

Technical specifications
 12V DC, 8A, 55.2xØ20mm



12 Volt socket standard

4700620 16A
4700620H 16A, colour packaging

12 Volt stekkerdoos inbouw met deksel
 12 Volt socket recessed with coverflap
 12 Volt Steckdose Einbau mit Abdeckkappe
 12 Volt socle encastrable avec couvercle

Technical specifications
 Max. input voltage 24V DC
 Max. output current 16A
 44xØ24mm



12 Volt socket standard

4700640 10A
4700640H 10A, colour packaging

12 Volt stekkerdoos opbouw met deksel
 12 Volt socket surface with coverflap
 12 Volt Steckdose Aufbau mit Abdeckkappe
 12V socle en applique avec couvercle

Technical specifications
 Max. input voltage 24V DC
 Max. output current 10A
 66x31x31mm



12 Volt UNI socket

- **4702000** Recessed
- **4702000H** Recessed, colour packaging
- **4702050** Surface
- **4702050H** Surface, colour packaging

12 Volt UNI stekkerdoos met deksel
12 Volt UNI socket with coverflap
12 Volt UNI Steckdose mit Abdeckkappe
12 Volt socle UNI avec couvercle



12 Volt USB socket recessed

- **4702100H** Max. output 3.1A

12 Volt USB lader inbouw, met deksel
12 Volt USB socket recessed, with coverflap
12 Volt USB-Lader Einbau, mit Abdeckkappe
Chargeur USB 12V encastrable, avec couvercle

Technical specifications

Input 12V DC, Max. output 3.1A
Suitable for tablets, phones, iPods, etc.



12 Volt USB socket surface

- **4702110** Max. output 3.1A

12 Volt USB lader opbouw, met deksel
12 Volt USB socket surface, with coverflap
12 Volt USB-Lader Aufbau, mit Abdeckkappe
Chargeur USB 12V en applique, avec couvercle

Technical specifications

Input 12V DC, Max. output 3.1A
Suitable for tablets, phones, iPods, etc.



12 Volt USB socket surface

- **4700610** Max. output 3.1A
- **4700612** Max. output 3.1A, colour packaging

12 Volt USB contactdoos opbouw, zonder deksel
12 Volt USB socket surface, without coverflap
12 Volt USB-Lader Aufbau-Steckdose, ohne Deckel
Chargeur USB 12 Volt en applique, sans couvercle

Technical specifications

Input 12V DC, Max. output 3.1A
Suitable for tablets, phones, iPods, etc.





Power line 12 Volt secured plug

● **4700450H** 10A

12 Volt stekker geborgd
12 Volt plug secured
12 Volt Stecker verriegelt
12 Volt fiche mâle fixation baïonnette

Technical specifications
Max. input voltage 30V DC,
Max. output current 10A

This 12 Volt plug can be secured into
4700460 by turning the plug half a turn



With locking system:
Secured connection to
prevent disconnection of
the plug from the socket,
when driving or sailing

Power line 12 Volt secured socket

● **4700460H** 10A

12 Volt stekkerdoos geborgd
12 Volt socket secured
12 Volt Steckdose verriegelt
12 Volt socle fixation baïonnette

Technical specifications
Max. input voltage 30V DC,
Max. output current 10A

12 Volt socket belonging to 4700450,
for a fixed connection



12 Volt adapter UNI → 2x standard

● **4700560** 16A
● **4700560H** 16A, colour packaging

12 Volt adapter UNI → 2x standaard, met zekering
12 Volt adapter UNI → 2x standard, with fuse
12 Volt Adapter UNI → 2x standard, mit Sicherung
12 Volt adaptateur UNI → 2x standard, avec fusible

Technical specifications
Max. input voltage 24V DC
Max. output current 16A
Cable length 5cm



12 Volt adapter UNI → 2x normal

● **4700710** 8A
● **4700710H** 8A, colour packaging

12 Volt adapter kabel UNI → 2x normaal
12 Volt adapter cable UNI → 2x normal
12 Volt Adapterkabel UNI → 2x normal
12 Volt câble adaptateur UNI → 2x normal

Technical specifications
Max. input voltage 24V DC
Max. output current 8A
Cable length 17cm



12 Volt adapter UNI → standard

4700680 8A,
4700680H 8A, colour packaging

12 Volt adapter kabel UNI → 2x standaard
 12 Volt adapter cable UNI → 2x standard
 12 Volt Adapterkabel UNI → 2x standard
 12 Volt câble adaptateur UNI → 2x standard

Technical specifications
 Max. input voltage 24V DC
 Max. output current 8A
 Cable length 4mtr



12 Volt adapter UNI → normal

4700690 8A
4700690H 8A, colour packaging

12 Volt adapter kabel UNI → 2x normaal
 12 Volt adapter cable UNI → 2x normal
 12 Volt Adapterkabel UNI → 2x normal
 12 Volt câble adaptateur UNI → 2x normal

Technical specifications
 Max. input voltage 24V DC
 Max. output current 8A
 Cable length 4mtr



12 Volt adapter standard → normal

4700700 8A
4700700H 8A, colour packaging

12 Volt adapter kabel standaard → normaal
 12 Volt adapter cable standard → normal
 12 Volt Adapterkabel standard → normal
 12 Volt câble adaptateur standard → normal

Technical specifications
 Max. input voltage 24V DC
 Max. output current 8A
 Cable length 30cm



12 Volt adapter normal → 2x battery clamps


4703150 5A
4703150H 5A, colour packaging

12 Volt adapter normaal → 2x krokodillenbekjes
 12 Volt adapter normal → 2x battery clamps
 12 Volt Adapter normal → 2x Batterieklemmen
 Adaptateur 12 Volt normal → 2x pinces de batterie

Technical specifications
 12V DC, 5A
 Cable length 80cm



For direct connection
to your battery





Power line

- 4700829** USB charger 2x 2.4A
4700829H USB charger 2x 2.4A, colour packaging

USB lader / USB charger / USB Steckdose / Chargeur USB
 includes screw nut and seal cover cap, 2x 2.4A, input 10-30V DC
- 4700830** 12 Volt socket UNI
4700830H 12 Volt socket UNI, colour packaging

12 Volt stekkerdoos / 12 Volt socket / 12 Volt Steckdose /
 12 Volt socle UNI, includes screw nut and seal cover cap
- 4700831** USB charger 1x1A + 1x2.1A
4700831H USB charger 1x1A + 1x2.1A, colour packaging

USB lader / USB charger / USB Steckdose / Chargeur USB
 includes screw nut and seal cover cap, 1x1A + 1x2.1A, input 10-30V DC
- 4700832** Voltmeter
4700832H Voltmeter, colour packaging

Voltmeter / Tensionmètre, input 10-30V DC, includes screw nut
- 4700450H** 12 Volt plug secured

12 Volt stekker geborgd / 12 Volt plug secured /
 12 Volt Stecker verriegelt / 12 Volt fiche mâle fixation baïonnette
 Max. input voltage 30V DC, max. output current 10A
- 4700460H** 12 Volt socket secured

12 Volt stekkerdoos geborgd / 12 Volt socket secured /
 12 Volt Steckdose verriegelt / 12 Volt socle fixation baïonnette
 Max. input voltage 30V DC, max. output current 10A



Power line frame recessed

- 4700833** Single frame
4700833H Single frame, colour packaging

60x43x6mm
- 4700835** Double frame
4700835H Double frame, colour packaging

105x43x6mm
- 4700838** Triple frame
4700838H Triple frame, colour packaging

150x43x6mm



Power line frame surface

- 4700834** Single frame
4700834H Single frame, colour packaging

55x50x76mm
- 4700836** Double frame
4700836H Double frame, colour packaging

100x50x76mm
- 4700839** Triple frame
4700839H Triple frame, colour packaging

150x50x76mm



12 Volt UNI socket + 2x USB charger

4700790H Recessed

12 Volt UNI lader + 2x USB lader inbouw
12 Volt UNI socket + 2x USB charger recessed
12 Volt UNI Steckdose + 2x USB Ladegerät Einbau
12 Volt socle uni + 2x USB chargeur encastrable

Technical specifications

Input 10-30V DC

USB socket:

Max. output voltage 5V DC

Max. total output current 3.1A (1x 1A + 1x 2.1A)

Suitable for charging tablets, phones, iPods, etc.

12 Volt socket:

Max. output voltage 24V DC

Max. total output current 8A



12 Volt UNI socket + 2x USB charger

4700800H Surface

12 Volt UNI lader + 2x USB lader opbouw
12 Volt UNI socket + 2x USB charger surface
12 Volt UNI Steckdose + 2x USB Ladegerät Aufbau
12 Volt socle uni + 2x USB chargeur en applique

Technical specifications

Input 10-30V DC

USB socket:

Max. output voltage 5V DC

Max. total output current 3.1A (1x 1A + 1x 2.1A)

Suitable for charging tablets, phones, iPods, etc.

12 Volt socket:

Max. output voltage 24V DC

Max. total output current 8A



2x USB charger + voltage indicator

4700810H Recessed

12 Volt 2x USB lader + voltage indicator inbouw
12 Volt 2x USB charger + voltage indicator recessed
12 Volt 2x USB Ladegerät + Voltage Indikator Einbau
12 Volt 2x USB chargeur + Voltmètre encastrable

Technical specifications

Input 10-30V DC

USB socket:

Max. output voltage 5V DC

Max. total output current 3.1A (1x 1A + 1x 2.1A)

Suitable for charging tablets, phones, iPods, etc.

Voltage indicator:

Shows condition of your battery in voltage



2x USB charger + voltage indicator

4700820H Surface

12 Volt 2x USB lader + voltage indicator opbouw
12 Volt 2x USB charger + voltage indicator surface
12 Volt 2x USB Ladegerät + Voltage Indikator Aufbau
12 Volt 2x USB chargeur + Voltmètre en applique

Technical specifications

Input 10-30V DC

USB socket:


Max. output voltage 5V DC

Max. total output current 3.1A (1x 1A + 1x 2.1A)

Suitable for charging tablets, phones, iPods, etc.

Voltage indicator:

Shows condition of your battery in voltage





Battery-clips Ojop

- 4703000 Red positive
- 4703050 Blue negative
- 4703062H Blistered per pair

Accuklem
Battery-clip
Batterieklemmen
Cosse batterie

Technical specifications

Approx. $0.12\mu\Omega$ at 10Amp.
Max. current: 800A
Cable cross-section min. 20mm^2 - max. 35mm^2

Fit all SAE and DIN standard batteries



Rheinisch-Westfälischer
TUV

Battery-clip Northrop

- 4703070 Red positive
- 4703071 Blue negative
- 4703072H Blistered per pair

Accuklem
Battery-clip
Batterieklemmen
Cosse batterie

Technical specifications

Cable cross-section min. 20mm^2 - max. 35mm^2

Fit all SAE and DIN standard batteries



Eco-battery clips

- 4703080 Positive
- 4703081 Negative
- 4703082H Blistered per pair

Accuklem
Battery-clip
Batterieklemmen
Cosse batterie

Technical specifications

Diameter wiring min. 5mm to max. 11mm
44x44x19.5mm

Ø16.8mm



Battery-clip set M8/M10

- 4703092H M8/M10

Accuklemmen set met vleugelmoer
Battery-clip set with winged nuts
Batterieklemmen Satz mit Flügelmutter
Paire de cosse batterie avec écrou à ailettes



HABA-Sense battery monitor

- **4703220H** 7V - 32V DC
Bluetooth accu capaciteit meter met app
Bluetooth battery monitor with app
Bluetooth Batteriemonitor mit App
Moniteur de batterie bluetooth avec app

Technical specifications

7V - 32V DC
Power consumption: < 1mA
Connector size: Ø6.3mm
Fuse: blade 20x5mm, 1A, black
Wire length 52cm
60.2x44.7x14.9mm



Real time battery status on your mobile device →

12 Volt Flash battery tester

- **4703210** 6V - 16V DC
12 Volt Accutester
12 Volt Battery tester
12 Volt Batterie-Tester
12 Volt controle de tension pour la batterie

Technical specifications

6V - 16V
6 indication levels
Wire length 70cm
120x1.5x16.5mm



Fuses

- **4400800H** 5-30A

Steekzekeringen
Fuses
Sicherungen
Fusibles

Technical specifications

Max. 24V DC, 5-30A large




Mini fuses set


- **4400820H** 5-30A

Set kleine steekzekeringen
Mini fuse set
Mini Sicherungen Satz
Ensemble de fusibles mini

Technical specifications

Max. 32V DC, 5-30A mini
ISO 8820-3





MSI

- 4700400 Without Voltmeter
- 4700410 With Voltmeter

Invoerdoos met massasleutel
Inlet with main switch
Einbaudose mit Hauptschalter
Boiter avec coupe batterie

Technical specifications

Max. 24V DC, max. 200A,
100x100mm, with new model coverflap




Battery isolation switch

- 4703200 Max. 200A, Max. 24V
- 4703200H Max. 200A, Max. 24V, colour packaging
- 4703202 Loose key

Massasleutel
Battery isolation switch
Hauptschalter
Coupe batterie

Technical specifications

Max. operating Voltage: 24V DC
Max. current 200A
With removable key



Battery cable

4701370	1x16mm ²	Red	25mtr
4701375	1x16mm ²	Black	25mtr
4701380	1x25mm ²	Red	25mtr
4701385	1x25mm ²	Black	25mtr
4701390	1x35mm ²	Red	25mtr
4701395	1x35mm ²	Black	25mtr

Accu kabel
Battery cable
Batteriekabel
Câble de charge batterie




Adjunto connector set

- 4605000 Connector set 150 pieces

Kabelschœntjes set 150 stuks
Connector set 150 pieces
Kabelschuhe Satz 150 Stück
Connecteurs set 150 pièces

Technical specifications

Dimensions box: 210x110x30mm
15 different type of connector, 10 pieces each




Baccbox

- 4703550 With strap and separation wall
4703551 Spare strap
4703552 Spare separation wall

Accubak
Battery box
Batteriekasten
Boite de batterie

Technical specifications
465x225x254mm



Battery box Red

- 4703380 Battery box Red
4703381 Spare strap

Accubak met vastzetband
Battery box with strap
Batteriekasten mit Gürtel
Boite de batterie avec bande

Technical specifications
312x225x270mm



Battery box Yellow

- 4703390 Batterybox
4703381 Spare strap
4703392 Spare separation wall

Accubak met vastzetband en scheidingswand
Battery box with strap and separation wall
Batteriekasten mit Gürtel und Trennwand
Boite de batterie avec bande et paroi de séparation

Technical specifications
450x238x288mm



12 Volt adapter normal → 2x Battery clamps


- 4703150 5A
4703150H 5A, colour packaging

12 Volt adapter normaal → 2x krokodillenbekjes
12 Volt adapter normal → 2x battery clamps
12 Volt Adapter normal → 2x Batterieklemmen
Adaptateur 12 Volt normal → 2x pinces de batterie

Technical specifications
12V DC, 5A
Cable length 80cm



For direct connection
to your battery





Battery Box Smart Power


Handy battery box with lid with pre-assembled wiring for battery connection, 2x12V UNI socket, 2x USB port for charging tablets, phones, Ipod etc and external wing nut connection for connecting an electric motor or battery charger. Furthermore, the battery box is equipped with a handy Voltmeter so that you are quickly aware of the battery status. This battery box is the ideal solution for small ships without a fixed onboard system and for example when using an electric motor.

● 4703370

Accubak voorzien van accessoires
Battery box with power accessories
Batteriekasten ausgestattet mit Zubehör
Battery box équipé d'accessoires

Technical specifications


Portable battery box
Designed to 12 V DC batteries
Max size of the battery: 325x185x220 mm
2 x 12V socket UNI
1 x USB 5V 1A
1 x USB 5V 2.1A
1 x Voltmeter
12 V output connectors
1 x 30A fuse
1 x 60A fuse
Switch to turn on the USB and UNI sockets
16A circuit breaker to USB and UNI sockets
1x belt fitting the battery box
Net weight: 1850g
Dimensions(LxWxH): 425x250x310mm



U heeft **dit** op uw caravan of trailer




13-polig DIN/JAEGER



4701500

7-polig




4701200




4701210

13-polig WEST




4701710

13-polig DIN/JAEGER




4701500

13-polig WEST



4701710

13-polig DIN/JAEGER




4701500

U heeft **dit** op uw auto



7-polig




4701100




4701110

13-polig DIN/JAEGER




4701410

13-polig DIN/JAEGER




4701410

13-polig WEST



4701730

7-polig




4701100



4701110

13-polig DIN/JAEGER



4701410

Voorbereid op weg by HABA

7-13 polig overzicht



U heeft **dit** nodig

Adapter




4701629



4701630



4701640



Adapter



4701610



4701530



Adapter



4701740



4701750



Adapterkabel



4701731




Adapterkabel



4701727



Verlengkabel



- 2. Binnenverlichting
- 3. Aarde
- 9. Stroomvoorziening (koelkast)
- 13. Aarde



4701940





Legenda

Mistachterlicht

Koelkast

Binnenverlichting



7 pin plug

- 4701200 PVC
- 4701200H PVC, colour packaging

7-polige stekker
7 pin plug
7-Poliger Stecker
Fiche 7 broches

Technical specifications
PVC, 58x98mm



7 pin socket

- 4701100 PVC
- 4701100H PVC, colour packaging

7-polige contactdoos
7 pin socket
7-Polige Steckdose
Socle 7 broches

Technical specifications
PVC, 48x69x48.4mm



7 pin plug

- 4701210 Metal
- 4701210H Metal, colour packaging

7-polige stekker
7 pin plug
7-Poliger Stecker
Fiche 7 broches

Technical specifications
Metal, 51x95mm



7 pin socket

- 4701110 Metal
- 4701110H Metal, colour packaging

7-polige contactdoos
7 pin socket
7-Polige Steckdose
Socle 7 broches

Technical specifications
Metal, 62.7x71x51mm





7 pin coupler

4701250 PVC
4701250H PVC, colour packaging

7-polige contrastekker
 7 pin coupler
 7-Polige Kupplung
 Prise femelle 7 broches

Technical specifications
 PVC, 61x60x107mm



13 DIN pin plug

4701500 PVC
4701500H PVC, colour packaging

DIN 13-polige stekker
 DIN 13 pin plug
 DIN 13-Poliger Stecker
 DIN fiche 13 broches

Technical specifications
 PVC, 48x58x96mm



13 DIN pin socket

4701410 PVC
4701410H PVC, colour packaging

13-polige contactdoos met mistlichtafschakeling
 13 pin socket with fog-light switch
 13-Polige Steckdose mit Abschaltkontakt
 Socle 13 broches avec coupure antibrouillard

Technical specifications
 PVC, 63x76x71mm



7 + 6 multicon WEST pin plug

4701710 PVC
4701710H PVC, colour packaging

7+6 multicon WEST, 13-polige stekker
 7+6 multicon WEST, 13 pin plug
 7+6 multicon WEST, 13-Poliger Stecker
 7+6 multicon WEST, fiche 13 broches

Technical specifications
 PVC, 60x100mm



7 + 6 Multicon WEST pin socket

- 4701730** PVC
- 4701730H** PVC, colour packaging

7+6 multicon WEST, 13-polige contactdoos met mistlichtafschakeling
 7+6 multicon WEST, 13 pin socket with fog-light switch
 7+6 multicon WEST, 13-poliger Steckdose mit Abschaltkontakt
 7+6 multicon WEST, socle 13 broches avec coupure antibrouillard

Technical specifications
 PVC



Adapter 7-13 car → trailer

- 4701629** Hobby
- 4701629H** Hobby, colour packaging
- 4701630** Standard
- 4701630H** Standard, colour packaging

Adapter met binnenverlichting
 Adapter with interior-lights
 Adapter mit Innenbeleuchtung
 Adaptateur avec éclairage intérieur

Technical specifications
 PVC, 56x85x70.5mm



Adapter 13-7 MINI car → trailer

- 4701610** MINI
- 4701610H** MINI, colour packaging

Adapter 13 → 7 MINI
 Adapter 13 → 7 MINI
 Adapter 13 → 7 MINI
 Adaptateur 13 → 7 MINI

Technical specifications
 PVC, 45.5x41x60mm



Adapter 13-7 standard car → trailer

- 4701530** Standard
- 4701530H** Standard, colour packaging

Adapter 13 DIN → 7 standaard
 Adapter 13 DIN → 7 standard
 Adapter 13 DIN → 7 Standard
 Adaptateur 13 DIN → 7 standard

Technical specifications
 PVC, 58x104.5mm





Adapter 7-13 DIN MINI car → trailer

4701640

PVC

4701640H

PVC, colour packaging

Adapter 7 → 13 DIN
Adapter 7 → 13 DIN
Adapter 7 → 13 DIN
Adaptateur 7 → 13 DIN

Technical specifications

PVC, 53x47,5x80mm



Adapter 13 DIN - 13 WEST car → trailer

4701740

PVC

4701740H

PVC, colour packaging

Adapter 13 DIN → 13 Multicon WEST
Adapter 13 DIN → 13 Multicon WEST
Adapter 13 DIN → 13 Multicon WEST
Adaptateur 13 DIN → 13 Multicon WEST

Technical specifications

PVC, 60x72x131mm



Adapter 13 DIN - 13 WEST MINI car → trailer

4701750

PVC

4701750H

PVC, colour packaging

Adapter 13 DIN → 13 Multicon WEST MINI
Adapter 13 DIN → 13 Multicon WEST MINI
Adapter 13 DIN → 13 Multicon WEST MINI
Adaptateur 13 DIN → 13 Multicon WEST MINI

Technical specifications

PVC, 53x47,5x80mm



Parking Box 13-Pole

4701510

4701510H

colour packaging

Parkeerdoos 13p.
Parking box 13p.
Parkdose 13P.
Range fiche 13 broches

Technical specifications

Suitable for Art. 4701500
Cap for plug to protect the 13-pole plug
when the caravan is disconnected



Adapter 7-13 multicon WEST

4701727 KIP, 30cm
4701727H KIP, 30cm, colour packaging

Adapter 7 → 13, met binnenverlichting
 Adapter 7 → 13, with interior lights
 Adapter 7 → 13, mit Innenbeleuchtung
 Adaptateur 7 → 13, avec éclairage intérieur



Adapter 13 multicon WEST - 13 DIN

4701731 50cm
4701731H 50cm, colour packaging

Adapter 13 Multicon WEST → 13 DIN
 Adapter 13 Multicon WEST → 13 DIN
 Adapter 13 Multicon WEST → 13 DIN
 Adaptateur 13 Multicon WEST → 13 DIN



Extension lead 13 DIN - 13 DIN

4701940 7.5mtr

Verlengkabel
 Extension lead
 Verlängerungskabel
 Prolongateur

Technical specifications
 7.5mtr, 3x2.5mm² neoprene

Extension lead for maintaining constant power after uncoupling the caravan





HABA

happy
campers





Steps

Darwin XL

NEW!

- a 74000085
- b 7401086H
- c 7401087H

Aluminium step, 414x455x250mm
Replacement caps for Darwin XL, set of 4 pieces
Stepfoot Darwin (XL)/London, set of 4 pieces

Extra brede opstap
Extra wide step
Extra breitestufe
Marchepied extra larges

Technical specifications
Max. allowable weight: 150kg



Instruction video Darwin stepfoot



Darwin

- 7401085
- 7401086H
- 7401087

Aluminium step, 650x430x382mm
Replacement caps for Darwin, set of 4 pieces
Stepfoot Darwin/London, set of 4 pieces

Opstap
Step
Triffstufe
Marchepied

Technical specifications
Max. allowable weight: 150kg



Instruction video Darwin stepfoot



London

- a 7401045
- b 7401086H
- c 7401087

Aluminium step, 414x455x250mm
Replacement caps for London, set of 4 pieces
Stepfoot London/Darwin, set of 4 pieces

Opstap
Step
Triffstufe
Marchepied

Technical specifications
Max. allowable weight: 150kg



Instruction video London stepfoot



Step support Darwin & Bermuda

- 7401035
- 7401036

Step support **Darwin**
Step support **Bermuda**

Opzetbeugel voor dubbele opstap Darwin of Bermuda
Step support for double step Darwin or Bermuda
Halierung für Trittstufe Darwin oder Bermuda
Rampe spécialement conçue pour le montage sur le marchepied Darwin ou Bermuda

Technical specifications
Dismountable
Can be placed on the left or the right side
For safe entering and exiting
640x1260x30mm





Bermuda

- 7401080** Steel step, 634x381x380mm
- 7401081H** Replacement caps for Bermuda, set of 4 pieces
- 7401082** Stepfoot Bermuda, set of 4 pieces

Opstap
Step
Triffstufe
Marchepied

Technical specifications
Max. allowable weight: 150kg



Step support Bermuda

- 7401036** Step support **Bermuda**

Opzetbeugel voor dubbele opstap Darwin of Bermuda
Step support for double step Darwin or Bermuda
Halierung für Trittstufe Darwin oder Bermuda
Rampe spécialement conçue pour le montage sur le marchepied Darwin ou Bermuda

Technical specifications
Dismountable
Can be placed on the left or the right side
For safe entering and exiting
640x1260x30mm



Sydney

- 7401050** Steel step, 390x380x245mm
- 7401051H** Replacement caps for Sydney, set of 4 pieces
- 7401062** Stepfoot Burton, set of 4 pieces

Opstap
Step
Triffstufe
Marchepied

Technical specifications
Max. allowable weight: 150kg



Victoria & Victoria XL

- 7401000** Victoria
- 7401005** Victoria XL

Opvouwbare aluminium opstap
Foldable aluminium step
Faltbare Aluminium Trittstufe
Marchepied pliable en aluminium

Technical specifications
Max. 150kg, large non skid stepping surface
7401000
Folded 480x300x72mm
Unfolded 615x400x230mm
7401005
Folded 620x370x72mm
Unfolded 740x470x230mm



Dublin

7401020 Double plastic step

Dubbele kunststof opstap
Double plastic step
Doppel plastic Trittstufe
Marchepied double en plastic

Technical specifications
Max. allowable weight: 200kg
630x540x390mm



Fixate the step to the ground



Adelaide

7401015 Plastic step

Opvouwbare kunststof opstap
Foldable plastic step
Faltbare Kunststoff Trittstufe
Marchepied pliable en plastique

Technical specifications
Max. allowable weight: 150kg
Folded 513x278x84mm
Unfolded 415x275x250mm



Auckland

7401065 Plastic step

Robuuste kunststof opstap
Robust plastic step
Robuste Kunststoff Trittstufe
Marchepied robuste en plastique

Technical specifications
Max. allowable weight: 200kg
580x480x235mm



With holes to secure the step to the ground with tent pegs



Stepfoot Burton

● **7401062** Set of 4 pieces

Geschikt voor opstapjes en tafelpoten met max. diameter 25mm
Suitable for steps and table-legs with max. diameter of 25mm
Geeignet für Trittstufe und Tischfüsse mit max. Diameter 25mm
Convient aux marchepieds et pieds de table avec diametre max. 25mm



Stepfoot Bermuda

● **7401082** Set of 4 pieces, Ø8cm

Instelbaar voetje voor opstap Bermuda
Adjustable feet for step Bermuda
Verstelbarer Füss für Trittstufe Bermuda
Piedestal adjustable pour marchepied Bermuda



Stepfoot London/Darwin (XL)

● **7401087** Set of 4 pieces, Ø8cm

Instelbaar voetje voor opstap London/Darwin (XL)
Adjustable feet for step London/Darwin (XL)
Verstelbarer Füss für Trittstufe London/Darwin (XL)
Piedestal adjustable pour marchepied London/Darwin (XL)



Instruction
video London
stepfoot



Ferrera

● **7401025** Step mat

Opstap mat voor enkele en dubbele opstap
Step mat for single and double step
Trittstufenteppisch für (Doppel) Trittstufe
Tapis antidérapant pour marchepied (double)

Technical specifications

450x360x4.5mm
Step surface min. dimensions: 360x170mm
Step surface max. dimensions: 360x410mm



Easily adjustable
through 2 springs

HABA

happy
campers





Trailer parts

Clamp

7406000 48mm
7405090 35mm

Neuswielklem
Clamp
Klemmbock
Collier



Jockey wheel holder for rotary dryer

7203060

Chassishouder voor droogmolen of schotel antenne
Jockey wheel holder for rotary dryer or satellite dish
Deichselhalterung für Wäschespinnre oder Satellitenschüssel
Support de séchoir parapluie ou antenne parabolique à fixer sur la flèche



Better stability with the 2 adjustable winged nuts



Security cable 1mtr

7206200 1mtr
7206200H 1mtr, colour packaging
7206210 Spare ring



Fast connect security cable 1mtr

7206220 1mtr
7206220H 1mtr, colour packaging

Brekkabel
Brake cable
Abreisseil
Câble rupture

much quicker and easier to attach and detach



Spare wheel

7405020

Luchtbandwiel 15"
Pneumatic wheel 15"
Luftreifenrad 15"
Roue gonflable 15"

Technical specifications
Ø85x190mm, size of shaft Ø18mm





Buffer block

7407000	Polyurethane, blue, 130x100x35mm
7407010	Rubber, black, 130x100x35mm
7407020	Polyurethane, blue, 300x100x35mm
7407030	Rubber, black, 300x100x35mm

Kussenblok
Buffer block
Bootsauflage
Patin

Technical specifications

Outer diameter: Ø28mm
Inner diameter: Ø11mm



V-Keel roller

7407040	Polyurethane V-Keel roller, blue
7407050	Rubber V-Keel roller, black

V-kielrol
V-Keel roller
V-Kielrolle
Diabolo

Technical specifications

Axel tube metal, 190xØ85mm
Inner diameter: Ø20mm



Wobble roller

7407060	Polyurethane wobble roller, blue
7407070	Rubber wobble roller, black

Kimrol
Wobble rol
Trailerrolle
Galet

Technical specifications

Axel tube metal, 115xØ86mm
Inner diameter 7407060: Ø20mm
Inner diameter 7407070: Ø19mm



Wobble roller

7407080	Polyurethane wobble roller
----------------	----------------------------

Polyurethaan kimrol
Polyurethane wobble roller
Polyurethan Trailerrolle
Polyuréthane galet

Technical specifications

Axel tube PVC, 110xØ75mm
Inner diameter: Ø63mm



HABA

happy campers

King H. Standard Queen	
1000A 2000A15A	
WIDEOPENAIR AIRBEDI	
	1200 kg
	kg
1 -	1200 kg
2 -	kg
3 -	kg





Chassis components

Electric jackhandle adapter

● 7203300H	33cm	19mm
● 7203310H	33cm	23mm
● 7203320H	55cm	19mm

Boormachine-adapter
Electric jackhandle adapter
Bohrmaschineadapter
Clé à douilles pour visseuse



Jackhandle

7207030	85cm	19mm
7207040	65cm	19mm

Uitdraaislinger
Jackhandle
Handkurbel
Vilebrequin



Wheel tool telescopic

● 7207130H	Assistent 17/19mm, 21/23mm
-------------------	----------------------------

Telescopisch wielsleutel
Wheel tool telescopic
Radmutternschüssel ausziehbar
Clé télescopique



Toli

● 7206030	Scissor jack
7206031	Loose wrench

Schaarkrik
Scissor jack
Scherenwagenheber
Cric losange

Technical specifications
100-350mm
Max. 1000kg



Chassis components by HABA



Carajack

- **7401100** 4 pieces, height adjustable
- **7401120** 2 pieces, height adjustable

Aluminium assteunen
Aluminium supports
Aluminium Stützbock
Chandelle aluminium

Technical specifications

Height adjustable 280-420mm
1 piece = Max. 1000kg



ECO - Jack

- **7401110** 4 pieces, height adjustable

Kunststof assteunen
Plastic supports
Kunststoff Stützbock
Chandelle en plastique

Technical specifications

Height adjustable 250-420mm
1 piece = Max. 750kg
4 pieces



Liftboy 1 & stability support

- **7206040** Liftboy 1

Hydraulische potkrik
Hydraulic bottle jack
Hydraulischer Wagenheber
Cric hydraulique

Technical specifications
2000kg, 148-278mm

- **7206041** Standard, adapter for Liftboy 1
- **7206042** Large, adapter for Liftboy 1 + Liftboy 4

Opzetstuk voor Liftboy 1
Adapter for Liftboy 1
Adapterstück für Liftboy 1
Adaptateur pour Liftboy 1



Standard



Large



Liftboy 4

- **7206060** Liftboy 4

Hydraulische potkrik
Hydraulic bottle jack
Hydraulischer Wagenheber
Cric hydraulique

Technical specifications

Max. 4000kg
Lifting height 180-340mm



Carafoot

- **7601100** 4 pieces
- **7601109** Loose plastic pin

Set van 4 stuks Carafoot voor uitdraaisteunen
Set of 4 pieces of Carafoot for corner steadies
Set von 4 Stück Carafoot für Ausdrehstützen
Set de 4 pièces Carafoot pour vérins

Quick and easy to fit
Strong and robust design
Suitable for heavy corner steady
With antstrap




Carastack

- **7601050** 4 pieces for art. 7601100

Set van 4 ophoogblokken voor Carafoot
Set of 4 stacking feet for Carafoot
Set von 4 Erhöhungböcke zu Carafoot
4 blocs de réhaussement pour calles Carafoot

Technical specifications

Max. allowable weight 850kg per stack
Height max. 17cm
170x140x43mm



Providing a stable base for your caravan


Jumbo Carafoot

- **7600900** 4 pieces

Zware uitvoering en voorzien van stalen pen met beveiliging
Heavy duty version with steel pin and safety clip
Schwere Ausführung mit Stahlstift und Sicherheitspin
Version robuste avec goupille et tige en acier

Technical specifications

Max. allowable weight 850kg per Jumbo Carafoot
With antstrap and steel pin
210x150x45mm



For optimal stability

Chassis components by HABA




Carafoot Plus

- **7601000** 4 pieces
- 7601009** pin + clip for Carafoot Plus

Zware uitvoering en voorzien van stalen pen met beveiliging
Heavy duty version with steel pin and safety clip
Schwere Ausführung mit Stahlstiften und Sicherheitspin
Version robuste avec goupille et tige en acier

Technical specifications

Max. allowable weight 850kg per Carafoot Plus,
with anti-sliding surface, antstrap and steel pin,
177x142x45mm



How to install the Carafoot?



Hold the Carafoot Plus in position
under the caravan support



Insert the metal pin



Secure the metal pin with the clip



The result



Instruction video
Carafoot Plus + Carastack Plus



Carastack Plus

- **7601060** 4 pieces for art. 7601000

Set ophoogblokken voor Carafoot Plus
Set of 4 stacking feet for Carafoot Plus
Set von 4 Erhöhungsböcke zu Carafoot Plus
4 blocs de réhaussement pour calles Carafoot Plus

Technical specifications

Max. allowable weight 850kg per stack
Height max. 18cm
175x140x45mm



How to install the Carastack on the Carafoot?



For safe levelling, please consider
the Carafoot Plus in combination
with the Carastack Plus



Click the Carastack Plus in the
Carafoot Plus



You can level as high as you like



Instruction video
Carafoot Plus + Carastack Plus




Water leveller

- 7203100 Water leveller
- 7203100H colour packaging
- 7203110 Magnetic water leveller
- 7203110H Magnetic water leveller, colour packaging

Waterpas
Water leveller
Wasserwaage
Niveau à bulle

Technical specifications
44x50mm



Magnetic water leveller

- 7203120
- 7203120H colour packaging

Magnetische waterpas
Magnetic water leveller
Magnetische Wasserwaage
Niveau à bulle magnetique

Technical specifications
100x47x20mm



Towbar pressure

- 7203005 Towbar pressure measurement

Disselweger
Towbar pressure measurement
Deichselwaage
Pèse flèche

Technical specifications
Measuring range: 0-100kg
425x41x41mm

Alparmeter

- 7203015 Towbar pressure measurement set

For safer usage, with steady foot, adapter and storage bag

Disselweger
Towbar pressure measurement
Deichselwaage
Pèse flèche

Technical specifications
Measuring range: 50-100kg
430x159mm



Detroit

- 7203020 Towbar pressure measurement

Aluminium, extra strong

Disselweger
Towbar pressure measurement
Deichselwaage
Pèse flèche

Technical specifications
Measuring range: 0-100kg
425x40x40mm





HABA

happy
campers





Security and Safety

Bari digital tyre pressure gauge

7203040 Max. 7 bar

Digitale bandenspanningsmeter
Digital tyre pressure gauge
Digitaler Reifendruckanzeiger
Contrôleur de pression des pneus numérique

Technical specifications
Range 5 - 100PSI or 0.5 - 7 bar
With tyre tread measuring feature profile depth 0-20mm



Tyre pressure gauge

7203010 Max. 7.5 bar

Bandenspanningsmeter
Tyre pressure gauge
Reifendruckanzeiger
Contrôleur de pression des pneus

Technical specifications
Max. 7.5 bar



Double sided marking sign Italy/Spain

7601570 Aluminium

Dubbelzijdig markeerbord voor Italië en Spanje
Double sided marking sign for Italy and Spain
Warnschild zweiseitig für Italien und Spanien
Panneau de signalisation double pour l'Italie et l'Espagne

Technical specifications
With 4 attachment holes to secure the marking sign in place
50x50cm



Seen by blogger ilovecamping.ch

Marking sign

7601550 PVC, with reflectors
7601560 Aluminium, mandatory in Italy

Markeerbord
Marking sign
Warnschild
Panneau de signalisation

Technical specifications
With 4 attachment holes to secure the marking sign in place
50x50cm



Mandatory in Italy

Security and safety by HABA



Bastia bumper protector

7206300

High density foam

Dient ter bescherming van de bumper tijdens het aan-afkoppelen van de caravan of als kniebescherming tijdens het knielen,

Serves as protection for the bumper during the coupling-decoupling of the caravan or as protection for the knees during kneeling.

Dient als Schutz für die Stoßstange beim dem (Ent-) kuppeln des Wohnwagens oder als Schutz für das Knie.

Sert de protection pour pare-chocs au cours de l'accouplement-découplage de la caravane ou comme protection pour les genoux en se mettant à genoux.

Technical specifications

342x348x16mm



'Reserved' sign board

7601610

Plastic

Markeerbord 'Reserved' met handige handgreep

Sign board 'Reserved' with handy top grip

Schild 'Reserved' mit Handgriff

Panneau de stationnement réservé avec poignée

Technical specifications

Plastic, yellow

Folded 305x30x635mm

Unfolded 305x400x585mm



Yellow sign to mark the camping place as 'Reserved' when temporarily leaving the camping place



Scare crow

7601700

Meeuwenverschrikker

Scare crow

Möwenschreck

Epouvantail optique




Siena

● **7601710H** Door catch

Deurvanger
Door catch
Türfänger
Attrape-porte

Technical specifications

70x40x30mm
Max. opening angle 60 degrees




NEW!

Cilinder lock

Unpacked Colour packaging

7206240	● 7206240H	AKS 1300
7206250	● 7206250H	AK7
7206260	● 7206260H	AK13
7206270	● 7206270H	Berndes small

Insteekslot
Cilinder lock
Steckschlösser
Barillet antivol



Saca & Saca digital

● **7204600** Saca safe
● **7204609** Extra holder for Saca safe

Kluis met houder
Safe with holder
Tresor mit Halterung
Coffre fort avec support

Technical specifications
Internal dimensions: 167x140x40mm
Outside dimensions: 203x158x80mm



Saca

● **7204630** Saca digital, 172x230x171mm

Digitale kluis
Digital safe
Digitaler Tresor
Coffre fort à serrure électronique

Technical specifications
Internal dimensions: 162x167x125mm
Outside dimensions: 167x225x125mm



Saca digital



Fort Knox safe

● **7204640**

Digitale kluis met bovenopening
Digital safe with top opening
Digitaler Tresor
Coffre-fort numérique avec clé

Technical specifications

Length security cable: 90cm
Internal dimensions: 320x230x50mm
Outside dimensions: 330x255x80mm
For safe storing of for example an iPad.
Includes security cable. Can also be opened with a key.



Instruction
video Fort
Knox safe





Caraloc 640 door lock

7201150

Type 640

Deurslot
Door lock
Türschloss
Serrure caraloc

Technical specifications
79x165x102mm
Plastic



NEW!

Door lock


7201000
7201000H

Type 700

Type 700, colour packaging

Deurslot
Door lock
Türschloss
Serrure caraloc

Technical specifications
110x52x38mm



Door lock

7201050
7201050H

Type 400

Type 400, colour packaging

Deurslot
Door lock
Türschloss
Serrure caraloc

Technical specifications
110x52x38mm



Door lock

7201110
7201110H

Type 680

Type 680, colour packaging

Deurslot
Door lock
Türschloss
Serrure caraloc

Technical specifications
59x62x41mm



Simsafe

7204161 4 locking holes

Koppelingslot inclusief discusslot
Coupling-lock including padlock
Kupplungsschloss inkl. Diskusschloss
Antivol pour tête d'attelage, cadenas incl

Technical specifications
175x110x26mm




Calabria hinged coupling lock

7204130

Scharnierend koppelingslot inclusief discusslot
Hinged coupling-lock including padlock
Kupplungsschloss inkl. Diskusschloss
Antivol pour tête d'attelage, cadenas inclu

Technical specifications
200x100x100mm

The coupling lock is quick and easy to install because of the 2 separate shells.
Even with the trail or caravan connected, for example on a parking spot.



Economy lock

7204143

Koppelingslot inclusief discusslot
Coupling-lock including padlock
Kupplungsschloss inkl. Diskusschloss
Antivol pour tête d'attelage, cadenas incl

Technical specifications
228x110x107mm




Alu-King & Alu-Queen

7204150H Alu-King
7204190H Alu-Queen

Koppelingslot
Coupling-lock
Kupplungsschloss
Antivol pour tête d'attelage



Alu-King



Alu-Queen



Instruction video
Alu-Queen





Venus

● 7204300

Wielklem
Wheel clamp
Radkralle
Antivol de roue



Padlock 20/70

● 7204470

20/70

Discusslot
Padlock
Diskus-Schloss
Cadenas



Doorframe EDU 350

- **4605553** White
- **4605583** Beige

Deur EDU 350
Doorframe EDU 350
Einbaurahmen EDU 350
Portillon EDU 350

Technical specifications

403x335mm
Built in: 365x296mm
Opening: 338x265mm



Doorframe EDU 575/800

- **4605323** EDU 575, white
- **4605413** EDU 800, white

Deur EDU 575/800
Doorframe EDU 575/800
Einbaurahmen EDU 575/800
Portillon EDU 575/800

Technical specifications

4605323
595x315mm
Built in: 552x277mm
Opening: 530x252mm

4605413
840x345mm
Built in: 800x300mm
Opening: 780x280mm



Doorframe ATHOS 575/800

- **4605623** ATHOS 575, white
- **4605603** ATHOS 800, white
- **4605633** ATHOS 800, beige

Deur EDU 575/800
Doorframe EDU 575/800
Einbaurahmen EDU 575/800
Portillon EDU 575/800

Technical specifications

4605623
595x315mm
Built in: 552x277mm
Opening: 530x252mm

4605633
840x345mm
Built in: 800x300mm
Opening: 780x280mm



Lock & rubber for doorframe

- 4605270** Lock for doorframe
- 4605391** Rubber for EDU 575/800
- 4605392** Rubber for ATHOS 575/800

Slotje en afdichtingsrubber voor deur
Lock and rubber for doorframe
Schloss und Gummidichtung für Einbaurahmen
Serrure et joint pour portillon





Mini smoke detector

7704110H

Kleine rookmelder
Mini smoke detector
Rauchmelder Klein
Détecteur de fumée petit

Technical specifications

Power: DC9V 3x CR2450
Power consumption in standby mode: $\leq 10\mu A$
Power consumption in alarm mode: $\leq 20mA$
Alarm signal: $\geq 85dB/3m$
Used standard: EN14604
Maximum surface to protect: $80m^2$
Low battery signal: Yes (sound)
Outside dimensions: $\varnothing 72 \times 37mm$




Carbon monoxide detector

7704100H

Koolmonoxide detector
Carbon monoxide detector
CO-Melder
CO détecteur

Technical specifications

Power: 2x batteries type AAA 1.5V
Power consumption in standby mode: $4\mu A$
Alarm signal: 85 dB at 1m
Ambient humidity: 15% to 90%.
Dimensions: $\varnothing 68mm \times 35mm$



Emergency kit

7704200

Complete EHBO set
Complete emergency kit
Umfangreiches Set mit Verband und Erste Hilfe Material
Trousse de secours complète

Technical specifications

29 items
 $170 \times 125 \times 55mm$



Compact and handy
for travelling!



Stagri

● **7205800** Set of 2 pieces

Rijplaten met profiel voor probleemloos wegrijden in de modder/sneeuw
Grip track with profile for effortless drive off in mud/snow
Auffahrplatten mit Rutsch-Schutzsystem
Plaques antidérapant à traction élevée

Technical specifications
735x225mm



Jumbo leveller

● **7206022** Set of 2 pieces

Set wiellevellers
Set wheel levellers
Set Auffahrkeile
Ensemble de câles

Technical specifications
Max. 2500kg per piece
525x170x110mm



Jumbo level chock

● **7206024** Set of 2 pieces

Opzetstuk voor wielkeg te gebruiken icm Art. 7206022
Leveller wheel chock, to be used with Art. 7206022
Blockierkeil für Art. 7206022
Butée pour blocage des roues, à utiliser avec Art. 7206022

Technical specifications
133x127x108mm





HABA

happy
campers





Awning & Tent accessories

Sunnywarm 10

7801160 600W

Klein model elektrische kachel
Small model electric heater
Klein Model Elektrisches Heizelement
Petit chauffage électrique

Technical specifications

230V AC
Colour: white/black, 185x118x100mm



Ideal for caravan/camper/tent



Automatic switch off system
when unit tips over

Sunnywarm 20

7801180 600-1200W

Keramische kachel
Ceramic heater
Keramische Heizung
Chauffage céramique

Technical specifications

230V AC
Power consumption position I: 600W
Power consumption position II: 1200W
Colour of housing: black
180x240x120mm



Wide oscillation angle
 $\pm 90^\circ$


Sunnywarm 30

7801140 300-600W

Elektrische quartz kachel
Electric quartz heater
Elektrisches quartz Heizelement
Chauffage quartz électrique

Technical specifications

230V AC
Power consumption position I: 300W
Power consumption position II: 300W
Power consumption position I+II: 600W
Colour: white, 240x130x320mm



Automatic switch off system
when unit tips over

Sunnywarm 70

7801070 500-1000W

Keramische kachel
Ceramic heater
Keramische Heizung
Chauffage céramique

Technical specifications

230V AC, 1000 Watt
3 positions: Fan / 500W / 1000W
Type of heating element: PTC ceramic heating
Length connection wire: 1.5m
Colour: silver grey and black
150x92x210mm



Adjustable thermostat



Position 0	OFF
Position I	fan
Position II	500W
	1000W



Sunnywarm 360

7801190

Ceramic heater

Keramische kachel
Ceramic heater
Keramischer Heizstrahler
Chauffage en céramique

Technical specifications

220-240V AC
Max. power consumption: 1200W
Tipp over switch and thermal protection
With timer function
Black, 140x140x220mm



Set a temperature
with + and - between
16° and 37°



Display shows
ambient temperature

3 Modes:
Hot, warm and fan only



Wide oscillation angle
 $\pm 70^\circ$

NEW!

Livorno heatable mat

7401096

Grey blue/blue grey

Verwarmbare mat
Heatable mat
Heizteppich
Tapis chauffant

Technical specifications

230V DC, 60W
Max. temperature 45°C
Cable length 150cm
510x430x8mm



Reversible to fit your interior
one side blue - one side grey

8-hook-organizer

7601660

Grey/black

8-hook-organizer Plus

7601665

Grey/black


Kapstok te bevestigen aan tentstok middels klitteband
Coat rack to be mounted to the tent pole with Velcro
Hakenleiste mit 8 Haken, Befestigung Klettband
Bande portemanteau, système de fixation bande Velcro

Technical specifications

7601660: 580x95mm
7601665: 580x150x3mm, with strong metal hooks



8-hook-organizer



8-hook-organizer Plus

Broader surface for attachment
to tent poles up to 36mm

Coat rack slide

7601690H

Kapstok voor rail systeem
Coat rack for rail system
Kleiderhänger für Rail System
Portemanteau de system rail

Technical specifications

PVC, 4 detachable hooks
150x75x25mm



Hektor spanning tool for tentframe

● **5101180** Plastic/metal

Tentstok spanner voor tentstokken
Spanning tool for tentframe
Vorzelt-Gestängespanner
Tendeur armature d'auvent

Technical specifications

To bring the tentframe to tension
Diameter tentpole max. 28mm
425x50x200mm



Instruction video
Hektor spanning tool



Tentpole clamp

- **5101470** 19-22mm, per piece
- **5101470H** 19-22mm, set of 3 pieces, colour packaging
- **5101475** 23-25mm, per piece
- **5101475H** 23-25mm, set of 3 pieces, colour packaging
- **5101480** 25-27mm, per piece
- **5101480H** 25-27mm, set of 3 pieces, colour packaging
- **5101485** 28-31mm, per piece
- **5101485H** 28-31mm, set of 3 pieces, colour packaging

Tentbuis klem
Tentpole clamp
Klemme für Zeltgestänge
Collier pour armature d'auvent



Open
You can place
the poles in position



Closed
Poles are fixed
in position



Twist tentpole hanger

● **7601620**

Tentstokhanger
Tentpole hanger
Zeltstangenaufhänger
Pendentif de mât de tente

Technical specifications
PVC coated metal
275x55mm

Ø40mm



Ø43mm






Peg extractor

● 5101190

Haringtrekker
Peg extractor
Heringauszieher
Extracteur de piquet

Technical specifications

Adjustable in length: 430 - 660mm



Tent peg camping set

5101800

Complete kampeerset tentharingen
Tent peg camping set
Zeltzubehör-Set
Set de camping piquet assortiment

Camping set includes

20 pieces rocky ground tent pegs,
rubber mallet with extractor and
Luxury tent peg bag



Rubber mallet

5101210

heavy duty

Rubber hamer
Rubber mallet
Gummihammer
Maillet caoutchouc



Crocodile tarpclip

● **5102500** Set of 4 pieces

Zeil clip
Tarpclip
Tarpclip
Clips de fixation

Technical specifications

To tighten the tent carpet in the awning



Tension belt set

● **7206100** 50cm, set of 2 pieces
● **7206110** 150cm, set of 2 pieces

Spanriemset
Tension belt set
Spanngurtsatz
Ensemble de ceintures tension

Technical specifications

Material clip: galvanized iron
Material strip: nylon
7206100: 500x35x18mm
7206110: 1500x35x18mm




Protection set

● **7601200** Set of 3 pieces

Universele beschermhoes
Protection set
Schütz-Set
Goussets de protection

The perfect addition to the tent-safe prevents wear and tear to awnings.





Thu-Fia tie down set

● 7601195

Stormbanden set voor luifel
Tie down set for canopy
Dachhalteband Satz für Markise
Hauban anti tempête pour marquise

Tie down set includes:

2 strong tent pegs with welded eye
2 tension springs
2 tie down straps with vinyl coated hook
2 triangular TC fabrics with metal buckles



Unica

● 7601175

Universele stormbanden set
Universal tie down set
Universeller Dachhalteband
Hauban anti tempête

Technical specifications

To be used for canopy and awning
Length of tie down straps 5.2m




Suitable for model

- ✓ Thule omnistor
- ✓ Fiamma
- ✓ Prostor



Suitable for model

- ✓ Isabella
- ✓ Doréma
- ✓ Other



Tentsafe Plus

● 7601156

12.5 mtr

Voor voortenten tot 7.5 mtr
For awnings up to 7.5 mtr
Für Zelte bis 7.5 mtr
Pour auvents jusqu'à 7.5 mtr

Technical specifications

Protection set included



Tentsafe

● 7601150

12.5 mtr

● 7601155

12.5 mtr/ FLUO

Voor voortenten tot 7.5 mtr
For awnings up to 7.5 mtr
Für Zelte bis 7.5 mtr
Pour auvents jusqu'à 7.5 mtr

7601260

Peg (spare part)

7601270

Spring (spare part)



Peco tentpeg protector

● **5101900** set of 8 pieces

Tentpennings afdekker, ter bescherming van voeten
Tentpeg cover, protection for feet
Zelthering Abdeckung, Unfallschutz
Couvreur de piquet, protège vis pieds


Technical specifications
56x28mm



Tent pegs rocky hard ground

● **5100060** 20 pieces, in case

Tentpennen hardground
Tent pegs hardground
Zeltplöcke Hardground
Piquets de tente hardground




Ideal for medium to hard ground

Tent pegs rocky ground

● **5100090** 20 pieces, in case

Tentpennen rocky ground
Tent pegs rocky ground
Zeltplöcke rocky Ground
Piquets de tente rocky ground




Ideal for hard to rocky ground

Tent pegs drill

● **5100115** 20 pieces, with drill adapter, in case

Tentpennen drill
Tent pegs drill
Zeltplöcke drill
Piquets de tente vissable

5100100 drill adapter
5100100H drill adapter, colour packaging






Mont Blanc strong tent peg

5100098

All, except rocky ground, per piece

Zeer stevige haring met een aangelast "oog" voor stormbandveer
 Very strong tent peg with welded "eye" for awning tie-down spring
 Sehr starker Hering mit verschweißter "Öse" für Sturmabspannfeder
 Piquet très robuste avec oeillet soudé pour resort hauban anti tempête




Blue screw ground anchors

5100010

Set of 4 pieces, packed

Kunststof grond anker
 Plastic ground anchor
 Kunststoff Schraubankers
 Piquet d'ancrage à vis




Ideal for sandy ground

Blue screw ground anchors

5100020

Set of 2 pieces, packed

Kunststof grond anker
 Plastic ground anchor
 Kunststoff Schraubankers
 Piquet d'ancrage à vis



Ideal for sandy ground

HABA

happy
campers





Domestic

3-in-1 TV support solution

● 4507100


TV steun met montageplaat
TV support with mounting plate
TV-Halterung mit Montageplatte
Support TV avec plaque de montage

Technical specifications

Max. 15 kg
Suitable for display size: 15"-27"
VESA standard: 75 and 100
With complete mounting set:
Mounting backplate, bolts in 3 sizes,
intergrated water leveller, fixing screws
for television.



The support can be folded in and secured during driving
Through smart design, the TV support **can be used in 3 different lengths**



Folded in and secured while driving



The "arms" can be put in various positions and interconnect by fastening the screwnuts



Mounting plate



Tv support holder with leveller



Instruction video
3-in-1 TV support solution



Flatscreen 1

● 4507030

TV steun
TV support
TV-Halterung
Support TV

Technical specifications

Max. 15kg, turnable 65°
87x150x150mm





Mistral hairdryer 12V

● 7703000

Föhn 12V
Hairdryer 12V
Haartrockner 12V
Sèche-cheveux 12V

Technical specifications

12V DC, 150W
Max. temperature 60°C
Cable length: 140cm
Dimensions unfolded: 155x60x118mm
Dimensions folded: 95x60x118mm



Folded



Switch

- 2 cold air
- 1 hot air
- 0 OFF

Vienna vacuum cleaner 12V

● 7701700

Stofzuiger 12V
Vacuum cleaner 12V
Staubsauger 12V
Aspirateur 12V

Technical specifications

12V DC, 60W, wire length 5m
385x120x115mm



12V plug with LED



Opens the dust reservoir

ON/OFF switch



Washable filter

Caldera water boiler 12V

● 7702600

Waterkoker
Water boiler
Wasserkocher
Bouilloire électrique

Technical specifications

12V DC, 150W, 1ltr
183x185mm



Coffeemaker with pot 12V

● 7702500

Koffiezetter met kan
Coffeemaker with pot
Kaffeemaschine mit Kanne
Cafetière avec pot

Technical specifications

12V DC, 170W, filling max. 6 cups,
255x145x190mm



12V plug

Content



Filterbag



Scoop



Zerbino

● **7602540** Foldable trash can

Uitvouwbare prullenbak
Foldable trash can
Faltbarer Mülleimer
Poubelle pliable

Technical specifications
9ltr
Unfolded: 245x180x285mm
Folded: 245x95x285mm

Ideal for camping! Compact!



NEW!



Dismountable trash bin 60L

● **7602500**

Demontabele afvalbak
Dismountable trash bin
Demontierbarer Mülleimer
Poubelle démontable

Technical specifications
60ltr
Mounted size: 327x278x660mm
Dismounted size: 327x278x80mm

Ideal for camping! Compact!



Lucca waste bin 4.5L

● **7602510** White
● **7602511** Mounting strip (spare part)

Afvalbak
Trash bin
Mülleimer
Poubelle

Technical specifications
4.5ltr, easy mounting to a door
270x247x138mm



Torino waste bin 8L

● **7602530**

Afvalbak
Trash bin
Mülleimer
Poubelle

Technical specifications
8 ltr
270x300x160mm

Heavy duty trash bin with
2 different types of mounting
systems for caravan and awning



How to install the Torino

With the bracket, with
3 screws (not included)



With the hanging system
Suitable for cabinets or
tent poles up to 32mm





Gardia

● 8402070

Coconut mat

Kokosmat
Coconut mat
Kokosmatte
Tapis coco

Technical specifications

Coconut fibre
250x500x12 mm




NEW!

Brushy

● 8402050

Schoenenborstel
Shoe brush
Schuhbürste
Brosse à chaussures



Quick-clean

● 7701600

Demontabele stoffer en blik
Dismountable brush and dustpan
Demontierbarer Wischer-Set
Ensemble balayette démontable

Technical specifications

Outside dimensions dust pan: 255x240x1140mm
Outside dimensions brush: 170x43x1085mm
Disassembled dimensions: 255x80x440mm



With handy foldable dust pan



Venezia toilet brush with holder

● 7701620

Toiletborstel mini met houder
Toilet brush mini with holder
Toilettenbürstengarnitur mini
Brosse de toilette ensemble

Technical specifications

Holder: 80x73x225mm
Brush length: 225mm



Rubber caps for pan carrier

● **7602150H** 8 stuks/pieces/Stück/pièces

Rubberen dopjes voor pannendrager fornuis
Rubber caps for the pan carrier of the cooker
Gummikappen für den Pan-Träger des Herdes
Capuchons en caoutchouc pour la grille de poêle de la cuisinière

Technical specifications

Rubber, black
Ø9.5x7.5mm

The rubber caps are suitable for almost all pan carriers of cooker brands Dometic/Smev/Thetford



Cover caps

● **7602160H** 8 stuks/pieces/Stück/pièces

Afdekdopjes
Cover caps
Abdeckkappen
Capuchons couverts

Technical specifications

Rubber, black
Ø11.5x5mm

The cover caps are suitable for covering up the screwpoints on almost all cookers of the brands Dometic/Smev/Thetford



Cutlery set 24 pieces

● **7601900**

24-delige bestekset in hersluitbare kunststof koker
Cutlery set 24 pieces in resealable plastic tubular case
24-teilige Bestecksatz in verschließbarer kunststoff Köcher
Ensemble de couverts 24 pièces dans tube plastique refermable

Set includes

6x fork
6x knife
6x spoon
6x small spoon




Florence foam holder

● **7602250**

Houder foam voor glazen of kopjes
Foam holder for glasses/cups
Glasshalterung aus Foam
Porte verre en mousse

Technical specifications

To store 12 glasses/cups varying in size
Fits any kitchen cupboard






Cutlery tray model A

7601800 Per 5 pieces

Bestekbak
Cutlery tray
Besteckkasten
Range-couverts

Technical specifications
328x290x47mm




Cutlery tray model

7601810 Model B, per 5 pieces
7601820 Model C, per 5 pieces

Bestekbak
Cutlery tray
Besteckkasten
Range-couverts

Technical specifications
7601810: 330x96x52mm
7601820: 248x172x52mm



Cutlery tray model E

7601840

Bestekbak uitschuifbaar
Cutlery tray extendable
Besteckkasten ausziehbar
Range-couverts extensible

Technical information
380x290x63mm - 380x475x63mm





Anti slip mat

7602100 Light grey, per piece
7602110 White, per piece
7602120 Blue, per piece

Anti slip mat
Non-skid mat
Anti Rutschmatte
Tapis anti-dérapant

Technical specifications
Prevents shifting during driving
30x150cm



Savona dish clamp

● 7601750H

Serviesklem
Dish clamp
Geschirr Clip
Clip vaisselle

Technical specifications
265x210mm
Adjustable in height
Including 2x15mm screws
Aluminium frame



Cecina double sided chopping board

● 7601940

Dubbelzijdige snijplank
Double sided chopping board
Schneidebrett zweiseitig
Planche à découper recto-verso

Technical specifications
374x245x26mm
With raised edges and points for fixation



Juices from cutting collect at this lower parts



Small spikes to have extra grip on the meat



Hold it! Locking bracket

● 7601760H 29.5-40cm, set of 3
● 7601770H 42.5-70cm, set of 3

Vaszetbeugel voor koelkast of kasten
Locking bracket for refrigerator or cabinets
Verriegelungsbügel für Kühlschrank oder Schrank
Support de verrouillage pour réfrigérateur ou cabinets



Hold it twins! Locking bracket

● 7601780H 29.5-40cm, 1 combi
● 7601790H 42.5-70cm, 1 combi

Vaszetbeugel voor koelkast of kasten
Locking bracket for refrigerator or cabinets
Verriegelungsbügel für Kühlschrank oder Schrank
Support de verrouillage pour réfrigérateur ou cabinets





Bottle holder

7602200H 3 positions
7602210H 1 position
7602230H 2 positions

Fles houder
 Bottle holder
 Flaschehalterung
 Range-bouteilles



Wine glass holder

7602220H 3 positions
7602240H 6 positions

Wijnglas houder wandmontage
 Wine glass holder wall mounted
 Weinglashalterung
 Range-verre à vin



Gas bottle holder

8601020H Wall mounted with strap 1250mm

Gasfleshouder met afstandhouder
 Gas bottle holder with spacer
 Gasflaschehalterung mit Abstandstück
 Support bouteille à gaz avec bande d'attache




Napoli

● **6102000** Plastic/metal

Opbergnetje
 Storage net
 Magazine-Organizer
 Filet à bagages

Technical specifications
 310x215x10mm
 Handy storage net to be mounted
 to a cupboard etc.



Tazza

● 7701650H Storage rack

Opbergrek voor de badkamer
Storage rack for the bathroom
Aufbewahrungsbehälter fürs das Badezimmer
Rangement pour la salle de bains

Technical specifications

Max. supported weight 4kg
240x140x140mm



NEW!


Estanto

● 7701652 Storage shelf

Opbergplank voor badkamer accessoires
Storage shelf for bathroom accessories
Ablageregal für Badzubehör
Étagère de rangement pour la salle de bains

Technical specifications

6 Hooks
Max. supported weight 4kg
440x110x190mm



NEW!

Odonto

● 7701651H Toothbrush holder

Tandenborstelhouder voor in de badkamer
Toothbrush holder for the bathroom
Zahnbürstenhalter für das Badezimmer
Porte-brosse à dents pour la salle de bain

Technical specifications

Max. supported weight 3kg
170x118x100mm



NEW!

Catania

● 7701654H Toilet paper holder

Toiletpapierhouder
Toilet paper holder
WC-Papierhalter
Porte-papier hygiénique

Technical specifications

Max. supported weight 3kg
170x130x30mm



NEW!



Gancho

● 7701653H

Hanging hook for the bathroom

Ophanghaak voor de badkamer
Hanging hook for the bathroom
Hängender Haken für das Badezimmer
Crochet de suspension pour la salle de bain

Technical specifications
Max. supported weight 3kg
100x65x45mm



NEW!

Pavia

● 2403090

Verstelbare waslijn met 6 knijpers
Clothesline with 6 clothespins
Wäscheleine mit 6 Wäscheklammern
Corde à linge avec 6 pinches à linge

Technical specifications
Rope length: 4m
Max. allowable weight on rope: 5.5kg
275x55mm



Suction pad



Lincoln

● 2403080

Droogmolen 4-arms met standaard en opbergtas
Rotary dryer 4-arms with stand and storage bag
Wäschespinn 4-Arme inklusive Stativ und Transporttasche
Séchoir parapluie 4-bras avec trépied et sac de rangement

Technical specifications
15m clothesline, with holes for tent pegs



Secure with tent pegs



Malta

● 7601680H


3 pieces

Deurhaken set 3 delig
Door hook set 3 pieces
Türhaken 3-teilig
Ensemble crochets de porte

Technical specifications
Stainless steel, 235x50x80mm
Suitable for cabinets doors with
max. thickness 19mm



With anti-scratch foam



Adjustable
230-355mm



Kanistro

7601970 Foldable basket

Opvouwbare mand
Foldable basket
Faltbarer Korb
Panier pliable

Technical specifications
PP and TPR
White/grey
Folded: 605x400x75mm
Unfolded: 605x400x275mm

Easy foldable, by which the basket takes up little storage space. With robust metal handle



Foldable bucket 10L

7701915

Opvouwbare emmer
Foldable bucket
Faltbarer Eimer
Seau pliable

Technical specifications
PP/thermoplastic rubber,
White/grey
Folded: Ø308x55mm
Unfolded: Ø308x235mm

Easy foldable, by which the bucket takes up little storage space. With robust metal handle



Foldable dish rack

7601925

Opvouwbaar afdruijprek
Foldable dish rack
Faltbarer Geschirrtrockner
Égouttoir pliable

Technical specifications
PP/thermoplastic rubber
White/grey
Folded: 365x315x55mm
Unfolded: 365x315x125mm

Handy foldable dish rack for cutlery, glasses and plates




Serving tray/ water collector

7601930 Serving tray or water collector tray for dish rack art. 7601920

Dienblad of opvangblad voor water van afdruijprek
Serving tray or water collector tray for dish rack
Präsentierteller oder Wasserbehälter für Geschirrablage
Plateau ou bac égouttoir vaisselle

Technical specifications
White/grey
412x287x43mm





Foldable bowl 1.5L

● 7601975

Opvouwbare schaal
Foldable bowl
Faltbare Schale
Saladier pliable

Technical specifications
Silicon material, white/grey
Folded: 230x180x41mm
Unfolded: 230x180x91mm

Ideal for camping! Compact!



Foldable bowl 3L

● 7601980

Opvouwbare schaal
Foldable bowl
Faltbare Schale
Saladier pliable

Technical specifications
Silicon material, white/grey
Folded: 285x222x52mm
Unfolded: 285x222x116mm

Ideal for camping! Compact!



Foldable strainer 1.5L

● 7601985

Opvouwbaar vergiet
Foldable strainer
Faltbares Sieb
Passoire pliable

Technical specifications
Silicon material, white/grey
Folded: 375x193x41mm
Unfolded: 375x193x95mm

Ideal for camping! Compact!



Foldable strainer 3L

● 7601990

Opvouwbaar vergiet
Foldable strainer
Faltbares Sieb
Passoire pliable

Technical specifications
Silicon material, white/grey
Folded: 320x245x58mm
Unfolded: 320x245x115mm

Ideal for camping! Compact!



Northpole

● 7602600

Koelbox standaard
Cooler box stand
Kühlboxständer
Support de glacière

Technical specifications

Height adjustable in 2 positions
Max. 40 kg



Instruction
video
Northpole
cooler box
stand




Cortina insect screen

● 2600100

Hordeur
Insect screen
Fliegentür
Moustiquaire

Technical specifications

Adjustable in length and width



Instruction
video Cortina
insect screen





Alu-Carry 30

● 2300350 Max. 30kg

Bagage trolley
Transport trolley
Transportwagen
Chariot

Technical specifications

Measurements folded: 534x305mm
Measurements base surface: 300x358mm
With spider to secure the load



Alu-Carry 50

● 2300320 Max. 50kg

Bagage trolley
Transport trolley
Transportwagen
Chariot

Technical specifications

Measurements folded: 695x345x45mm
Measurements base surface: 390x200mm



Alu-Carry 70

● 2300370 Max. 70kg

Bagage trolley
Transport trolley
Transportwagen
Chariot

Technical specifications

Measurements folded: 390x635x60mm
Measurements base surface: 390x280mm
With spider to secure the load



Included spider to secure the load



Alu-Carry 80

● 2300380 Max. 80kg

Bagage trolley
Transport trolley
Transportwagen
Chariot

Technical specifications

Measurements folded: 520x380x130mm
Measurements base surface: 520x380x985mm
With 2 spiders to secure the load (75cm and 150cm)



Included spider to secure the load



Bologna cover for hitch

● 7601225

Hoes voor dissel met reflecterende band
Cover for hitch with reflective band
Schutzhülle für Deichsel mit reflektierendem Band
Housse de protection pour timon avec bande reflective

Technical specifications
880x5x670mm



Etracover

● 7601224

Hoes voor dissel
Cover for hitch
Schutzhülle für Deichsel
Housse de protection pour timon

Technical specifications
880x5x670mm



Monza wheel cover

● 7601211

Grey

Wielhoes voor autoband met ogen voor haringen
Wheel cover for car wheel with holes for tentpegs
Rad Abdeckung für Fahrrad mit Heringöse
Housse de roue pour pneu de voiture avec oeilletons de fixation

Technical specifications
Suitable for tyres up to max. 15 inch



Secure with tent pegs



Fiorano wheel cover

● 7601218

Grey

Wielhoes voor autoband met ogen voor haringen
Wheel cover for car wheel with holes for tentpegs
Rad Abdeckung für Fahrrad mit Heringöse
Housse de roue pour pneu de voiture avec oeilletons de fixation

Technical specifications
Suitable for tyres 16 - 17 inch



Secure with tent pegs



Mugello

● 7601219

Thermic wheel cover

Thermische wielhoes voor banden tot 17 inch
Thermic wheel cover for tyres up to 17 inches
Thermo-Radabdeckung für Reifen bis 17 Zoll
Housse de roue thermique pour pneus jusqu'à 17 pouces

Technical specifications

Best suitable for wheelsize: 15-17inch
EVA foam with aluminium foil
840x10x705mm



15-17
inch



Sun reflective



NEW!

Toledo

● 7601228

Sun protective windscreen cover

Zonwerende vooruitscherm
Sun protective windscreen cover
Sonnenschutz Frontscheibenabdeckung
Pare-soleil pare-brise

Technical specifications

Used for: Fiat Ducato vans (2002 and younger)
EVA foam with aluminium foil
3550x1507 mm



Bag included



Sun reflective



NEW!

Sorrento

● 7601250

Bicycle cover

Fietshoes
Bicycle cover
Fahrradabdeckung
Housse de vélo

Technical specifications

Ripstop polyester 200D + PU coating 3000mm
3300x650x800mm



NEW!

Rodi storage bag

● 7601205

Black

Universele opbergtas
Universal storage bag
Universale Aufbewahrtasche
Sac de rangement universelle

Technical specifications

For Tentsafe tie down set and towing mirrors
470x155x190mm, fabric



Chimney

● **7802000** Chimney for models AK-3/AK-5

Schoorsteen voor modellen AK-3/AK-5
Chimney for models AK-3/AK-5
Schornstein für Modelle AK-3/AK-5
Cheminée pour modèles AK-3/AK-5

Technical specifications
PA66, Ø65x150mm



Chimney cap

● **7802050** Chimney cap for models AK-3/AK-5

Schoorsteenkap voor modellen AK-3/AK-5
Chimney cap for models AK-3/AK-5
Kaminhaube für Modelle AK-3/AK-5
Chapeau de cheminée pour AK-3/AK-5

Technical specifications
PA66, Ø99x44mm



Chimney rubber

● **7802100H** Chimney rubber for models AK-3/AK-5

Schoorsteenrubber voor model AK-3 en AK-5
Chimney rubber for model AK-3 and AK-5
Schornstein Gummi für Modell AK-3 und AK-5
Anneau caoutchouc pour cheminée modèle AK-3 et AK-5

Technical specifications
TPR (thermoplastic polyurethane), Ø86x16mm






HABA

happy
campers





Water

Waspa 1

● **2403100** 10L, per 10 pieces in displaybox

Opvouwbare watertank
Foldable waterreservoir
Faltbarer Wasserbehälter
Réservoir à eau pliant



Waspa 2

● **2403110** 15L, per 10 pieces in displaybox

Opvouwbare watertank
Foldable waterreservoir
Faltbarer Wasserbehälter
Réservoir à eau pliant



Waspa 3

● **2403120** 20L, per 10 pieces in displaybox

Opvouwbare watertank
Foldable waterreservoir
Faltbarer Wasserbehälter
Réservoir à eau pliant




Easy-fill

● **2402850** 1m

PVC vulslang voor het vullen van o.a. watertanks
PVC fill-up hose for filling of among other the waterreservoir
Einfüllschlauch für abfüllen des Wassertanks
Tuyau de remplissage pour remplir votre réservoir

Technical specifications
With flexible tap adapter
13-30mm





Corner guide for water hose

2402890H

Kunststof hoekgeleider voor waterslang
Plastic corner guide for water hose
Kunststoff Schlauchführung
Guide de tuyau en plastique

Technical specifications

Angle: 90°
Suitable for hoses with outside
diameter of: Ø10mm to Ø16mm
92x38x16mm

For example in combination with the clear water hose

2402860	100mtr
2402862	2.5mtr
2402865	5mtr



Drinking water hose clear

- 2402860 100mtr
- 2402862 2.5mtr
- 2402865 5mtr

Waterslang transparant
Water hose clear
Wasserschlauch transparent
Tuyaux aliment transparent

Technical specifications

Outside diameter: 14mm
Inside diameter: 10mm
Operating temperatures:
-5 + 65 degrees Celsius



Drinking water hose blue

- 2402870 100mtr
- 2402872 2.5mtr
- 2402875 5mtr

Waterslang blauw
Water hose blue
Wasserschlauch blau
Tuyaux aliment bleu

Technical specifications

Outside diameter: 14mm
Inside diameter: 10mm
Operating temperatures:
-5 + 65 degrees Celsius
Slows down the growth of algae in the hose




Drinking water hose red reinforced

- 2402880 100mtr
- 2402882 2.5mtr
- 2402885 5mtr

Waterslang rood
Water hose red
Wasserschlauch rot
Tuyaux aliment rouge

Technical information

Outside diameter: 14mm
Inside diameter: 10mm
Operating temperatures:
-5 + 65 degrees Celsius
Slows down the growth of algae in the hose



Maas 700

2400700 Pressure water pump 7 L/min

Drukwaterpomp
Pressure water pump
Druckwasserpumpe
Pompe à eau pressurisée

Technical specifications

Flow rate 7L/min, 12V DC, 2A Current, Power consumption 24W, Polarity sensitive, 2,4 Bar pressure, IP44, Metal and plastic with santoprene membrane 205x188x90mm



NEW!

Maas 1000

2400710 Pressure water pump 10 L/min

Drukwaterpomp
Pressure water pump
Druckwasserpumpe
Pompe à eau pressurisée

Technical specifications

Flow rate 10L/min, 12V DC, 2A Current, Power consumption 24W, Polarity sensitive, 2,4 Bar pressure, IP44, Metal and plastic with santoprene membrane 205x188x90mm



NEW!

Pump maas 10 & 15


2401000 Pump maas 10ltr
2401000H Pump maas 10ltr, colour packaging

2401500 Pump maas 15ltr
2401500H Pump maas 15ltr, colour packaging

Dompelpomp
Submersible pump
Tauchpumpe
Pompe à immerger

Technical specifications

12V DC, 50W, 1,5 bar
2401000: 10 ltr/min, 105x33x38mm
2401500: 15 ltr/min, 115x49x40mm




Pump maas 20

2402000 Pump maas 20ltr
2402000H Pump maas 20ltr, colour packaging

Dompelpomp
Submersible pump
Tauchpumpe
Pompe à immerger

Technical specifications

12V DC, 80W, 1,5 bar
20 ltr/min
122x43x52mm



Ideal for larger pipes distances in caravan/motorhome




Maas pump with check valve

- 2401550 15ltr
- 2401550H 15ltr, colour packaging

Dompelpomp met terugslagventiel
Submersible pump with check valve
Tauchpumpe mit Rückschlagventil
Pompe à immerger avec clapet anti-retour

Technical information

12V DC, 50W, 1.5 bar
15 ltr/min
162x49x40mm



Check valve

- 2400990 ABS
- 2400990H ABS, colour packaging

Terugslagventiel
Check valve
Rückschlagventil
Clapet anti-retour

Technical information

31x31x80mm



Pump model for C2/C200 Thetford

- 2400900H 10ltr

Dompelpomp voor Thetford cassette toilet
Submersible pump for Thetford cassette toilet
Tauchpumpe für Thetford Cassettentoilette
Pompe à immerger pour Thetford toilettes à cassette

Technical specifications

12V DC, 50W, 1.5 bar, 10 ltr/min
Set contains a 10ltr pump, plastic holder,
5A fuse and a heat shrink hose
105x33x38mm



Pump model for C250 Thetford

- 2400950H 10ltr

Dompelpomp voor Thetford cassette toilet
Submersible pump for Thetford cassette toilet
Tauchpumpe für Thetford Cassettentoilette
Pompe à immerger pour Thetford toilettes à cassette

Technical specifications

12V DC, 50W, 1.5 bar, 10 ltr/min
Set contains a 10ltr pump, plastic holder,
5A fuse and a heat shrink hose
62x67x118mm



Lipseal for Thetford

2400880H

Model year **after** june 2000

Lipseal rubber voor schuifmechanisme cassette toilet Thetford
Lipseal rubber for slidingmechanism cassette toilet Thetford
Gummi-Ring für Thetford Cassettentoilette
Anneau caoutchouc pour réservoir de WC cassette Thetford

Technical specifications

2400880H

Suitable for models: C200, C220, C250, C260, C2, C3, C400 and C500
Replacement for Thetford art. 23721



Lipseal for Thetford

2400890H

Model year **before** june 2000

Lipseal rubber voor schuifmechanisme cassette toilet Thetford
Lipseal rubber for slidingmechanism cassette toilet Thetford
Gummi-Ring für Thetford Cassettentoilette
Anneau caoutchouc pour réservoir de WC cassette Thetford

Technical specifications

2400890H

Suitable for models: C2, C3, C4
Replacement for Thetford art. 16175



Fuse 3A

4400810H

3A, 2 pieces

Bladzeker
Bladefuse
Sicherung
Fusible

Technical specifications

3A, among other suitable
for Thetford toilet



Instruction
video Blade
fuse 3A



Safe-T-seal heat shrink hose set

4601521


Krimpousset
Heat shrink hose set
Schrumpmuffe für Drahtverbindungen
Set rétractile pour pompe à eau

Technical specifications

For making an electrical connection
watertight, contains 2 heat shrink hoses
70x12mm + 4 cable connectors for
cable 0.5mm²-2.5mm²



For example to be used to make
the wire connection of a replaced
waterpump watertight



Maas compact water hose on reel

● 2402640 10mtr

Slanghaspel compact
Compact hose on reel
Wasserschlauchkassette kompakt
Cassette-enrouleur compact

Technical specifications

10mtr, hose diameter 11mm
Can be attached to a wall
with hand grip



Maas 15 flat hose on reel

● 2402650 15mtr

Slanghaspel
Flat hose on reel
Flachschlauchkassette
Cassette-enrouleur

Technical specifications

15mtr, 400x520x70mm
Open structure tubes for rolled up usage



Maas aqua uno flat hose on reel

● 2402600 15mtr

Slanghaspel
Flat hose on reel
Flachschlauchkassette
Cassette-enrouleur

Technical specifications

15mtr, 320x375x70mm



Magic hose

● 2402670 5-15mtr
● 2402680 7-22.5mtr

Uitrekbare waterslang
Expandable waterhose
Ausziehbarer Wasserschlauch
Tuyau d'arrosage extensible

Technical specifications

15mtr, 320x375x70mm



Including
storage bag



Extends
in length

3x


Reno tapsplitter

● 2402550H

Kraansplitter
Tap splitter
Wasserhahn-Verteiler
Séparateur de robinet

Technical specifications

Diameter hose connection 27 mm
110x80x42mm



NEW!

Suez universal tap adapter large

● 2402560H

Universele waterkraanadapter groot
Universal tap adapter large
Hahnadapter gross
Adaptateur universel gros

Technical specifications

With quick connection
Adjustable 24-19mm



Instruction
video Suez
universal tap



Panama tap adapter

● 2402580H

Kraan adapter
Tap adapter
Hahn-adapter
Adaptateur de robinet

Technical specifications

Adapter is suitable for taps
with 3/4" and 1/2" thread
Includes quick connection



Universal tap adapter

● 2402590H


Universele waterkraanadapter
Universal tap adapter
Hahnadapter
Adaptateur universel

Technical specifications

With quick connector
Adjustable 13.6-6.3mm

Adjustable
13.6-6.3mm





Orinoco all-in-1 pack

2402570H

Water koppelingen set
Water connection set
Wasser-Zubehörteile-Set
Set raccords de robinet

Set includes

Sprayer, tap adapter 3/4"-1/2",
tap adapter small 13.6-6.3mm,
tap adapter large 24-19mm,
hose connector with water stop 13-15mm,
hose connector without water stop 13-15mm



Ideal solution for the diverse taps on campings through Europe

Portland water inlet

2406015H

Water invoerdop met snelkoppeling
Water inlet cap with quick connection
Wassertankdeckel mit Schnellkupplung
Coupelle d'eau avec raccord rapide

Technical specifications
Suitable for art. 2406001



Rheinland water inlet

2406016H

Water invoerdop met snelkoppeling en overdruk ventiel
Water inlet cap with quick connection and pressure valve
Wassertankdeckel mit Schnellkupplung und Druckventil
Coupelle d'eau avec raccord rapide et valve de pression

Technical specifications
For quick and easy filling
of the waterreservoir



Drain tap

2402840 2402840H

Colour packaging

Kunststof aftapkraan
Plastic drain tap
Kunststoff Zapfhahn
Robinet de vidange en plastique

Technical specifications
PP (polypropylene)
Hose connector diameter: Ø12mm
117x40x37mm

Perfect tool to drain the reservoir or boiler,
before putting the vehicle in storage.




Washing brush ECO

- 8402015
 - 8402018
- Handle only

Wasborstel ECO
Washing brush ECO
Waschbürste ECO
Balai de lavage ECO

Technical specifications

Min. 105cm / max. 175cm
With quick connector and switch




Washing brush

- 8402030
 - 8402031
 - 8402033
- Brush only
Handle only

Wasborstel met zijborstels
Washing brush with side brushes
Waschbürste mit Seitenbürsten
Balai de lavage avec brosse latérales

Technical specifications

Min. 120cm / max. 195cm
With quick connector and switch



Maas 6 microfiber brush

- 8402041

Microvezel borstelkop met waterdoorlaat
Microfiber brush head with water inlet
Microfiber Bürstekopf mit Wassereinfluss
Tête de brosse microfibre avec passage d'eau

Technical specifications

Soft material: microfiber (washable)
Material plastic part: PP (polypropylene)
380x210x80

Without handle



Boathook

- 8403000
- 1300mm

Boothaak
Boathook
Bootshaken
Crochet





Hand shower with rechargeable battery

- **2402410** Hand shower
- **2402415H** Battery

Handdouche met herlaadbare accu
Hand shower with rechargeable battery
Handdusche mit wiederaufladbarer Batterie
Douchette avec batterie rechargeable

Technical specifications

3.7V DC, 2.5A
Battery capacity: 2200mAh (lithium)
Shower time: 50 minutes
With pump, battery pack, charging cable,
shower head, small sprayer,
fixation disc and suspension hook
Hose length: 1.85m



Hand shower 12V

- **2402400**

Handdouche
Hand shower
Handdusche
Douchette

Technical specifications

12V DC
With pump, fixation disc,
suspension hook and switch



Niagara solar shower 20L

- **2402450**

Solar douche
Solar shower
Solar-Dusche
Douche solaire

Technical specifications

With 2 fixation systems
Capacity: 20L



Collapz

- **2400850H** Extendable waste waterhose 1 meter

Uitrekbare afvalwaterslang
Extendable waste waterhose
Ausziehbare Abfall Wasserschlauch
Tuyau d'eau usées extensible

Technical specifications
Length unextended: 483mm
Length extended: 1090mm
Ø48mm



- **2400860H** Waste waterhose adaptor



Afvalwaterslang adapter
Waste waterhose adaptor
Abfall Wasserschlauch Adapter
Adaptateur de tuyau d'eau usées

Technical specifications
Adapter range Ø19 - 50mm
Ø55x180mm



- **2400840H** Set of 1 extendable hose & 1 adaptor

Set van 1 uitrekbare afvalwaterslang en 1 adapter
Set of 1 extendable hose and 1 adaptor
Satz von 1 Ausziehbare Abfall Wasserschlauch und 1 Adapter
Ensemble de 1 tuyau d'eau usées extensible et 1 adaptateur





HABA

happy
campers





Mirrors

Magnum

- **7100750** Flat mirror, 1 piece
- **7100760** Convex mirror, 1 piece

Caravanspiegel
Caravan mirror
Wohnwagenspiegel
Rétroviseur pour caravan

Technical specifications
181x135mm



Argus

- **7100050** Flat mirror, per set

Caravanspiegel
Caravan mirror
Wohnwagenspiegel
Rétroviseur pour caravan

Technical specifications
181x135mm



Colt

- **7100800** Convex mirror, per set
- **7100810** Flat mirror, per set

Caravanspiegel
Caravan mirror
Wohnwagenspiegel
Rétroviseur pour caravan

Technical specifications
181x135mm



Scope

- **7100070** Flat mirror, per set

Spiegel met geïntegreerde dodehoekspiegel
Mirror with extra blind spot mirror
Spiegel mit integriertem Toterwinkelspiegel
Rétroviseur avec extra angle mort

Technical specifications
115x47mm, 115x120mm





For light coloured car mirrors (such as white) we advise to use caravan mirrors **WITHOUT** rubber straps. Some car paints are insufficiently protected against direct contact with the rubber parts, which can over time result in discolouration of the car paint.

Cancun

- **7100030** Flat mirror, per set

Caravanspiegel
Caravan mirror
Wohnwagenspiegel
Rétroviseur pour caravan

Technical specifications
184x118mm



Stinger

- **7100090** Flat mirror, per set, colour packaging
- **7100100** Flat mirror, 1 piece, colour packaging
- **7100109** Flat mirror, 1 piece

Caravanspiegel
Caravan mirror
Wohnwagenspiegel
Rétroviseur pour caravan

Technical specifications
152x110mm



Touring

- **7100500** Flat mirror, 1 piece

Caravanspiegel
Caravan mirror
Wohnwagenspiegel
Rétroviseur pour caravan

Technical specifications
142x93mm



Europe XL

- **7100650** Flat mirror, 1 piece

Caravanspiegel
Caravan mirror
Wohnwagenspiegel
Rétroviseur pour caravan

Technical specifications
142x78mm



Hercules

- **7111100H** Single mirror

Dodehoekspiegel
Blind spot mirror
Toterwinkelspiegel
Rétro angle mort

Technical specifications
135x50mm



Hercules profi

- **7111110H** Single mirror

Dodehoekspiegel
Blind spot mirror
Toterwinkelspiegel
Rétro angle mort

Technical specifications
130x95mm




Hercu double view

- **7111150H** Left
- **7111160H** Right

Dodehoek + parkeerspiegel
Blind spot + parking mirror
Toterwinkel + Parkspiegel
Rétro angle mort + parking

Technical specifications
65x45mm, 50x45mm



Inside view

- **7105000** Single mirror

Kleine binnenspiegel met zuignap
Small inside mirror with suction cup
Innenspiegel mit Saugnapf
Rétroviseur pour cabine avec ventouse

For keeping an eye on the children in the back seat





For light coloured car mirrors (such as white) we advise to use caravan mirrors **WITHOUT** rubber straps. Some car paints are insufficiently protected against direct contact with the rubber parts, which can over time result in discolouration of the car paint.

Smith safety strap

● **7103200H** Single strap

Veiligheidsspanband met zuignap
Safety strap with suction cup
Sicherheits Spannband mit Saugnapf
Sangle de sécurité avec ventouse

**To be used in combination with a caravan mirror
Prevents the risk of collapsing of the mirror while driving**



Magnum parts

7101810 Mirrorhead flat

Spiegelkop vlak
Mirrorhead flat
Spiegelkopf flach
Tête de rétroviseur plat

7101820 Mirrorhead convex

Spiegelkop bol
Mirrorhead convex
Spiegelkopf gewölbt
Tête de rétroviseur glace bombé



Colt parts

7101810 Mirrorhead flat

Spiegelkop vlak
Mirrorhead flat
Spiegelkopf flach
Tête de rétroviseur plat

7101820 Mirrorhead convex

Spiegelkop bol
Mirrorhead convex
Spiegelkopf gewölbt
Tête de rétroviseur glace bombé



7101910 Base part

Huis
Base part
Befestigungsgehäuse
Corps noir



7103087 Screw with bullit foot

Schroef met bol
Screw with bullit foot
Schraube dünn mit Kugelfuss
Vis avec globe



7103990 Complete fixingset for 1 mirror

Bevestigingsset compleet
Complete fixingset
Befestigungs-Set
Set fixation complète



Argus parts

7101810 Mirrorhead flat

Spiegelkop vlak
Mirrorhead flat
Spiegelkopf flach
Tête de rétroviseur plat

7101820 Mirrorhead convex

Spiegelkop bol
Mirrorhead convex
Spiegelkopf gewölbt
Tête de rétroviseur glace bombé



7101990 Base part

Huis
Base part
Befestigungsgehäuse
Corps noir



7103087 Screw with bullit foot

Schroef met bol
Screw with bullit foot
Schraube dünn mit Kugelfuss
Vis avec globe



7103084 Strap

Spanriem
Strap
Spannband
Sangle



7103991 Complete fixingset for 1 mirror

Bevestigingsset compleet
Complete fixingset
Befestigungs-Set
Set fixation complète



Scope parts

7103089 Mirrorhead

Spiegelkop
Mirrorhead
Spiegelkopf
Tête de rétroviseur

7103088 Tube

Buis/arm
Tube
Rohr
Barre métallique



7103085 Base part

Huis
Base part
Befestigungsgehäuse
Corps noir



7103087 Screw with bullit foot

Schroef met bol
Screw with bullit foot
Schraube dünn mit Kugelfuss
Vis avec globe



7103084 Strap

Spanriem
Strap
Spannband
Sangle



7103086 Screw

Schroef
Screw
Schraube
Vis



7103992 Complete fixingset for 1 mirror

Bevestigingsset compleet
Complete fixingset
Befestigungs-Set
Set fixation complète





For light coloured car mirrors (such as white) we advise to use caravan mirrors **WITHOUT** rubber straps. Some car paints are insufficiently protected against direct contact with the rubber parts, which can over time result in discolouration of the car paint.

Parts

7103083

Rubber foot for art. 7103087

Rubber voet
Rubber foot
Gummifuss
Piedestal socle



7103090

Strap 34cm

Spanriem
Strap
Spannband
Sangle



7103110

Clip for strap

Gesp los
Clip for strap
Schnalle für Spannband
Boucle pour sangle



7103150H

Set of 2x straps 34cm + 2x clip

Set 2x spanriem 34cm + 2 gesp
Set of 2x straps 34cm + 2x clip
Set 2x Spannband 34cm + 2x Schnalle
Set 2x sangle 34cm + 2x boucle



HABA

happy
campers

Catalogue 2021



Leverings- en betalingsvoorwaarden Nederland

Leveringen vanaf €500,- netto, frank huis in Nederland.
Leveringen tot €500,- netto, maximaal €15,- verzendkosten.

Bestellingen via webshop

Levering vanaf €250,- netto, franko huis in Nederland, België en Luxemburg.

De prijzen van de artikelen zijn prijzen per stuk, of per meter, exclusief BTW en eventuele verpakkingskosten.

Toeslagen voor verpakking

● Blister per artikel €0.35,-

Op al onze leveringen zijn onze gedeponeerde algemene leveringsvoorwaarden van toepassing. Een exemplaar hiervan is op verzoek beschikbaar.

HABA BV behoudt het recht om bij sterke afwijkingen van de adviesverkoopprijs leveringen van deze producten stop te zetten.

Prijswijzigingen of wijzigingen in uitvoering of samenstelling voorbehouden.

HABA BV

Oud Camp 9
3155 DL Maasland
Nederland
KvK: 24195208



+31 (0)174 513285



+31 (0)174 510558



orders@haba.nl



www.haba.nl